

Item ID	Capacity (LBS)	Capacity (TON)	Span (S)	Mounting Height (MH)	Height Under Boom (HUB) (Feet)	Beam (Inches) (I)	Beam Size	Flange Width	Approx. Weight (lbs.)	Approx. Thrust/Pull (lbs.)	Beam Height	Beam and Mount Height
314-500-8-10	500	1/4 Ton	8'-0"	10'-0"	9'-4"	6	S6X12.5	3-3/8"	442	580	6	8
314-500-8-12	500	1/4 Ton	8'-0"	12'-0"	11'-4"	6	S6X12.5	3-3/8"	478	483	6	8
314-500-8-14	500	1/4 Ton	8'-0"	14'-0"	13'-4"	6	S6X12.5	3-3/8"	511	414	6	8
314-500-8-16	500	1/4 Ton	8'-0"	16'-0"	15'-4"	6	S6X12.5	3-3/8"	549	362	6	8
314-500-8-18	500	1/4 Ton	8'-0"	18'-0"	17'-4"	6	S6X12.5	3-3/8"	576	322	6	8
314-500-8-20	500	1/4 Ton	8'-0"	20'-0"	19'-4"	6	S6X12.5	3-3/8"	614	290	6	8
314-500-10-10	500	1/4 Ton	10'-0"	10'-0"	9'-4"	6	S6X12.5	3-3/8"	466	725	6	8
314-500-10-12	500	1/4 Ton	10'-0"	12'-0"	11'-4"	6	S6X12.5	3-3/8"	500	604	6	8
314-500-10-14	500	1/4 Ton	10'-0"	14'-0"	13'-4"	6	S6X12.5	3-3/8"	536	517	6	8
314-500-10-16	500	1/4 Ton	10'-0"	16'-0"	15'-4"	6	S6X12.5	3-3/8"	570	453	6	8
314-500-10-18	500	1/4 Ton	10'-0"	18'-0"	17'-4"	6	S6X12.5	3-3/8"	602	402	6	8
314-500-10-20	500	1/4 Ton	10'-0"	20'-0"	19'-4"	6	S6X12.5	3-3/8"	636	362	6	8
314-500-12-10	500	1/4 Ton	12'-0"	10'-0"	9'-2"	8	W8X18	5-1/4"	526	870	8	10
314-500-12-12	500	1/4 Ton	12'-0"	12'-0"	11'-2"	8	W8X18	5-1/4"	565	725	8	10
314-500-12-14	500	1/4 Ton	12'-0"	14'-0"	13'-2"	8	W8X18	5-1/4"	591	621	8	10
314-500-12-16	500	1/4 Ton	12'-0"	16'-0"	15'-2"	8	W8X18	5-1/4"	625	543	8	10
314-500-12-18	500	1/4 Ton	12'-0"	18'-0"	17'-2"	8	W8X18	5-1/4"	660	483	8	10
314-500-12-20	500	1/4 Ton	12'-0"	20'-0"	19'-2"	8	W8X18	5-1/4"	696	435	8	10
314-500-14-10	500	1/4 Ton	14'-0"	10'-0"	9'-2"	8	W8X18	5-1/4"	603	1015	8	10
314-500-14-12	500	1/4 Ton	14'-0"	12'-0"	11'-2"	8	W8X18	5-1/4"	635	845	8	10
314-500-14-14	500	1/4 Ton	14'-0"	14'-0"	13'-2"	8	W8X18	5-1/4"	665	725	8	10
314-500-14-16	500	1/4 Ton	14'-0"	16'-0"	15'-2"	8	W8X18	5-1/4"	702	634	8	10
314-500-14-18	500	1/4 Ton	14'-0"	18'-0"	17'-2"	8	W8X18	5-1/4"	738	563	8	10
314-500-14-20	500	1/4 Ton	14'-0"	20'-0"	19'-2"	8	W8X18	5-1/4"	875	507	8	10
314-500-16-10	500	1/4 Ton	16'-0"	10'-0"	9'-2"	8	W8X18	5-1/4"	636	1160	8	10
314-500-16-12	500	1/4 Ton	16'-0"	12'-0"	11'-2"	8	W8X18	5-1/4"	675	966	8	10
314-500-16-14	500	1/4 Ton	16'-0"	14'-0"	13'-2"	8	W8X18	5-1/4"	785	828	8	10
314-500-16-16	500	1/4 Ton	16'-0"	16'-0"	15'-2"	8	W8X18	5-1/4"	825	725	8	10
314-500-16-18	500	1/4 Ton	16'-0"	18'-0"	17'-2"	8	W8X18	5-1/4"	869	644	8	10
314-500-16-20	500	1/4 Ton	16'-0"	20'-0"	19'-2"	8	W8X18	5-1/4"	913	580	8	10
314-500-18-10	500	1/4 Ton	18'-0"	10'-0"	9'-0"	10	W10X26	5-3/4"	863	1305	10	12
314-500-18-12	500	1/4 Ton	18'-0"	12'-0"	11'-0"	10	W10X26	5-3/4"	909	1087	10	12
314-500-18-14	500	1/4 Ton	18'-0"	14'-0"	13'-0"	10	W10X26	5-3/4"	955	932	10	12
314-500-18-16	500	1/4 Ton	18'-0"	16'-0"	15'-0"	10	W10X26	5-3/4"	995	815	10	12
314-500-18-18	500	1/4 Ton	18'-0"	18'-0"	17'-0"	10	W10X26	5-3/4"	1033	725	10	12
314-500-18-20	500	1/4 Ton	18'-0"	20'-0"	19'-0"	10	W10X26	5-3/4"	1071	652	10	12
314-500-20-10	500	1/4 Ton	20'-0"	10'-0"	9'-0"	10	W10X26	5-3/4"	920	1450	10	12
314-500-20-12	500	1/4 Ton	20'-0"	12'-0"	11'-0"	10	W10X26	5-3/4"	958	1208	10	12
314-500-20-14	500	1/4 Ton	20'-0"	14'-0"	13'-0"	10	W10X26	5-3/4"	996	1035	10	12
314-500-20-16	500	1/4 Ton	20'-0"	16'-0"	15'-0"	10	W10X26	5-3/4"	1044	906	10	12
314-500-20-18	500	1/4 Ton	20'-0"	18'-0"	17'-0"	10	W10X26	5-3/4"	1080	805	10	12
314-500-20-20	500	1/4 Ton	20'-0"	20'-0"	19'-0"	10	W10X26	5-3/4"	1331	725	10	12
314-1000-8-10	1000	1/2 Ton	8'-0"	10'-0"	9'-4"	6	S6X12.5	3-3/8"	444	1160	6	8
314-1000-8-12	1000	1/2 Ton	8'-0"	12'-0"	11'-4"	6	S6X12.5	3-3/8"	478	966	6	8
314-1000-8-14	1000	1/2 Ton	8'-0"	14'-0"	13'-4"	6	S6X12.5	3-3/8"	514	828	6	8
314-1000-8-16	1000	1/2 Ton	8'-0"	16'-0"	15'-4"	6	S6X12.5	3-3/8"	547	725	6	8
314-1000-8-18	1000	1/2 Ton	8'-0"	18'-0"	17'-4"	6	S6X12.5	3-3/8"	575	644	6	8

Item ID	Capacity (LBS)	Capacity (TON)	Span (S)	Mounting Height (MH)	Height Under Boom (HUB) (Feet)	Beam (Inches) (I)	Beam Size	Flange Width	Approx. Weight (lbs.)	Approx. Thrust/Pull (lbs.)	Beam Height	Beam and Mount Height
314-1000-8-20	1000	1/2 Ton	8'-0"	20'-0"	19'-4"	6	S6X12.5	3-3/8"	716	580	6	8
314-1000-10-10	1000	1/2 Ton	10'-0"	10'-0"	9'-2"	8	W8X18	5-1/4"	565	1450	8	10
314-1000-10-12	1000	1/2 Ton	10'-0"	12'-0"	11'-2"	8	W8X18	5-1/4"	604	1208	8	10
314-1000-10-14	1000	1/2 Ton	10'-0"	14'-0"	13'-2"	8	W8X18	5-1/4"	640	1035	8	10
314-1000-10-16	1000	1/2 Ton	10'-0"	16'-0"	15'-2"	8	W8X18	5-1/4"	688	906	8	10
314-1000-10-18	1000	1/2 Ton	10'-0"	18'-0"	17'-2"	8	W8X18	5-1/4"	730	805	8	10
314-1000-10-20	1000	1/2 Ton	10'-0"	20'-0"	19'-2"	8	W8X18	5-1/4"	774	725	8	10
314-1000-12-10	1000	1/2 Ton	12'-0"	10'-0"	9'-2"	8	W8X18	5-1/4"	629	1740	8	10
314-1000-12-12	1000	1/2 Ton	12'-0"	12'-0"	11'-2"	8	W8X18	5-1/4"	671	1450	8	10
314-1000-12-14	1000	1/2 Ton	12'-0"	14'-0"	13'-2"	8	W8X18	5-1/4"	714	1242	8	10
314-1000-12-16	1000	1/2 Ton	12'-0"	16'-0"	15'-2"	8	W8X18	5-1/4"	752	1087	8	10
314-1000-12-18	1000	1/2 Ton	12'-0"	18'-0"	17'-2"	8	W8X18	5-1/4"	795	966	8	10
314-1000-12-20	1000	1/2 Ton	12'-0"	20'-0"	19'-2"	8	W8X18	5-1/4"	837	870	8	10
314-1000-14-10	1000	1/2 Ton	14'-0"	10'-0"	9'-0"	10	W10X26	5-3/4"	879	2030	10	12
314-1000-14-12	1000	1/2 Ton	14'-0"	12'-0"	11'-0"	10	W10X26	5-3/4"	937	1691	10	12
314-1000-14-14	1000	1/2 Ton	14'-0"	14'-0"	13'-0"	10	W10X26	5-3/4"	995	1450	10	12
314-1000-14-16	1000	1/2 Ton	14'-0"	16'-0"	15'-0"	10	W10X26	5-3/4"	1059	1268	10	12
314-1000-14-18	1000	1/2 Ton	14'-0"	18'-0"	17'-0"	10	W10X26	5-3/4"	1117	1127	10	12
314-1000-14-20	1000	1/2 Ton	14'-0"	20'-0"	19'-0"	10	W10X26	5-3/4"	1178	1015	10	12
314-1000-16-10	1000	1/2 Ton	16'-0"	10'-0"	9'-0"	10	W10X26	5-3/4"	925	2320	10	12
314-1000-16-12	1000	1/2 Ton	16'-0"	12'-0"	11'-0"	10	W10X26	5-3/4"	990	1933	10	12
314-1000-16-14	1000	1/2 Ton	16'-0"	14'-0"	13'-0"	10	W10X26	5-3/4"	1048	1657	10	12
314-1000-16-16	1000	1/2 Ton	16'-0"	16'-0"	15'-0"	10	W10X26	5-3/4"	1107	1450	10	12
314-1000-16-18	1000	1/2 Ton	16'-0"	18'-0"	17'-0"	10	W10X26	5-3/4"	1169	1288	10	12
314-1000-16-20	1000	1/2 Ton	16'-0"	20'-0"	19'-0"	10	W10X26	5-3/4"	1228	1160	10	12
314-1000-18-10	1000	1/2 Ton	18'-0"	10'-0"	8'-10"	12	W12X30	6-1/2"	1095	2610	12	14
314-1000-18-12	1000	1/2 Ton	18'-0"	12'-0"	10'-10"	12	W12X30	6-1/2"	1152	2175	12	14
314-1000-18-14	1000	1/2 Ton	18'-0"	14'-0"	12'-10"	12	W12X30	6-1/2"	1212	1864	12	14
314-1000-18-16	1000	1/2 Ton	18'-0"	16'-0"	14'-10"	12	W12X30	6-1/2"	1273	1631	12	14
314-1000-18-18	1000	1/2 Ton	18'-0"	18'-0"	16'-10"	12	W12X30	6-1/2"	1330	1450	12	14
314-1000-18-20	1000	1/2 Ton	18'-0"	20'-0"	18'-10"	12	W12X30	6-1/2"	1395	1305	12	14
314-1000-20-10	1000	1/2 Ton	20'-0"	10'-0"	8'-10"	12	W12X30	6-1/2"	1156	2900	12	14
314-1000-20-12	1000	1/2 Ton	20'-0"	12'-0"	10'-10"	12	W12X30	6-1/2"	1215	2416	12	14
314-1000-20-14	1000	1/2 Ton	20'-0"	14'-0"	12'-10"	12	W12X30	6-1/2"	1277	2071	12	14
314-1000-20-16	1000	1/2 Ton	20'-0"	16'-0"	14'-10"	12	W12X30	6-1/2"	1337	1812	12	14
314-1000-20-18	1000	1/2 Ton	20'-0"	18'-0"	16'-10"	12	W12X30	6-1/2"	1400	1611	12	14
314-1000-20-20	1000	1/2 Ton	20'-0"	20'-0"	18'-10"	12	W12X30	6-1/2"	1601	1450	12	14
314-2000-8-10	2000	1 Ton	8'-0"	10'-0"	9'-2"	8	W8X18	5-1/4"	555	2320	8	10
314-2000-8-12	2000	1 Ton	8'-0"	12'-0"	11'-2"	8	W8X18	5-1/4"	600	1933	8	10
314-2000-8-14	2000	1 Ton	8'-0"	14'-0"	13'-2"	8	W8X18	5-1/4"	640	1657	8	10
314-2000-8-16	2000	1 Ton	8'-0"	16'-0"	15'-2"	8	W8X18	5-1/4"	684	1450	8	10
314-2000-8-18	2000	1 Ton	8'-0"	18'-0"	17'-2"	8	W8X18	5-1/4"	910	1288	8	10
314-2000-8-20	2000	1 Ton	8'-0"	20'-0"	19'-2"	8	W8X18	5-1/4"	967	1160	8	10
314-2000-10-10	2000	1 Ton	10'-0"	10'-0"	9'-0"	10	W10X26	5-3/4"	780	2900	10	12
314-2000-10-12	2000	1 Ton	10'-0"	12'-0"	11'-0"	10	W10X26	5-3/4"	839	2416	10	12
314-2000-10-14	2000	1 Ton	10'-0"	14'-0"	13'-0"	10	W10X26	5-3/4"	896	2071	10	12
314-2000-10-16	2000	1 Ton	10'-0"	16'-0"	15'-0"	10	W10X26	5-3/4"	955	1812	10	12

Item ID	Capacity (LBS)	Capacity (TON)	Span (S)	Mounting Height (MH)	Height Under Boom (HUB) (Feet)	Beam (Inches) (I)	Beam Size	Flange Width	Approx. Weight (lbs.)	Approx. Thrust/Pull (lbs.)	Beam Height	Beam and Mount Height
314-2000-10-18	2000	1 Ton	10'-0"	18'-0"	17'-0"	10	W10X26	5-3/4"	1016	1611	10	12
314-2000-10-20	2000	1 Ton	10'-0"	20'-0"	19'-0"	10	W10X26	5-3/4"	1076	1450	10	12
314-2000-12-10	2000	1 Ton	12'-0"	10'-0"	9'-0"	10	W10X26	5-3/4"	827	3480	10	12
314-2000-12-12	2000	1 Ton	12'-0"	12'-0"	11'-0"	10	W10X26	5-3/4"	890	2900	10	12
314-2000-12-14	2000	1 Ton	12'-0"	14'-0"	13'-0"	10	W10X26	5-3/4"	947	2485	10	12
314-2000-12-16	2000	1 Ton	12'-0"	16'-0"	15'-0"	10	W10X26	5-3/4"	1009	2175	10	12
314-2000-12-18	2000	1 Ton	12'-0"	18'-0"	17'-0"	10	W10X26	5-3/4"	1066	1933	10	12
314-2000-12-20	2000	1 Ton	12'-0"	20'-0"	19'-0"	10	W10X26	5-3/4"	1127	1740	10	12
314-2000-14-10	2000	1 Ton	14'-0"	10'-0"	8'-10"	12	W12X30	6-1/2"	970	4060	12	14
314-2000-14-12	2000	1 Ton	14'-0"	12'-0"	10'-10"	12	W12X30	6-1/2"	1025	3383	12	14
314-2000-14-14	2000	1 Ton	14'-0"	14'-0"	12'-10"	12	W12X30	6-1/2"	1087	2900	12	14
314-2000-14-16	2000	1 Ton	14'-0"	16'-0"	14'-10"	12	W12X30	6-1/2"	1149	2537	12	14
314-2000-14-18	2000	1 Ton	14'-0"	18'-0"	16'-10"	12	W12X30	6-1/2"	1341	2255	12	14
314-2000-14-20	2000	1 Ton	14'-0"	20'-0"	18'-10"	12	W12X30	6-1/2"	1410	2030	12	14
314-2000-16-10	2000	1 Ton	16'-0"	10'-0"	8'-10"	12	W12X30	6-1/2"	1031	4640	12	14
314-2000-16-12	2000	1 Ton	16'-0"	12'-0"	10'-10"	12	W12X30	6-1/2"	1091	3866	12	14
314-2000-16-14	2000	1 Ton	16'-0"	14'-0"	12'-10"	12	W12X30	6-1/2"	1152	3314	12	14
314-2000-16-16	2000	1 Ton	16'-0"	16'-0"	14'-10"	12	W12X30	6-1/2"	1331	2900	12	14
314-2000-16-18	2000	1 Ton	16'-0"	18'-0"	16'-10"	12	W12X30	6-1/2"	1403	2577	12	14
314-2000-16-20	2000	1 Ton	16'-0"	20'-0"	18'-10"	12	W12X30	6-1/2"	1477	2320	12	14
314-2000-18-10	2000	1 Ton	18'-0"	10'-0"	8'-6"	16	W16X45	7"	1396	5220	16	18
314-2000-18-12	2000	1 Ton	18'-0"	12'-0"	10'-6"	16	W16X45	7"	1453	4350	16	18
314-2000-18-14	2000	1 Ton	18'-0"	14'-0"	12'-6"	16	W16X45	7"	1522	3728	16	18
314-2000-18-16	2000	1 Ton	18'-0"	16'-0"	14'-6"	16	W16X45	7"	1596	3262	16	18
314-2000-18-18	2000	1 Ton	18'-0"	18'-0"	16'-6"	16	W16X45	7"	1944	2900	16	18
314-2000-18-20	2000	1 Ton	18'-0"	20'-0"	18'-6"	16	W16X45	7"	2040	2610	16	18
314-2000-20-10	2000	1 Ton	20'-0"	10'-0"	8'-6"	16	W16X45	7"	1488	5800	16	18
314-2000-20-12	2000	1 Ton	20'-0"	12'-0"	10'-6"	16	W16X45	7"	1558	4833	16	18
314-2000-20-14	2000	1 Ton	20'-0"	14'-0"	12'-6"	16	W16X45	7"	1609	4142	16	18
314-2000-20-16	2000	1 Ton	20'-0"	16'-0"	14'-6"	16	W16X45	7"	1934	3625	16	18
314-2000-20-18	2000	1 Ton	20'-0"	18'-0"	16'-6"	16	W16X45	7"	2035	3222	16	18
314-2000-20-20	2000	1 Ton	20'-0"	20'-0"	18'-6"	16	W16X45	7"	2134	2900	16	18
314-3000-8-10	3000	1.5 Ton	8'-0"	10'-0"	8'-11"	10	W10X26	5-3/4"	730	3480	10	12
314-3000-8-12	3000	1.5 Ton	8'-0"	12'-0"	10'-11"	10	W10X26	5-3/4"	787	2900	10	12
314-3000-8-14	3000	1.5 Ton	8'-0"	14'-0"	12'-11"	10	W10X26	5-3/4"	848	2485	10	12
314-3000-8-16	3000	1.5 Ton	8'-0"	16'-0"	14'-11"	10	W10X26	5-3/4"	909	2175	10	12
314-3000-8-18	3000	1.5 Ton	8'-0"	18'-0"	16'-11"	10	W10X26	5-3/4"	968	1933	10	12
314-3000-8-20	3000	1.5 Ton	8'-0"	20'-0"	18'-11"	10	W10X26	5-3/4"	1030	1740	10	12
314-3000-10-10	3000	1.5 Ton	10'-0"	10'-0"	8'-11"	10	W10X26	5-3/4"	778	4350	10	12
314-3000-10-12	3000	1.5 Ton	10'-0"	12'-0"	10'-11"	10	W10X26	5-3/4"	837	3625	10	12
314-3000-10-14	3000	1.5 Ton	10'-0"	14'-0"	12'-11"	10	W10X26	5-3/4"	895	3107	10	12
314-3000-10-16	3000	1.5 Ton	10'-0"	16'-0"	14'-11"	10	W10X26	5-3/4"	955	2718	10	12
314-3000-10-18	3000	1.5 Ton	10'-0"	18'-0"	16'-11"	10	W10X26	5-3/4"	1148	2416	10	12
314-3000-10-20	3000	1.5 Ton	10'-0"	20'-0"	18'-11"	10	W10X26	5-3/4"	1221	2175	10	12
314-3000-12-10	3000	1.5 Ton	12'-0"	10'-0"	8'-9"	12	W12X30	6-1/2"	923	5220	12	14
314-3000-12-12	3000	1.5 Ton	12'-0"	12'-0"	10'-9"	12	W12X30	6-1/2"	961	4350	12	14
314-3000-12-14	3000	1.5 Ton	12'-0"	14'-0"	12'-9"	12	W12X30	6-1/2"	1021	3728	12	14

Item ID	Capacity (LBS)	Capacity (TON)	Span (S)	Mounting Height (MH)	Height Under Boom (HUB) (Feet)	Beam (Inches) (I)	Beam Size	Flange Width	Approx. Weight (lbs.)	Approx. Thrust/Pull (lbs.)	Beam Height	Beam and Mount Height
314-3000-12-16	3000	1.5 Ton	12'-0"	16'-0"	14'-9"	12	W12X30	6-1/2"	1208	3262	12	14
314-3000-12-18	3000	1.5 Ton	12'-0"	18'-0"	16'-9"	12	W12X30	6-1/2"	1275	2900	12	14
314-3000-12-20	3000	1.5 Ton	12'-0"	20'-0"	18'-9"	12	W12X30	6-1/2"	1346	2610	12	14
314-3000-14-10	3000	1.5 Ton	14'-0"	10'-0"	8'-5"	16	W16X45	7"	1225	6090	16	18
314-3000-14-12	3000	1.5 Ton	14'-0"	12'-0"	10'-5"	16	W16X45	7"	1300	5075	16	18
314-3000-14-14	3000	1.5 Ton	14'-0"	14'-0"	12'-5"	16	W16X45	7"	1352	4350	16	18
314-3000-14-16	3000	1.5 Ton	14'-0"	16'-0"	14'-5"	16	W16X45	7"	1423	3806	16	18
314-3000-14-18	3000	1.5 Ton	14'-0"	18'-0"	16'-5"	16	W16X45	7"	1773	3383	16	18
314-3000-14-20	3000	1.5 Ton	14'-0"	20'-0"	18'-5"	16	W16X45	7"	1874	3045	16	18
314-3000-16-10	3000	1.5 Ton	16'-0"	10'-0"	8'-5"	16	W16X45	7"	1315	6960	16	18
314-3000-16-12	3000	1.5 Ton	16'-0"	12'-0"	10'-5"	16	W16X45	7"	1385	5800	16	18
314-3000-16-14	3000	1.5 Ton	16'-0"	14'-0"	12'-5"	16	W16X45	7"	1675	4971	16	18
314-3000-16-16	3000	1.5 Ton	16'-0"	16'-0"	14'-5"	16	W16X45	7"	1756	4350	16	18
314-3000-16-18	3000	1.5 Ton	16'-0"	18'-0"	16'-5"	16	W16X45	7"	1858	3866	16	18
314-3000-16-20	3000	1.5 Ton	16'-0"	20'-0"	18'-5"	16	W16X45	7"	1957	3480	16	18
314-3000-18-10	3000	1.5 Ton	18'-0"	10'-0"	8'-3"	18	W18X55	7-1/2"	1777	7830	18	21
314-3000-18-12	3000	1.5 Ton	18'-0"	12'-0"	10'-3"	18	W18X55	7-1/2"	1878	6525	18	21
314-3000-18-14	3000	1.5 Ton	18'-0"	14'-0"	12'-3"	18	W18X55	7-1/2"	1978	5592	18	21
314-3000-18-16	3000	1.5 Ton	18'-0"	16'-0"	14'-3"	18	W18X55	7-1/2"	2076	4893	18	21
314-3000-18-18	3000	1.5 Ton	18'-0"	18'-0"	16'-3"	18	W18X55	7-1/2"	2155	4350	18	21
314-3000-18-20	3000	1.5 Ton	18'-0"	20'-0"	18'-3"	18	W18X55	7-1/2"	2258	3915	18	21
314-3000-20-10	3000	1.5 Ton	20'-0"	10'-0"	8'-3"	18	W18X55	7-1/2"	1875	8700	18	21
314-3000-20-12	3000	1.5 Ton	20'-0"	12'-0"	10'-3"	18	W18X55	7-1/2"	1988	7250	18	21
314-3000-20-14	3000	1.5 Ton	20'-0"	14'-0"	12'-3"	18	W18X55	7-1/2"	2087	6214	18	21
314-3000-20-16	3000	1.5 Ton	20'-0"	16'-0"	14'-3"	18	W18X55	7-1/2"	2189	5437	18	21
314-3000-20-18	3000	1.5 Ton	20'-0"	18'-0"	16'-3"	18	W18X55	7-1/2"	2287	4833	18	21
314-3000-20-20	3000	1.5 Ton	20'-0"	20'-0"	18'-3"	18	W18X55	7-1/2"	2634	4350	18	21
314-4000-8-10	4000	2 Ton	8'-0"	10'-0"	8'-11"	10	W10X26	5-3/4"	730	4640	10	12
314-4000-8-12	4000	2 Ton	8'-0"	12'-0"	10'-11"	10	W10X26	5-3/4"	786	3866	10	12
314-4000-8-14	4000	2 Ton	8'-0"	14'-0"	12'-11"	10	W10X26	5-3/4"	846	3314	10	12
314-4000-8-16	4000	2 Ton	8'-0"	16'-0"	14'-11"	10	W10X26	5-3/4"	909	2900	10	12
314-4000-8-18	4000	2 Ton	8'-0"	18'-0"	16'-11"	10	W10X26	5-3/4"	1095	2577	10	12
314-4000-8-20	4000	2 Ton	8'-0"	20'-0"	18'-11"	10	W10X26	5-3/4"	1172	2320	10	12
314-4000-10-10	4000	2 Ton	10'-0"	10'-0"	8'-9"	12	W12X30	6-1/2"	861	5800	12	14
314-4000-10-12	4000	2 Ton	10'-0"	12'-0"	10'-9"	12	W12X30	6-1/2"	923	4833	12	14
314-4000-10-14	4000	2 Ton	10'-0"	14'-0"	12'-9"	12	W12X30	6-1/2"	1067	4142	12	14
314-4000-10-16	4000	2 Ton	10'-0"	16'-0"	14'-9"	12	W12X30	6-1/2"	1145	3625	12	14
314-4000-10-18	4000	2 Ton	10'-0"	18'-0"	16'-9"	12	W12X30	6-1/2"	1212	3222	12	14
314-4000-10-20	4000	2 Ton	10'-0"	20'-0"	18'-9"	12	W12X30	6-1/2"	1594	2900	12	14
314-4000-12-10	4000	2 Ton	12'-0"	10'-0"	8'-5"	16	W16X45	7"	1141	6960	16	18
314-4000-12-12	4000	2 Ton	12'-0"	12'-0"	10'-5"	16	W16X45	7"	1210	5800	16	18
314-4000-12-14	4000	2 Ton	12'-0"	14'-0"	12'-5"	16	W16X45	7"	1285	4971	16	18
314-4000-12-16	4000	2 Ton	12'-0"	16'-0"	14'-5"	16	W16X45	7"	1585	4350	16	18
314-4000-12-18	4000	2 Ton	12'-0"	18'-0"	16'-5"	16	W16X45	7"	1690	3866	16	18
314-4000-12-20	4000	2 Ton	12'-0"	20'-0"	18'-5"	16	W16X45	7"	1785	3480	16	18
314-4000-14-10	4000	2 Ton	14'-0"	10'-0"	8'-5"	16	W16X45	7"	1225	8120	16	18
314-4000-14-12	4000	2 Ton	14'-0"	12'-0"	10'-5"	16	W16X45	7"	1303	6766	16	18

Item ID	Capacity (LBS)	Capacity (TON)	Span (S)	Mounting Height (MH)	Height Under Boom (HUB) (Feet)	Beam (Inches) (I)	Beam Size	Flange Width	Approx. Weight (lbs.)	Approx. Thrust/Pull (lbs.)	Beam Height	Beam and Mount Height
314-4000-14-14	4000	2 Ton	14'-0"	14'-0"	12'-5"	16	W16X45	7"	1592	5800	16	18
314-4000-14-16	4000	2 Ton	14'-0"	16'-0"	14'-5"	16	W16X45	7"	1691	5075	16	18
314-4000-14-18	4000	2 Ton	14'-0"	18'-0"	16'-5"	16	W16X45	7"	1774	4511	16	18
314-4000-14-20	4000	2 Ton	14'-0"	20'-0"	18'-5"	16	W16X45	7"	1875	4060	16	18
314-4000-16-10	4000	2 Ton	16'-0"	10'-0"	8'-3"	18	W18X55	7-1/2"	1669	9280	18	21
314-4000-16-12	4000	2 Ton	16'-0"	12'-0"	10'-3"	18	W18X55	7-1/2"	1766	7733	18	21
314-4000-16-14	4000	2 Ton	16'-0"	14'-0"	12'-3"	18	W18X55	7-1/2"	1867	6628	18	21
314-4000-16-16	4000	2 Ton	16'-0"	16'-0"	14'-3"	18	W18X55	7-1/2"	1965	5800	18	21
314-4000-16-18	4000	2 Ton	16'-0"	18'-0"	16'-3"	18	W18X55	7-1/2"	2067	5155	18	21
314-4000-16-20	4000	2 Ton	16'-0"	20'-0"	18'-3"	18	W18X55	7-1/2"	2145	4640	18	21
314-4000-18-10	4000	2 Ton	18'-0"	10'-0"	8'-3"	18	W18X55	7-1/2"	1798	10440	18	21
314-4000-18-12	4000	2 Ton	18'-0"	12'-0"	10'-3"	18	W18X55	7-1/2"	1877	8700	18	21
314-4000-18-14	4000	2 Ton	18'-0"	14'-0"	12'-3"	18	W18X55	7-1/2"	1976	7457	18	21
314-4000-18-16	4000	2 Ton	18'-0"	16'-0"	14'-3"	18	W18X55	7-1/2"	2076	6525	18	21
314-4000-18-18	4000	2 Ton	18'-0"	18'-0"	16'-3"	18	W18X55	7-1/2"	2416	5800	18	21
314-4000-18-20	4000	2 Ton	18'-0"	20'-0"	18'-3"	18	W18X55	7-1/2"	2540	5220	18	21
314-4000-20-10	4000	2 Ton	20'-0"	10'-0"	8'-0"	21	W21X62	8-1/4"	2269	11600	21	24
314-4000-20-12	4000	2 Ton	20'-0"	12'-0"	10'-0"	21	W21X62	8-1/4"	2366	9666	21	24
314-4000-20-14	4000	2 Ton	20'-0"	14'-0"	12'-0"	21	W21X62	8-1/4"	2490	8285	21	24
314-4000-20-16	4000	2 Ton	20'-0"	16'-0"	14'-0"	21	W21X62	8-1/4"	2619	7250	21	24
314-4000-20-18	4000	2 Ton	20'-0"	18'-0"	16'-0"	21	W21X62	8-1/4"	2741	6444	21	24
314-4000-20-20	4000	2 Ton	20'-0"	20'-0"	18'-0"	21	W21X62	8-1/4"	2866	5800	21	24
314-6000-8-10	6000	3 Ton	8'-0"	10'-0"	8'-5"	16	W16X45	7"	881	6960	16	18
314-6000-8-12	6000	3 Ton	8'-0"	12'-0"	10'-5"	16	W16X45	7"	954	5800	16	18
314-6000-8-14	6000	3 Ton	8'-0"	14'-0"	12'-5"	16	W16X45	7"	1028	4971	16	18
314-6000-8-16	6000	3 Ton	8'-0"	16'-0"	14'-5"	16	W16X45	7"	1325	4350	16	18
314-6000-8-18	6000	3 Ton	8'-0"	18'-0"	16'-5"	16	W16X45	7"	1427	3866	16	18
314-6000-8-20	6000	3 Ton	8'-0"	20'-0"	18'-5"	16	W16X45	7"	1528	3480	16	18
314-6000-10-10	6000	3 Ton	10'-0"	10'-0"	8'-5"	16	W16X45	7"	1055	8700	16	18
314-6000-10-12	6000	3 Ton	10'-0"	12'-0"	10'-5"	16	W16X45	7"	1129	7250	16	18
314-6000-10-14	6000	3 Ton	10'-0"	14'-0"	12'-5"	16	W16X45	7"	1424	6214	16	18
314-6000-10-16	6000	3 Ton	10'-0"	16'-0"	14'-5"	16	W16X45	7"	1520	5437	16	18
314-6000-10-18	6000	3 Ton	10'-0"	18'-0"	16'-5"	16	W16X45	7"	1703	4833	16	18
314-6000-10-20	6000	3 Ton	10'-0"	20'-0"	18'-5"	16	W16X45	7"	1701	4350	16	18
314-6000-12-10	6000	3 Ton	12'-0"	10'-0"	8'-5"	16	W16X45	7"	1309	10440	16	18
314-6000-12-12	6000	3 Ton	12'-0"	12'-0"	10'-5"	16	W16X45	7"	1406	8700	16	18
314-6000-12-14	6000	3 Ton	12'-0"	14'-0"	12'-5"	16	W16X45	7"	1509	7457	16	18
314-6000-12-16	6000	3 Ton	12'-0"	16'-0"	14'-5"	16	W16X45	7"	1605	6525	16	18
314-6000-12-18	6000	3 Ton	12'-0"	18'-0"	16'-5"	16	W16X45	7"	1709	5800	16	18
314-6000-12-20	6000	3 Ton	12'-0"	20'-0"	18'-5"	16	W16X45	7"	1805	5220	16	18
314-6000-14-10	6000	3 Ton	14'-0"	10'-0"	8'-3"	18	W18X55	7-1/2"	1578	12180	18	21
314-6000-14-12	6000	3 Ton	14'-0"	12'-0"	10'-3"	18	W18X55	7-1/2"	1679	10150	18	21
314-6000-14-14	6000	3 Ton	14'-0"	14'-0"	12'-3"	18	W18X55	7-1/2"	1756	8700	18	21
314-6000-14-16	6000	3 Ton	14'-0"	16'-0"	14'-3"	18	W18X55	7-1/2"	1859	7612	18	21
314-6000-14-18	6000	3 Ton	14'-0"	18'-0"	16'-3"	18	W18X55	7-1/2"	2200	6766	18	21
314-6000-14-20	6000	3 Ton	14'-0"	20'-0"	18'-3"	18	W18X55	7-1/2"	2321	6090	18	21
314-6000-16-10	6000	3 Ton	16'-0"	10'-0"	8'-0"	21	W21X62	8-1/4"	2004	13920	21	24

Item ID	Capacity (LBS)	Capacity (TON)	Span (S)	Mounting Height (MH)	Height Under Boom (HUB) (Feet)	Beam (Inches) (I)	Beam Size	Flange Width	Approx. Weight (lbs.)	Approx. Thrust/Pull (lbs.)	Beam Height	Beam and Mount Height
314-6000-16-12	6000	3 Ton	16'-0"	12'-0"	10'-0"	21	W21X62	8-1/4"	2128	11600	21	24
314-6000-16-14	6000	3 Ton	16'-0"	14'-0"	12'-0"	21	W21X62	8-1/4"	2254	9942	21	24
314-6000-16-16	6000	3 Ton	16'-0"	16'-0"	14'-0"	21	W21X62	8-1/4"	2353	8700	21	24
314-6000-16-18	6000	3 Ton	16'-0"	18'-0"	16'-0"	21	W21X62	8-1/4"	2477	7733	21	24
314-6000-16-20	6000	3 Ton	16'-0"	20'-0"	18'-0"	21	W21X62	8-1/4"	2603	6960	21	24
314-6000-18-10	6000	3 Ton	18'-0"	10'-0"	8'-0"	21	W21X62	8-1/4"	2135	15660	21	24
314-6000-18-12	6000	3 Ton	18'-0"	12'-0"	10'-0"	21	W21X62	8-1/4"	2255	13050	21	24
314-6000-18-14	6000	3 Ton	18'-0"	14'-0"	12'-0"	21	W21X62	8-1/4"	2381	11185	21	24
314-6000-18-16	6000	3 Ton	18'-0"	16'-0"	14'-0"	21	W21X62	8-1/4"	2510	9787	21	24
314-6000-18-18	6000	3 Ton	18'-0"	18'-0"	16'-0"	21	W21X62	8-1/4"	2889	8700	21	24
314-6000-18-20	6000	3 Ton	18'-0"	20'-0"	18'-0"	21	W21X62	8-1/4"	3039	7830	21	24
314-6000-20-10	6000	3 Ton	20'-0"	10'-0"	7'-9"	24	W24X68	9"	2559	17400	24	27
314-6000-20-12	6000	3 Ton	20'-0"	12'-0"	9'-9"	24	W24X68	9"	2681	14500	24	27
314-6000-20-14	6000	3 Ton	20'-0"	14'-0"	11'-9"	24	W24X68	9"	2810	12428	24	27
314-6000-20-16	6000	3 Ton	20'-0"	16'-0"	13'-9"	24	W24X68	9"	3177	10875	24	27
314-6000-20-18	6000	3 Ton	20'-0"	18'-0"	15'-9"	24	W24X68	9"	3334	9666	24	27
314-6000-20-20	6000	3 Ton	20'-0"	20'-0"	17'-9"	24	W24X68	9"	3481	8700	24	27
314-10000-8-10	10000	5 Ton	8'-0"	10'-0"	8'-3"	18	W18X55	7-1/2"	1254	11600	18	21
314-10000-8-12	10000	5 Ton	8'-0"	12'-0"	10'-3"	18	W18X55	7-1/2"	1355	9666	18	21
314-10000-8-14	10000	5 Ton	8'-0"	14'-0"	12'-3"	18	W18X55	7-1/2"	1431	8285	18	21
314-10000-8-16	10000	5 Ton	8'-0"	16'-0"	14'-3"	18	W18X55	7-1/2"	1534	7250	18	21
314-10000-8-18	10000	5 Ton	8'-0"	18'-0"	16'-3"	18	W18X55	7-1/2"	1732	6444	18	21
314-10000-8-20	10000	5 Ton	8'-0"	20'-0"	18'-3"	18	W18X55	7-1/2"	1995	5800	18	21
314-10000-10-10	10000	5 Ton	10'-0"	10'-0"	8'-3"	18	W18X55	7-1/2"	1359	14500	18	21
314-10000-10-12	10000	5 Ton	10'-0"	12'-0"	10'-3"	18	W18X55	7-1/2"	1459	12083	18	21
314-10000-10-14	10000	5 Ton	10'-0"	14'-0"	12'-3"	18	W18X55	7-1/2"	1557	10357	18	21
314-10000-10-16	10000	5 Ton	10'-0"	16'-0"	14'-3"	18	W18X55	7-1/2"	1856	9062	18	21
314-10000-10-18	10000	5 Ton	10'-0"	18'-0"	16'-3"	18	W18X55	7-1/2"	1984	8055	18	21
314-10000-10-20	10000	5 Ton	10'-0"	20'-0"	18'-3"	18	W18X55	7-1/2"	2104	7250	18	21
314-10000-12-10	10000	5 Ton	12'-0"	10'-0"	8'-0"	21	W21X62	8-1/4"	1741	17400	21	24
314-10000-12-12	10000	5 Ton	12'-0"	12'-0"	10'-0"	21	W21X62	8-1/4"	1866	14500	21	24
314-10000-12-14	10000	5 Ton	12'-0"	14'-0"	12'-0"	21	W21X62	8-1/4"	1992	12428	21	24
314-10000-12-16	10000	5 Ton	12'-0"	16'-0"	14'-0"	21	W21X62	8-1/4"	2112	10875	21	24
314-10000-12-18	10000	5 Ton	12'-0"	18'-0"	16'-0"	21	W21X62	8-1/4"	2495	9666	21	24
314-10000-12-20	10000	5 Ton	12'-0"	20'-0"	18'-0"	21	W21X62	8-1/4"	2650	8700	21	24
314-10000-14-10	10000	5 Ton	14'-0"	10'-0"	8'-0"	21	W21X62	8-1/4"	1890	20300	21	24
314-10000-14-12	10000	5 Ton	14'-0"	12'-0"	10'-0"	21	W21X62	8-1/4"	2020	16916	21	24
314-10000-14-14	10000	5 Ton	14'-0"	14'-0"	12'-0"	21	W21X62	8-1/4"	2142	14500	21	24
314-10000-14-16	10000	5 Ton	14'-0"	16'-0"	14'-0"	21	W21X62	8-1/4"	2490	12687	21	24
314-10000-14-18	10000	5 Ton	14'-0"	18'-0"	16'-0"	21	W21X62	8-1/4"	2650	11277	21	24
314-10000-14-20	10000	5 Ton	14'-0"	20'-0"	18'-0"	21	W21X62	8-1/4"	2799	10150	21	24
314-10000-16-10	10000	5 Ton	16'-0"	10'-0"	7'-9"	24	W27X114	10-1/8"	2425	23200	27	30
314-10000-16-12	10000	5 Ton	16'-0"	12'-0"	9'-9"	24	W27X114	10-1/8"	2570	19333	27	30
314-10000-16-14	10000	5 Ton	16'-0"	14'-0"	11'-9"	24	W27X114	10-1/8"	2727	16571	27	30
314-10000-16-16	10000	5 Ton	16'-0"	16'-0"	13'-9"	24	W27X114	10-1/8"	2860	14500	27	30
314-10000-16-18	10000	5 Ton	16'-0"	18'-0"	15'-9"	24	W27X114	10-1/8"	3357	12888	27	30
314-10000-16-20	10000	5 Ton	16'-0"	20'-0"	17'-9"	24	W27X114	10-1/8"	3546	11600	27	30

Item ID	Capacity (LBS)	Capacity (TON)	Span (S)	Mounting Height (MH)	Height Under Boom (HUB) (Feet)	Beam (Inches) (I)	Beam Size	Flange Width	Approx. Weight (lbs.)	Approx. Thrust/Pull (lbs.)	Beam Height	Beam and Mount Height
314-10000-18-10	10000	5 Ton	18'-0"	10'-0"	7'-9"	24	W27X114	10-1/8"	3055	26100	27	30
314-10000-18-12	10000	5 Ton	18'-0"	12'-0"	9'-9"	24	W27X114	10-1/8"	3202	21750	27	30
314-10000-18-14	10000	5 Ton	18'-0"	14'-0"	11'-9"	24	W27X114	10-1/8"	3350	18642	27	30
314-10000-18-16	10000	5 Ton	18'-0"	16'-0"	13'-9"	24	W27X114	10-1/8"	3799	16312	27	30
314-10000-18-18	10000	5 Ton	18'-0"	18'-0"	15'-9"	24	W27X114	10-1/8"	3990	14500	27	30
314-10000-18-20	10000	5 Ton	18'-0"	20'-0"	17'-9"	24	W27X114	10-1/8"	4170	13050	27	30
314-10000-20-10	10000	5 Ton	20'-0"	10'-0"	7'-9"	24	W27X114	10-1/8"	3264	29000	27	30
314-10000-20-12	10000	5 Ton	20'-0"	12'-0"	9'-9"	24	W27X114	10-1/8"	3411	24166	27	30
314-10000-20-14	10000	5 Ton	20'-0"	14'-0"	11'-9"	24	W27X114	10-1/8"	3841	20714	27	30
314-10000-20-16	10000	5 Ton	20'-0"	16'-0"	13'-9"	24	W27X114	10-1/8"	4035	18125	27	30
314-10000-20-18	10000	5 Ton	20'-0"	18'-0"	15'-9"	24	W27X114	10-1/8"	4220	16111	27	30
314-10000-20-20	10000	5 Ton	20'-0"	20'-0"	17'-9"	24	W27X114	10-1/8"	4405	14500	27	30

