



350 Jib Cranes - Product Specifications

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-250-8-8	250	8	8	S6X12.5	3-3/8"	360	390	8'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	8
350-250-8-9	250	8	9	S6X12.5	3-3/8"	360	410	9'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	9
350-250-8-10	250	8	10	S6X12.5	3-3/8"	360	430	10'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	10
350-250-8-11	250	8	11	S6X12.5	3-3/8"	360	450	11'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	11
350-250-8-12	250	8	12	S6X12.5	3-3/8"	360	470	12'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	12
350-250-8-13	250	8	13	S6X12.5	3-3/8"	360	490	13'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	13
350-250-8-14	250	8	14	S6X12.5	3-3/8"	360	510	14'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	14
350-250-8-15	250	8	15	S6X12.5	3-3/8"	360	530	15'-6"	5 9/16"	10"	15"	18"	4	3000	1201	4' X 4' X 4'	15
350-250-9-8	250	9	8	S6X12.5	3-3/8"	360	403	8'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	9
350-250-9-9	250	9	9	S6X12.5	3-3/8"	360	423	9'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	9
350-250-9-10	250	9	10	S6X12.5	3-3/8"	360	443	10'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	10
350-250-9-11	250	9	11	S6X12.5	3-3/8"	360	463	11'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	11
350-250-9-12	250	9	12	S6X12.5	3-3/8"	360	483	12'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	12
350-250-9-13	250	9	13	S6X12.5	3-3/8"	360	503	13'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	13
350-250-9-14	250	9	14	S6X12.5	3-3/8"	360	523	14'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	14
350-250-9-15	250	9	15	S6X12.5	3-3/8"	360	543	15'-6"	5 9/16"	10"	15"	18"	4	3431	1373	4' X 4' X 4'	15
350-250-10-8	250	10	8	S6X12.5	3-3/8"	360	415	8'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	10
350-250-10-9	250	10	9	S6X12.5	3-3/8"	360	435	9'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	10
350-250-10-10	250	10	10	S6X12.5	3-3/8"	360	455	10'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	10
350-250-10-11	250	10	11	S6X12.5	3-3/8"	360	475	11'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	11
350-250-10-12	250	10	12	S6X12.5	3-3/8"	360	495	12'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	12
350-250-10-13	250	10	13	S6X12.5	3-3/8"	360	515	13'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	13
350-250-10-14	250	10	14	S6X12.5	3-3/8"	360	535	14'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	14
350-250-10-15	250	10	15	S6X12.5	3-3/8"	360	555	15'-6"	5 9/16"	10"	15"	18"	4	3875	1551	4' X 4' X 4'	15
350-250-11-8	250	11	8	S6X12.5	3-3/8"	360	427	8'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	11
350-250-11-9	250	11	9	S6X12.5	3-3/8"	360	447	9'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	11

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-250-11-10	250	11	10	S6X12.5	3-3/8"	360	467	10'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	11
350-250-11-11	250	11	11	S6X12.5	3-3/8"	360	487	11'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	11
350-250-11-12	250	11	12	S6X12.5	3-3/8"	360	507	12'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	12
350-250-11-13	250	11	13	S6X12.5	3-3/8"	360	527	13'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	13
350-250-11-14	250	11	14	S6X12.5	3-3/8"	360	547	14'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	14
350-250-11-15	250	11	15	S6X12.5	3-3/8"	360	567	15'-6"	5 9/16"	10"	15"	18"	4	4331	1733	4' X 4' X 4'	15
350-250-12-8	250	12	8	S6X12.5	3-3/8"	360	440	8'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	12
350-250-12-9	250	12	9	S6X12.5	3-3/8"	360	460	9'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	12
350-250-12-10	250	12	10	S6X12.5	3-3/8"	360	480	10'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	12
350-250-12-11	250	12	11	S6X12.5	3-3/8"	360	500	11'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	12
350-250-12-12	250	12	12	S6X12.5	3-3/8"	360	520	12'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	12
350-250-12-13	250	12	13	S6X12.5	3-3/8"	360	540	13'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	13
350-250-12-14	250	12	14	S6X12.5	3-3/8"	360	580	14'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	14
350-250-12-15	250	12	15	S6X12.5	3-3/8"	360	600	15'-6"	5 9/16"	10"	15"	18"	4	4800	1921	4' X 4' X 4'	15
350-250-13-8	250	13	8	W8X18	5-1/4"	360	632	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	13
350-250-13-9	250	13	9	W8X18	5-1/4"	360	655	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	13
350-250-13-10	250	13	10	W8X18	5-1/4"	360	678	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	13
350-250-13-11	250	13	11	W8X18	5-1/4"	360	701	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	13
350-250-13-12	250	13	12	W8X18	5-1/4"	360	724	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	13
350-250-13-13	250	13	13	W8X18	5-1/4"	360	747	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	13
350-250-13-14	250	13	14	W8X18	5-1/4"	360	770	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	14
350-250-13-15	250	13	15	W8X18	5-1/4"	360	793	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5281	1509	4' X 4' X 4'	15
350-250-14-8	250	14	8	W8X18	5-1/4"	360	650	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	14
350-250-14-9	250	14	9	W8X18	5-1/4"	360	673	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	14
350-250-14-10	250	14	10	W8X18	5-1/4"	360	696	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	14
350-250-14-11	250	14	11	W8X18	5-1/4"	360	719	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	14
350-250-14-12	250	14	12	W8X18	5-1/4"	360	742	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	14
350-250-14-13	250	14	13	W8X18	5-1/4"	360	765	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	14

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-250-14-14	250	14	14	W8X18	5-1/4"	360	788	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	14
350-250-14-15	250	14	15	W8X18	5-1/4"	360	811	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	5775	1651	4' X 4' X 4'	15
350-250-15-8	250	15	8	W8X18	5-1/4"	360	668	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-15-9	250	15	9	W8X18	5-1/4"	360	691	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-15-10	250	15	10	W8X18	5-1/4"	360	714	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-15-11	250	15	11	W8X18	5-1/4"	360	737	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-15-12	250	15	12	W8X18	5-1/4"	360	760	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-15-13	250	15	13	W8X18	5-1/4"	360	783	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-15-14	250	15	14	W8X18	5-1/4"	360	806	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-15-15	250	15	15	W8X18	5-1/4"	360	829	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6281	1795	4' X 4' X 4'	15
350-250-16-8	250	16	8	W8X18	5-1/4"	360	686	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-250-16-9	250	16	9	W8X18	5-1/4"	360	709	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-250-16-10	250	16	10	W8X18	5-1/4"	360	732	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-250-16-11	250	16	11	W8X18	5-1/4"	360	755	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-250-16-12	250	16	12	W8X18	5-1/4"	360	778	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-250-16-13	250	16	13	W8X18	5-1/4"	360	801	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-250-16-14	250	16	14	W8X18	5-1/4"	360	824	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-250-16-15	250	16	15	W8X18	5-1/4"	360	847	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6800	1943	4' X 4' X 4'	16
350-500-8-8	500	8	8	S6X12.5	3-3/8"	360	438	8'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	8
350-500-8-9	500	8	9	S6X12.5	3-3/8"	360	465	9'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	9
350-500-8-10	500	8	10	S6X12.5	3-3/8"	360	492	10'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	10
350-500-8-11	500	8	11	S6X12.5	3-3/8"	360	519	11'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	11
350-500-8-12	500	8	12	S6X12.5	3-3/8"	360	546	12'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	12
350-500-8-13	500	8	13	S6X12.5	3-3/8"	360	573	13'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	13
350-500-8-14	500	8	14	S6X12.5	3-3/8"	360	600	14'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	14
350-500-8-15	500	8	15	S6X12.5	3-3/8"	360	627	15'-6"	5 9/16"	10"	15"	18"	4	5600	2241	4' X 4' X 4'	15
350-500-9-8	500	9	8	W8X18	5-1/4"	360	558	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	9
350-500-9-9	500	9	9	W8X18	5-1/4"	360	581	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	9

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturing Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-500-9-10	500	9	10	W8X18	5-1/4"	360	604	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	10
350-500-9-11	500	9	11	W8X18	5-1/4"	360	627	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	11
350-500-9-12	500	9	12	W8X18	5-1/4"	360	650	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	12
350-500-9-13	500	9	13	W8X18	5-1/4"	360	673	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	13
350-500-9-14	500	9	14	W8X18	5-1/4"	360	696	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	14
350-500-9-15	500	9	15	W8X18	5-1/4"	360	719	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	6579	1880	4' X 4' X 4'	15
350-500-10-8	500	10	8	W8X18	5-1/4"	360	578	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	10
350-500-10-9	500	10	9	W8X18	5-1/4"	360	601	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	10
350-500-10-10	500	10	10	W8X18	5-1/4"	360	624	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	10
350-500-10-11	500	10	11	W8X18	5-1/4"	360	647	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	11
350-500-10-12	500	10	12	W8X18	5-1/4"	360	670	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	12
350-500-10-13	500	10	13	W8X18	5-1/4"	360	693	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	13
350-500-10-14	500	10	14	W8X18	5-1/4"	360	716	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	14
350-500-10-15	500	10	15	W8X18	5-1/4"	360	739	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	7400	2115	4' X 4' X 4'	15
350-500-11-8	500	11	8	W8X18	5-1/4"	360	694	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	11
350-500-11-9	500	11	9	W8X18	5-1/4"	360	617	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	11
350-500-11-10	500	11	10	W8X18	5-1/4"	360	640	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	11
350-500-11-11	500	11	11	W8X18	5-1/4"	360	663	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	11
350-500-11-12	500	11	12	W8X18	5-1/4"	360	686	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	12
350-500-11-13	500	11	13	W8X18	5-1/4"	360	709	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	13
350-500-11-14	500	11	14	W8X18	5-1/4"	360	732	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	14
350-500-11-15	500	11	15	W8X18	5-1/4"	360	755	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8239	2355	4' X 4' X 4'	15
350-500-12-8	500	12	8	W8X18	5-1/4"	360	614	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	12
350-500-12-9	500	12	9	W8X18	5-1/4"	360	637	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	12
350-500-12-10	500	12	10	W8X18	5-1/4"	360	660	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	12
350-500-12-11	500	12	11	W8X18	5-1/4"	360	683	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	12
350-500-12-12	500	12	12	W8X18	5-1/4"	360	706	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	12
350-500-12-13	500	12	13	W8X18	5-1/4"	360	729	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	13

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-500-12-14	500	12	14	W8X18	5-1/4"	360	752	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	14
350-500-12-15	500	12	15	W8X18	5-1/4"	360	775	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9096	2599	4' X 4' X 4'	15
350-500-13-8	500	13	8	W8X18	5-1/4"	360	632	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	13
350-500-13-9	500	13	9	W8X18	5-1/4"	360	655	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	13
350-500-13-10	500	13	10	W8X18	5-1/4"	360	678	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	13
350-500-13-11	500	13	11	W8X18	5-1/4"	360	701	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	13
350-500-13-12	500	13	12	W8X18	5-1/4"	360	724	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	13
350-500-13-13	500	13	13	W8X18	5-1/4"	360	747	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	13
350-500-13-14	500	13	14	W8X18	5-1/4"	360	770	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	14
350-500-13-15	500	13	15	W8X18	5-1/4"	360	793	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9971	2849	4' X 4' X 4'	15
350-500-14-8	500	14	8	W8X18	5-1/4"	360	650	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	14
350-500-14-9	500	14	9	W8X18	5-1/4"	360	673	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	14
350-500-14-10	500	14	10	W8X18	5-1/4"	360	696	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	14
350-500-14-11	500	14	11	W8X18	5-1/4"	360	719	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	14
350-500-14-12	500	14	12	W8X18	5-1/4"	360	742	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	14
350-500-14-13	500	14	13	W8X18	5-1/4"	360	765	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	14
350-500-14-14	500	14	14	W8X18	5-1/4"	360	788	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	14
350-500-14-15	500	14	15	W8X18	5-1/4"	360	811	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10864	3105	4' X 4' X 4'	15
350-500-15-8	500	15	8	W10X26	5-3/4"	360	1052	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-15-9	500	15	9	W10X26	5-3/4"	360	1092	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-15-10	500	15	10	W10X26	5-3/4"	360	1132	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-15-11	500	15	11	W10X26	5-3/4"	360	1172	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-15-12	500	15	12	W10X26	5-3/4"	360	1212	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-15-13	500	15	13	W10X26	5-3/4"	360	1252	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-15-14	500	15	14	W10X26	5-3/4"	360	1292	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-15-15	500	15	15	W10X26	5-3/4"	360	1332	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12675	1951	5.5'X5.5'X4'	15
350-500-16-8	500	16	8	W10X26	5-3/4"	360	1077	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16
350-500-16-9	500	16	9	W10X26	5-3/4"	360	1117	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-500-16-10	500	16	10	W10X26	5-3/4"	360	1157	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16
350-500-16-11	500	16	11	W10X26	5-3/4"	360	1197	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16
350-500-16-12	500	16	12	W10X26	5-3/4"	360	1237	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16
350-500-16-13	500	16	13	W10X26	5-3/4"	360	1277	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16
350-500-16-14	500	16	14	W10X26	5-3/4"	360	1317	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16
350-500-16-15	500	16	15	W10X26	5-3/4"	360	1357	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	13728	2113	5.5'X5.5'X4'	16
350-750-8-8	750	8	8	W8X18	5-1/4"	360	589	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	8
350-750-8-9	750	8	9	W8X18	5-1/4"	360	619	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	9
350-750-8-10	750	8	10	W8X18	5-1/4"	360	649	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	10
350-750-8-11	750	8	11	W8X18	5-1/4"	360	679	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	11
350-750-8-12	750	8	12	W8X18	5-1/4"	360	709	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	12
350-750-8-13	750	8	13	W8X18	5-1/4"	360	739	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	13
350-750-8-14	750	8	14	W8X18	5-1/4"	360	769	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	14
350-750-8-15	750	8	15	W8X18	5-1/4"	360	799	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	8376	2394	4' X 4' X 4'	15
350-750-9-8	750	9	8	W8X18	5-1/4"	360	605	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	9
350-750-9-9	750	9	9	W8X18	5-1/4"	360	635	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	9
350-750-9-10	750	9	10	W8X18	5-1/4"	360	665	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	10
350-750-9-11	750	9	11	W8X18	5-1/4"	360	695	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	11
350-750-9-12	750	9	12	W8X18	5-1/4"	360	725	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	12
350-750-9-13	750	9	13	W8X18	5-1/4"	360	755	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	13
350-750-9-14	750	9	14	W8X18	5-1/4"	360	785	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	14
350-750-9-15	750	9	15	W8X18	5-1/4"	360	815	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	9504	2716	4' X 4' X 4'	15
350-750-10-8	750	10	8	W8X18	5-1/4"	360	625	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	10
350-750-10-9	750	10	9	W8X18	5-1/4"	360	655	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	10
350-750-10-10	750	10	10	W8X18	5-1/4"	360	685	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	10
350-750-10-11	750	10	11	W8X18	5-1/4"	360	715	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	11
350-750-10-12	750	10	12	W8X18	5-1/4"	360	745	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	12
350-750-10-13	750	10	13	W8X18	5-1/4"	360	775	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	13

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-750-10-14	750	10	14	W8X18	5-1/4"	360	805	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	14
350-750-10-15	750	10	15	W8X18	5-1/4"	360	835	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10650	3043	4' X 4' X 4'	15
350-750-11-8	750	11	8	W8X18	5-1/4"	360	851	8'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	11
350-750-11-9	750	11	9	W8X18	5-1/4"	360	891	9'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	11
350-750-11-10	750	11	10	W8X18	5-1/4"	360	931	10'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	11
350-750-11-11	750	11	11	W8X18	5-1/4"	360	971	11'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	11
350-750-11-12	750	11	12	W8X18	5-1/4"	360	1011	12'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	12
350-750-11-13	750	11	13	W8X18	5-1/4"	360	1051	13'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	13
350-750-11-14	750	11	14	W8X18	5-1/4"	360	1091	14'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	14
350-750-11-15	750	11	15	W8X18	5-1/4"	360	1131	15'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	11814	1818	5.5'X5.5'X4'	15
350-750-12-8	750	12	8	W8X18	5-1/4"	360	869	8'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	12
350-750-12-9	750	12	9	W8X18	5-1/4"	360	909	9'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	12
350-750-12-10	750	12	10	W8X18	5-1/4"	360	949	10'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	12
350-750-12-11	750	12	11	W8X18	5-1/4"	360	989	11'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	12
350-750-12-12	750	12	12	W8X18	5-1/4"	360	1029	12'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	12
350-750-12-13	750	12	13	W8X18	5-1/4"	360	1069	13'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	13
350-750-12-14	750	12	14	W8X18	5-1/4"	360	1109	14'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	14
350-750-12-15	750	12	15	W8X18	5-1/4"	360	1149	15'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	12996	2000	5.5'X5.5'X4'	15
350-750-13-8	750	13	8	W8X18	5-1/4"	360	887	8'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	13
350-750-13-9	750	13	9	W8X18	5-1/4"	360	927	9'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	13
350-750-13-10	750	13	10	W8X18	5-1/4"	360	967	10'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	13
350-750-13-11	750	13	11	W8X18	5-1/4"	360	1007	11'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	13
350-750-13-12	750	13	12	W8X18	5-1/4"	360	1047	12'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	13
350-750-13-13	750	13	13	W8X18	5-1/4"	360	1087	13'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	13
350-750-13-14	750	13	14	W8X18	5-1/4"	360	1127	14'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	14
350-750-13-15	750	13	15	W8X18	5-1/4"	360	1167	15'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	14196	2185	5.5'X5.5'X4'	15
350-750-14-8	750	14	8	W8X18	5-1/4"	360	905	8'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	14
350-750-14-9	750	14	9	W8X18	5-1/4"	360	945	9'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	14

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-750-14-10	750	14	10	W8X18	5-1/4"	360	985	10'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	14
350-750-14-11	750	14	11	W8X18	5-1/4"	360	1025	11'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	14
350-750-14-12	750	14	12	W8X18	5-1/4"	360	1065	12'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	14
350-750-14-13	750	14	13	W8X18	5-1/4"	360	1105	13'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	14
350-750-14-14	750	14	14	W8X18	5-1/4"	360	1145	14'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	14
350-750-14-15	750	14	15	W8X18	5-1/4"	360	1185	15'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15414	2372	5.5'X5.5'X4'	15
350-750-15-8	750	15	8	W10X26	5-3/4"	360	1051	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-15-9	750	15	9	W10X26	5-3/4"	360	1091	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-15-10	750	15	10	W10X26	5-3/4"	360	1131	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-15-11	750	15	11	W10X26	5-3/4"	360	1171	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-15-12	750	15	12	W10X26	5-3/4"	360	1211	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-15-13	750	15	13	W10X26	5-3/4"	360	1251	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-15-14	750	15	14	W10X26	5-3/4"	360	1291	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-15-15	750	15	15	W10X26	5-3/4"	360	1331	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	17550	2701	5.5'X5.5'X4'	15
350-750-16-8	750	16	8	W10X26	5-3/4"	360	1077	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-750-16-9	750	16	9	W10X26	5-3/4"	360	1117	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-750-16-10	750	16	10	W10X26	5-3/4"	360	1157	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-750-16-11	750	16	11	W10X26	5-3/4"	360	1197	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-750-16-12	750	16	12	W10X26	5-3/4"	360	1237	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-750-16-13	750	16	13	W10X26	5-3/4"	360	1277	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-750-16-14	750	16	14	W10X26	5-3/4"	360	1317	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-750-16-15	750	16	15	W10X26	5-3/4"	360	1357	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	18928	2913	5.5'X5.5'X4'	16
350-1000-8-8	1000	8	8	W8X18	5-1/4"	360	589	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	8
350-1000-8-9	1000	8	9	W8X18	5-1/4"	360	619	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	9
350-1000-8-10	1000	8	10	W8X18	5-1/4"	360	649	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	10
350-1000-8-11	1000	8	11	W8X18	5-1/4"	360	679	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	11
350-1000-8-12	1000	8	12	W8X18	5-1/4"	360	709	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	12
350-1000-8-13	1000	8	13	W8X18	5-1/4"	360	739	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	13

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-1000-8-14	1000	8	14	W8X18	5-1/4"	360	769	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	14
350-1000-8-15	1000	8	15	W8X18	5-1/4"	360	799	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	10976	3137	4' X 4' X 4'	15
350-1000-9-8	1000	9	8	W8X18	5-1/4"	360	605	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	9
350-1000-9-9	1000	9	9	W8X18	5-1/4"	360	635	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	9
350-1000-9-10	1000	9	10	W8X18	5-1/4"	360	665	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	10
350-1000-9-11	1000	9	11	W8X18	5-1/4"	360	695	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	11
350-1000-9-12	1000	9	12	W8X18	5-1/4"	360	725	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	12
350-1000-9-13	1000	9	13	W8X18	5-1/4"	360	755	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	13
350-1000-9-14	1000	9	14	W8X18	5-1/4"	360	785	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	14
350-1000-9-15	1000	9	15	W8X18	5-1/4"	360	815	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	12429	3552	4' X 4' X 4'	15
350-1000-10-8	1000	10	8	W8X18	5-1/4"	360	625	8'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	10
350-1000-10-9	1000	10	9	W8X18	5-1/4"	360	655	9'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	10
350-1000-10-10	1000	10	10	W8X18	5-1/4"	360	685	10'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	10
350-1000-10-11	1000	10	11	W8X18	5-1/4"	360	715	11'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	11
350-1000-10-12	1000	10	12	W8X18	5-1/4"	360	745	12'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	12
350-1000-10-13	1000	10	13	W8X18	5-1/4"	360	775	13'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	13
350-1000-10-14	1000	10	14	W8X18	5-1/4"	360	805	14'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	14
350-1000-10-15	1000	10	15	W8X18	5-1/4"	360	835	15'-8 1/8"	8 5/8"	12 1/2"	1'-9"	2'-0"	4	13900	3972	4' X 4' X 4'	15
350-1000-11-8	1000	11	8	W8X18	5-1/4"	360	851	8'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	11
350-1000-11-9	1000	11	9	W8X18	5-1/4"	360	891	9'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	11
350-1000-11-10	1000	11	10	W8X18	5-1/4"	360	931	10'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	11
350-1000-11-11	1000	11	11	W8X18	5-1/4"	360	971	11'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	11
350-1000-11-12	1000	11	12	W8X18	5-1/4"	360	1011	12'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	12
350-1000-11-13	1000	11	13	W8X18	5-1/4"	360	1051	13'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	13
350-1000-11-14	1000	11	14	W8X18	5-1/4"	360	1091	14'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	14
350-1000-11-15	1000	11	15	W8X18	5-1/4"	360	1131	15'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	15389	2368	5.5'X5.5'X4'	15
350-1000-12-8	1000	12	8	W8X18	5-1/4"	360	869	8'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	12
350-1000-12-9	1000	12	9	W8X18	5-1/4"	360	909	9'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	12

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-1000-12-10	1000	12	10	W8X18	5-1/4"	360	949	10'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	12
350-1000-12-11	1000	12	11	W8X18	5-1/4"	360	989	11'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	12
350-1000-12-12	1000	12	12	W8X18	5-1/4"	360	1029	12'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	12
350-1000-12-13	1000	12	13	W8X18	5-1/4"	360	1069	13'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	13
350-1000-12-14	1000	12	14	W8X18	5-1/4"	360	1109	14'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	14
350-1000-12-15	1000	12	15	W8X18	5-1/4"	360	1149	15'-8 1/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	16896	2600	5.5'X5.5'X4'	15
350-1000-13-8	1000	13	8	W10X26	5-3/4"	360	1000	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	13
350-1000-13-9	1000	13	9	W10X26	5-3/4"	360	1040	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	13
350-1000-13-10	1000	13	10	W10X26	5-3/4"	360	1080	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	13
350-1000-13-11	1000	13	11	W10X26	5-3/4"	360	1120	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	13
350-1000-13-12	1000	13	12	W10X26	5-3/4"	360	1160	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	13
350-1000-13-13	1000	13	13	W10X26	5-3/4"	360	1200	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	13
350-1000-13-14	1000	13	14	W10X26	5-3/4"	360	1240	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	14
350-1000-13-15	1000	13	15	W10X26	5-3/4"	360	1280	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	19097	2939	5.5'X5.5'X4'	15
350-1000-14-8	1000	14	8	W10X26	5-3/4"	360	1025	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	14
350-1000-14-9	1000	14	9	W10X26	5-3/4"	360	1065	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	14
350-1000-14-10	1000	14	10	W10X26	5-3/4"	360	1105	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	14
350-1000-14-11	1000	14	11	W10X26	5-3/4"	360	1145	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	14
350-1000-14-12	1000	14	12	W10X26	5-3/4"	360	1185	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	14
350-1000-14-13	1000	14	13	W10X26	5-3/4"	360	1225	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	14
350-1000-14-14	1000	14	14	W10X26	5-3/4"	360	1265	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	14
350-1000-14-15	1000	14	15	W10X26	5-3/4"	360	1305	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	20748	3193	5.5'X5.5'X4'	15
350-1000-15-8	1000	15	8	W12X30	6-1/2"	360	1115	9'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15
350-1000-15-9	1000	15	9	W12X30	6-1/2"	360	1155	10'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15
350-1000-15-10	1000	15	10	W12X30	6-1/2"	360	1195	11'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15
350-1000-15-11	1000	15	11	W12X30	6-1/2"	360	1235	12'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15
350-1000-15-12	1000	15	12	W12X30	6-1/2"	360	1275	13'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15
350-1000-15-13	1000	15	13	W12X30	6-1/2"	360	1315	14'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-1000-15-14	1000	15	14	W12X30	6-1/2"	360	1355	15'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15
350-1000-15-15	1000	15	15	W12X30	6-1/2"	360	1395	16'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	22875	3520	5.5'X5.5'X4'	15
350-1000-16-8	1000	16	8	W12X30	6-1/2"	360	1145	9'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-1000-16-9	1000	16	9	W12X30	6-1/2"	360	1185	10'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-1000-16-10	1000	16	10	W12X30	6-1/2"	360	1225	11'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-1000-16-11	1000	16	11	W12X30	6-1/2"	360	1265	12'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-1000-16-12	1000	16	12	W12X30	6-1/2"	360	1305	13'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-1000-16-13	1000	16	13	W12X30	6-1/2"	360	1345	14'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-1000-16-14	1000	16	14	W12X30	6-1/2"	360	1385	15'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-1000-16-15	1000	16	15	W12X30	6-1/2"	360	1425	16'-0 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24640	3791	5.5'X5.5'X4'	16
350-2000-8-8	2000	8	8	W8X21	5-1/4"	360	824	8'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	8
350-2000-8-9	2000	8	9	W8X21	5-1/4"	360	864	9'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	9
350-2000-8-10	2000	8	10	W8X21	5-1/4"	360	904	10'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	10
350-2000-8-11	2000	8	11	W8X21	5-1/4"	360	944	11'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	11
350-2000-8-12	2000	8	12	W8X21	5-1/4"	360	984	12'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	12
350-2000-8-13	2000	8	13	W8X21	5-1/4"	360	1024	13'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	13
350-2000-8-14	2000	8	14	W8X21	5-1/4"	360	1064	14'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	14
350-2000-8-15	2000	8	15	W8X21	5-1/4"	360	1104	15'-8 1/4"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	21472	3304	5.5'X5.5'X4'	15
350-2000-9-8	2000	9	8	W10X26	5-3/4"	360	895	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	9
350-2000-9-9	2000	9	9	W10X26	5-3/4"	360	935	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	9
350-2000-9-10	2000	9	10	W10X26	5-3/4"	360	975	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	10
350-2000-9-11	2000	9	11	W10X26	5-3/4"	360	1015	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	11
350-2000-9-12	2000	9	12	W10X26	5-3/4"	360	1055	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	12
350-2000-9-13	2000	9	13	W10X26	5-3/4"	360	1095	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	13
350-2000-9-14	2000	9	14	W10X26	5-3/4"	360	1135	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	14
350-2000-9-15	2000	9	15	W10X26	5-3/4"	360	1175	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	24453	3763	5.5'X5.5'X4'	15
350-2000-10-8	2000	10	8	W10X26	5-3/4"	360	921	8'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	10
350-2000-10-9	2000	10	9	W10X26	5-3/4"	360	961	9'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	10

Item ID	Capacity (lbs)	Span (Ft.)	Height Under Boom	Beam Size	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diameter	Base Plate Diameter	# Bolts	Overturning Moment (Ft. Lbs.)	Anchor Pull Force (lbs/bolt)	Foundation	Longest Piece
350-2000-10-10	2000	10	10	W10X26	5-3/4"	360	1001	10'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	10
350-2000-10-11	2000	10	11	W10X26	5-3/4"	360	1041	11'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	11
350-2000-10-12	2000	10	12	W10X26	5-3/4"	360	1081	12'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	12
350-2000-10-13	2000	10	13	W10X26	5-3/4"	360	1121	13'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	13
350-2000-10-14	2000	10	14	W10X26	5-3/4"	360	1161	14'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	14
350-2000-10-15	2000	10	15	W10X26	5-3/4"	360	1201	15'-10 3/8"	10 3/4"	14 1/2"	2'-2"	2'-6"	6	27300	4201	5.5'X5.5'X4'	15



4710 N Brady St, Davenport, IA 52806
sales@barroneq.com
www.barroneq.com
(563) 391-1052