

# BARRON

**EQUIPMENT COMPANY INC.**  
**OVERHEAD DOORS**

Item ID	Capacity Lbs.	Overall Span	Inner Arm Length	Outer Arm Length	Bearing Width	Clevis Height	Height Under Beam	Outer Arm Height	Overall Height	Mast Dia.	Gusset Height	Hook Dia.	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Approx. Weight	Shipping Length (Feet)	# of Skids
350FAJ-150-8-8	150	8	4' 6"	3' 6"	4-5/8"	8	8' 3"	8' 7-13/16"	9' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	427 lbs.	10	1
350FAJ-150-10-8	150	10	5' 6"	4' 6"	4-5/8"	8	8' 3"	8' 7-13/16"	9' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	447 lbs.	10	1
350FAJ-150-12-8	150	12	6' 6"	5' 6"	4-5/8"	8	8' 3"	8' 7-13/16"	9' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	466 lbs.	10	1
350FAJ-150-14-8	150	14	7' 6"	6' 6"	4-5/8"	8	8' 3"	8' 7-13/16"	9' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	486 lbs.	10	1
350FAJ-150-16-8	150	16	8' 8"	7' 6"	4-5/8"	8	8' 3"	8' 7-13/16"	9' 4-3/8"	12-3/4"	20"	2"	1'-3"	1'-6"	6	624 lbs.	10	1
350FAJ-150-8-10	150	8	4' 6"	3' 6"	4-5/8"	10	10' 3"	10' 7-13/16"	11' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	472 lbs.	12	1
350FAJ-150-10-10	150	10	5' 6"	4' 6"	4-5/8"	10	10' 3"	10' 7-13/16"	11' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	492 lbs.	12	1
350FAJ-150-12-10	150	12	6' 6"	5' 6"	4-5/8"	10	10' 3"	10' 7-13/16"	11' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	511 lbs.	12	1
350FAJ-150-14-10	150	14	7' 6"	6' 6"	4-5/8"	10	10' 3"	10' 7-13/16"	11' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	531 lbs.	12	1
350FAJ-150-16-10	150	16	8' 8"	7' 6"	4-5/8"	10	10' 3"	10' 7-13/16"	11' 4-3/8"	12-3/4"	20"	2"	1'-3"	1'-6"	6	691 lbs.	12	1
350FAJ-150-8-12	150	8	4' 6"	3' 6"	4-5/8"	12	12' 3"	12' 7-13/16"	13' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	517 lbs.	14	1
350FAJ-150-10-12	150	10	5' 6"	4' 6"	4-5/8"	12	12' 3"	12' 7-13/16"	13' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	537 lbs.	14	1
350FAJ-150-12-12	150	12	6' 6"	5' 6"	4-5/8"	12	12' 3"	12' 7-13/16"	13' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	556 lbs.	14	1
350FAJ-150-14-12	150	14	7' 6"	6' 6"	4-5/8"	12	12' 3"	12' 7-13/16"	13' 4-3/8"	12-3/4"	18-3/8"	2"	1'-3"	1'-6"	6	783 lbs.	14	1
350FAJ-150-16-12	150	16	8' 8"	7' 6"	4-5/8"	12	12' 3"	12' 7-13/16"	13' 4-3/8"	12-3/4"	20"	2"	1'-3"	1'-6"	6	803 lbs.	14	1
350FAJ-150-8-14	150	8	4' 6"	3' 6"	4-5/8"	14	14' 3"	14' 7-13/16"	15' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	562 lbs.	16	1
350FAJ-150-10-14	150	10	5' 6"	4' 6"	4-5/8"	14	14' 3"	14' 7-13/16"	15' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	582 lbs.	16	1
350FAJ-150-12-14	150	12	6' 6"	5' 6"	4-5/8"	14	14' 3"	14' 7-13/16"	15' 4-3/8"	8-5/8"	18-3/8"	2"	1'-3"	1'-6"	6	601 lbs.	16	1
350FAJ-150-14-14	150	14	7' 6"	6' 6"	4-5/8"	14	14' 3"	14' 7-13/16"	15' 4-3/8"	12-3/4"	20"	2"	1'-3"	1'-6"	6	805 lbs.	16	1

Item ID	Capacity Lbs.	Overall Span	Inner Arm Length	Outer Arm Length	Bearing Width	Clevis Height	Height Under Beam	Outer Arm Height	Overall Height	Mast Dia.	Gusset Height	Hook Dia.	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Approx. Weight	Shipping Length (Feet)	# of Skids
350FAJ-150-16-14	150	16	8' 8"	7' 6"	4-5/8"	14	14' 3"	14' 7-13/16"	15' 4-3/8"	12-3/4"	20"	2"	1'-3"	1'-6"	6	825 lbs.	16	1
350FAJ-250-8-8	250	8	4' 6"	3' 6"	4-5/8"	8	8' 3"	8' 8"	9' 4-3/8"	8-5/8"	18-3/8"	2"	1'-9"	2'-0"	8	427 lbs.	10	1
350FAJ-250-10-8	250	10	5' 6"	4' 6"	4-5/8"	8	8' 3"	8' 8"	9' 4-3/8"	8-5/8"	18-3/8"	2"	1'-9"	2'-0"	8	447 lbs.	10	1
350FAJ-250-12-8	250	12	6' 6"	5' 6"	4-5/8"	8	8' 3"	8' 8"	9' 4-3/8"	12-3/4"	20"	2"	1'-9"	2'-0"	8	584 lbs.	10	1
350FAJ-250-14-8	250	14	7' 6"	6' 6"	4-5/8"	8	8' 3"	8' 9"	9' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	928 lbs.	10	1
350FAJ-250-16-8	250	16	8' 8"	7' 6"	4-5/8"	8	8' 3"	8' 9"	9' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	966 lbs.	10	1
350FAJ-250-8-10	250	8	4' 6"	3' 6"	4-5/8"	10	10' 3"	10' 8"	11' 4-3/8"	8-5/8"	18-3/8"	2"	1'-9"	2'-0"	8	472 lbs.	12	1
350FAJ-250-10-10	250	10	5' 6"	4' 6"	4-5/8"	10	10' 3"	10' 8"	11' 4-3/8"	8-5/8"	18-3/8"	2"	1'-9"	2'-0"	8	492 lbs.	12	1
350FAJ-250-12-10	250	12	6' 6"	5' 6"	4-5/8"	10	10' 3"	10' 8"	11' 4-3/8"	12-3/4"	20"	2"	1'-9"	2'-0"	8	651 lbs.	12	1
350FAJ-250-14-10	250	14	7' 6"	6' 6"	4-5/8"	10	10' 3"	10' 9"	11' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	995 lbs.	12	1
350FAJ-250-16-10	250	16	8' 8"	7' 6"	4-5/8"	10	10' 3"	10' 9"	11' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1033 lbs.	12	1
350FAJ-250-8-12	250	8	4' 6"	3' 6"	4-5/8"	12	12' 3"	12' 8"	13' 4-3/8"	8-5/8"	18-3/8"	2"	1'-9"	2'-0"	8	517 lbs.	14	1
350FAJ-250-10-12	250	10	5' 6"	4' 6"	4-5/8"	12	12' 3"	12' 8"	13' 4-3/8"	8-5/8"	18-3/8"	2"	1'-9"	2'-0"	8	537 lbs.	14	1
350FAJ-250-12-12	250	12	6' 6"	5' 6"	4-5/8"	12	12' 3"	12' 8"	13' 4-3/8"	12-3/4"	20"	2"	1'-9"	2'-0"	8	718 lbs.	14	1
350FAJ-250-14-12	250	14	7' 6"	6' 6"	4-5/8"	12	12' 3"	12' 3"	13' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1062 lbs.	14	1
350FAJ-250-16-12	250	16	8' 8"	7' 6"	4-5/8"	12	12' 3"	12' 3"	13' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1100 lbs.	14	1
350FAJ-250-8-14	250	8	4' 6"	3' 6"	4-5/8"	14	14' 3"	14' 8"	15' 4-3/8"	8-5/8"	18-3/8"	2"	1'-9"	2'-0"	8	562 lbs.	16	1
350FAJ-250-10-14	250	10	5' 6"	4' 6"	4-5/8"	14	14' 3"	14' 8"	15' 4-3/8"	12-3/4"	20"	2"	1'-9"	2'-0"	8	766 lbs.	16	1
350FAJ-250-12-14	250	12	6' 6"	5' 6"	4-5/8"	14	14' 3"	14' 8"	15' 4-3/8"	12-3/4"	20"	2"	1'-9"	2'-0"	8	785 lbs.	16	1
350FAJ-250-14-14	250	14	7' 6"	6' 6"	4-5/8"	14	14' 3"	14' 9"	15' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1129 lbs.	16	1
350FAJ-250-16-14	250	16	8' 8"	7' 6"	4-5/8"	14	14' 3"	14' 9"	15' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1167 lbs.	16	1
350FAJ-500-8-8	500	8	4' 6"	3' 6"	4-5/8"	8	8' 3"	8' 9"	9' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	815 lbs.	10	1
350FAJ-500-10-8	500	10	5' 6"	4' 6"	4-5/8"	8	8' 3"	8' 9"	9' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	853 lbs.	10	1
350FAJ-500-12-8	500	12	6' 6"	5' 6"	4-5/8"	8	8' 3"	8' 9"	9' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	891lbs.	10	1
350FAJ-500-14-8	500	14	7' 6"	6' 6"	4-5/8"	8	8' 3"	8' 9"	9' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	929 lbs.	10	1

Item ID	Capacity Lbs.	Overall Span	Inner Arm Length	Outer Arm Length	Bearing Width	Clevis Height	Height Under Beam	Outer Arm Height	Overall Height	Mast Dia.	Gusset Height	Hook Dia.	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Approx. Weight	Shipping Length (Feet)	# of Skids
350FAJ-500-16-8	500	16	8' 8"	7' 6"	4-5/8"	8	8' 3"	8' 9"	9' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	967 lbs.	10	1
350FAJ-500-8-10	500	8	4' 6"	3' 6"	4-5/8"	10	10' 3"	10' 9"	11' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	802 lbs.	12	1
350FAJ-500-10-10	500	10	5' 6"	4' 6"	4-5/8"	10	10' 3"	10' 9"	11' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	920 lbs.	12	1
350FAJ-500-12-10	500	12	6' 6"	5' 6"	4-5/8"	10	10' 3"	10' 9"	11' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	958 lbs.	12	1
350FAJ-500-14-10	500	14	7' 6"	6' 6"	4-5/8"	10	10' 3"	10' 9"	11' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	996 lbs.	12	1
350FAJ-500-16-10	500	16	8' 8"	7' 6"	4-5/8"	10	10' 3"	10' 9"	11' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	1034 lbs.	12	1
350FAJ-500-8-12	500	8	4' 6"	3' 6"	4-5/8"	12	12' 3"	12' 9"	13' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	949 lbs.	14	1
350FAJ-500-10-12	500	10	5' 6"	4' 6"	4-5/8"	12	12' 3"	12' 9"	13' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	985 lbs.	14	1
350FAJ-500-12-12	500	12	6' 6"	5' 6"	4-5/8"	12	12' 3"	12' 9"	13' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1021 lbs.	14	1
350FAJ-500-14-12	500	14	7' 6"	6' 6"	4-5/8"	12	12' 3"	12' 9"	13' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	1057 lbs.	14	1
350FAJ-500-16-12	500	16	8' 8"	7' 6"	4-5/8"	12	12' 3"	12' 9"	13' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	1093 lbs.	14	1
350FAJ-500-8-14	500	8	4' 6"	3' 6"	4-5/8"	14	14' 3"	14' 9"	15' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1016 lbs.	16	1
350FAJ-500-10-14	500	10	5' 6"	4' 6"	4-5/8"	14	14' 3"	14' 9"	15' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1054 lbs.	16	1
350FAJ-500-12-14	500	12	6' 6"	5' 6"	4-5/8"	14	14' 3"	14' 9"	15' 10-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1092 lbs.	16	1
350FAJ-500-14-14	500	14	7' 6"	6' 6"	4-5/8"	14	14' 3"	14' 9"	15' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	1130 lbs.	16	1
350FAJ-500-16-14	500	16	8' 8"	7' 6"	4-5/8"	14	14' 3"	14' 9"	15' 10-11/16"	12-3/4"	20"	2-1/2"	3'-0"	3'-6"	12	1168 lbs.	16	1
350FAJ-1000-8-8	1000	8	4' 6"	3' 6"	4-5/8"	8	8' 3"	8' 9"	9' 11-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	815 lbs.	10	1
350FAJ-1000-10-8	1000	10	5' 6"	4' 6"	4-5/8"	8	8' 3"	8' 9"	9' 11-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	853 lbs.	10	1
350FAJ-1000-12-8	1000	12	6' 6"	5' 6"	4-5/8"	8	8' 3"	8' 9"	9' 11-11/16"	14"	24"	2-1/2"	3'-0"	3'-6"	12	954 lbs.	10	1
350FAJ-1000-14-8	1000	14	7' 6"	6' 6"	4-5/8"	8	8' 3"	8' 10"	9' 11-11/16"	16"	29"	2-1/2"	3'-0"	3'-6"	12	1395 lbs.	10	1
350FAJ-1000-16-8	1000	16	8' 8"	7' 6"	4-5/8"	8	8' 3"	8' 10"	9' 11-11/16"	16"	29"	2-1/2"	3'-0"	3'-6"	12	1437 lbs.	10	1
350FAJ-1000-8-10	1000	8	4' 6"	3' 6"	4-5/8"	10	10' 3"	10' 9"	11' 11-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	882 lbs.	12	1
350FAJ-1000-10-10	1000	10	5' 6"	4' 6"	4-5/8"	10	10' 3"	10' 9"	11' 11-11/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	920 lbs.	12	1
350FAJ-1000-12-10	1000	12	6' 6"	5' 6"	4-5/8"	10	10' 3"	10' 9"	11' 11-11/16"	14"	24"	2-1/2"	3'-0"	3'-6"	12	1279 lbs.	12	1
350FAJ-1000-14-10	1000	14	7' 6"	6' 6"	4-5/8"	10	10' 3"	10' 10"	11' 11-11/16"	16"	29"	2-1/2"	3'-0"	3'-6"	12	1520 lbs.	12	1

Item ID	Capacity Lbs.	Overall Span	Inner Arm Length	Outer Arm Length	Bearing Width	Clevis Height	Height Under Beam	Outer Arm Height	Overall Height	Mast Dia.	Gusset Height	Hook Dia.	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Approx. Weight	Shipping Length (Feet)	# of Skids
350FAJ-1000-16-10	1000	16	8' 8"	7' 6"	4-5/8"	10	10' 3"	10' 10"	11' 11-1/16"	16"	29"	2-1/2"	3'-0"	3'-6"	12	1562 lbs.	12	1
350FAJ-1000-8-12	1000	8	4' 6"	3' 6"	4-5/8"	12	12' 3"	12' 9"	13' 11-1/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	949 lbs.	14	1
350FAJ-1000-10-12	1000	10	5' 6"	4' 6"	4-5/8"	12	12' 3"	12' 9"	13' 11-1/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	987 lbs.	14	1
350FAJ-1000-12-12	1000	12	6' 6"	5' 6"	4-5/8"	12	12' 3"	12' 9"	13' 11-1/16"	14"	24"	2-1/2"	3'-0"	3'-6"	12	1388 lbs.	14	1
350FAJ-1000-14-12	1000	14	7' 6"	6' 6"	4-5/8"	12	12' 3"	12' 10"	13' 11-1/16"	16X"	29"	2-1/2"	3'-0"	3'-6"	12	1888 lbs.	14	1
350FAJ-1000-16-12	1000	16	8' 8"	7' 6"	4-5/8"	12	12' 3"	12' 10"	13' 11-1/16"	16X"	29"	2-1/2"	3'-0"	3'-6"	12	1952 lbs.	14	1
350FAJ-1000-8-14	1000	8	4' 6"	3' 6"	4-5/8"	14	14' 3"	14' 9"	15' 11-1/16"	12-3/4"	20"	2-1/2"	1'-9"	2'-0"	8	1016 lbs.	16	1
350FAJ-1000-10-14	1000	10	5' 6"	4' 6"	4-5/8"	14	14' 3"	14' 9"	15' 11-1/16"	14"	24"	2-1/2"	1'-9"	2'-0"	8	1460 lbs.	16	1
350FAJ-1000-12-14	1000	12	6' 6"	5' 6"	4-5/8"	14	14' 3"	14' 9"	15' 11-1/16"	16"	29"	2-1/2"	3'-0"	3'-6"	12	1694 lbs.	16	1
350FAJ-1000-14-14	1000	14	7' 6"	6' 6"	4-5/8"	14	14' 3"	14' 10"	15' 11-1/16"	16X"	29"	2-1/2"	3'-0"	3'-6"	12	2053 lbs.	16	1
350FAJ-1000-16-14	1000	16	8' 8"	7' 6"	4-5/8"	14	14' 3"	14' 10"	15' 11-1/16"	16X"	29"	2-1/2"	3'-0"	3'-6"	12	2095 lbs.	16	1
350FAJ-2000-8-8	2000	8	4' 6"	3' 6"	5-5/16"	8	8' 3"	8' 10"	9' 11-11/16"	16"	29"	2-1/2"	3'-0"	3'-6"	12	1267 lbs.	10	1
350FAJ-2000-8-10	2000	8	4' 6"	3' 6"	5-5/16"	10	10' 3"	10' 10"	11' 11-1/16"	16"	29"	2-1/2"	3'-0"	3'-6"	12	1392	12	1
350FAJ-2000-8-12	2000	8	4' 6"	3' 6"	5-5/16"	12	12'-3"	12' 10"	13' 11-1/16"	16X"	29"	2-1/2"	3'-0"	3'-6"	12	1760	14	1
350FAJ-2000-8-14	2000	8	4' 6"	3' 6"	5-5/16"	14	14'-3"	14' 10"	15' 11-1/16"	16X"	29"	2-1/2"	3'-0"	3'-6"	12	1925	16	1