

# BARRON

**EQUIPMENT COMPANY INC.**  
**OVERHEAD DOORS**

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Shipping Height (Feet)	# of Skids
350F-250-8-8	250	8	8	S6X12.5	6	3-3/8"	360	440	8'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-9	250	8	9	S6X12.5	6	3-3/8"	360	460	9'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-10	250	8	10	S6X12.5	6	3-3/8"	360	480	10'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-11	250	8	11	S6X12.5	6	3-3/8"	360	500	11'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-12	250	8	12	S6X12.5	6	3-3/8"	360	520	12'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-13	250	8	13	S6X12.5	6	3-3/8"	360	540	13'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-14	250	8	14	S6X12.5	6	3-3/8"	360	560	14'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-15	250	8	15	S6X12.5	6	3-3/8"	360	580	15'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-8-16	250	8	16	S6X12.5	6	3-3/8"	360	600	16'-6"	5 9/16"	1'-3"	1'-6"	6	3000	801	3	1
350F-250-9-8	250	9	8	S6X12.5	6	3-3/8"	360	453	8'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-9	250	9	9	S6X12.5	6	3-3/8"	360	473	9'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-10	250	9	10	S6X12.5	6	3-3/8"	360	493	10'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-11	250	9	11	S6X12.5	6	3-3/8"	360	513	11'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-12	250	9	12	S6X12.5	6	3-3/8"	360	533	12'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-13	250	9	13	S6X12.5	6	3-3/8"	360	553	13'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-14	250	9	14	S6X12.5	6	3-3/8"	360	573	14'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-15	250	9	15	S6X12.5	6	3-3/8"	360	593	15'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-9-16	250	9	16	S6X12.5	6	3-3/8"	360	613	16'-6"	5 9/16"	1'-3"	1'-6"	6	3431	916	3	1
350F-250-10-8	250	10	8	S6X12.5	6	3-3/8"	360	465	8'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-9	250	10	9	S6X12.5	6	3-3/8"	360	485	9'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-10	250	10	10	S6X12.5	6	3-3/8"	360	505	10'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-11	250	10	11	S6X12.5	6	3-3/8"	360	525	11'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-12	250	10	12	S6X12.5	6	3-3/8"	360	545	12'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-13	250	10	13	S6X12.5	6	3-3/8"	360	565	13'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-14	250	10	14	S6X12.5	6	3-3/8"	360	585	14'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-15	250	10	15	S6X12.5	6	3-3/8"	360	605	15'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-10-16	250	10	16	S6X12.5	6	3-3/8"	360	625	16'-6"	5 9/16"	1'-3"	1'-6"	6	3875	1034	3	1
350F-250-11-8	250	11	8	S6X12.5	6	3-3/8"	360	477	8'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-9	250	11	9	S6X12.5	6	3-3/8"	360	497	9'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-10	250	11	10	S6X12.5	6	3-3/8"	360	517	10'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-11	250	11	11	S6X12.5	6	3-3/8"	360	537	11'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-12	250	11	12	S6X12.5	6	3-3/8"	360	557	12'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-13	250	11	13	S6X12.5	6	3-3/8"	360	577	13'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-14	250	11	14	S6X12.5	6	3-3/8"	360	597	14'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-15	250	11	15	S6X12.5	6	3-3/8"	360	617	15'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1
350F-250-11-16	250	11	16	S6X12.5	6	3-3/8"	360	637	16'-6"	5 9/16"	1'-3"	1'-6"	6	4331	1156	3	1

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Overturing Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Shipping Height (Feet)	# of Skids
350F-250-12-8	250	12	8	S6X12.5	6	3-3/8"	360	490	8'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-9	250	12	9	S6X12.5	6	3-3/8"	360	510	9'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-10	250	12	10	S6X12.5	6	3-3/8"	360	530	10'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-11	250	12	11	S6X12.5	6	3-3/8"	360	550	11'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-12	250	12	12	S6X12.5	6	3-3/8"	360	570	12'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-13	250	12	13	S6X12.5	6	3-3/8"	360	590	13'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-14	250	12	14	S6X12.5	6	3-3/8"	360	630	14'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-15	250	12	15	S6X12.5	6	3-3/8"	360	650	15'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-12-16	250	12	16	S6X12.5	6	3-3/8"	360	670	16'-6"	5 9/16"	1'-3"	1'-6"	6	4800	1281	3	1
350F-250-13-8	250	13	8	W8X18	8	5-1/4"	360	682	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-9	250	13	9	W8X18	8	5-1/4"	360	705	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-10	250	13	10	W8X18	8	5-1/4"	360	728	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-11	250	13	11	W8X18	8	5-1/4"	360	751	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-12	250	13	12	W8X18	8	5-1/4"	360	774	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-13	250	13	13	W8X18	8	5-1/4"	360	797	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-14	250	13	14	W8X18	8	5-1/4"	360	820	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-15	250	13	15	W8X18	8	5-1/4"	360	843	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-13-16	250	13	16	W8X18	8	5-1/4"	360	863	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	5746	821	3	1
350F-250-14-8	250	14	8	W8X18	8	5-1/4"	360	700	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-9	250	14	9	W8X18	8	5-1/4"	360	723	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-10	250	14	10	W8X18	8	5-1/4"	360	746	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-11	250	14	11	W8X18	8	5-1/4"	360	769	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-12	250	14	12	W8X18	8	5-1/4"	360	792	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-13	250	14	13	W8X18	8	5-1/4"	360	815	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-14	250	14	14	W8X18	8	5-1/4"	360	838	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-15	250	14	15	W8X18	8	5-1/4"	360	861	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-14-16	250	14	16	W8X18	8	5-1/4"	360	881	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6314	903	3	1
350F-250-15-8	250	15	8	W8X18	8	5-1/4"	360	718	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-9	250	15	9	W8X18	8	5-1/4"	360	741	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-10	250	15	10	W8X18	8	5-1/4"	360	764	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-11	250	15	11	W8X18	8	5-1/4"	360	787	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-12	250	15	12	W8X18	8	5-1/4"	360	810	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-13	250	15	13	W8X18	8	5-1/4"	360	833	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-14	250	15	14	W8X18	8	5-1/4"	360	856	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-15	250	15	15	W8X18	8	5-1/4"	360	879	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-15-16	250	15	16	W8X18	8	5-1/4"	360	899	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6900	986	3	1
350F-250-16-8	250	16	8	W8X18	8	5-1/4"	360	736	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-9	250	16	9	W8X18	8	5-1/4"	360	759	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-10	250	16	10	W8X18	8	5-1/4"	360	782	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-11	250	16	11	W8X18	8	5-1/4"	360	805	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-12	250	16	12	W8X18	8	5-1/4"	360	828	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-13	250	16	13	W8X18	8	5-1/4"	360	851	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-14	250	16	14	W8X18	8	5-1/4"	360	874	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-15	250	16	15	W8X18	8	5-1/4"	360	897	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-250-16-16	250	16	16	W8X18	8	5-1/4"	360	917	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7504	1073	3	1
350F-500-8-8	500	8	8	S6X12.5	6	3-3/8"	360	488	8'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-8-9	500	8	9	S6X12.5	6	3-3/8"	360	515	9'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Overturing Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Shipping Height (Feet)	# of Skids
350F-500-8-10	500	8	10	S6X12.5	6	3-3/8"	360	542	10'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-8-11	500	8	11	S6X12.5	6	3-3/8"	360	569	11'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-8-12	500	8	12	S6X12.5	6	3-3/8"	360	596	12'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-8-13	500	8	13	S6X12.5	6	3-3/8"	360	623	13'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-8-14	500	8	14	S6X12.5	6	3-3/8"	360	650	14'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-8-15	500	8	15	S6X12.5	6	3-3/8"	360	677	15'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-8-16	500	8	16	S6X12.5	6	3-3/8"	360	697	16'-6"	5 9/16"	1'-3"	1'-6"	6	5600	1494	3	1
350F-500-9-8	500	9	8	W8X18	8	5-1/4"	360	608	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-9	500	9	9	W8X18	8	5-1/4"	360	631	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-10	500	9	10	W8X18	8	5-1/4"	360	654	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-11	500	9	11	W8X18	8	5-1/4"	360	677	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-12	500	9	12	W8X18	8	5-1/4"	360	700	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-13	500	9	13	W8X18	8	5-1/4"	360	723	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-14	500	9	14	W8X18	8	5-1/4"	360	746	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-15	500	9	15	W8X18	8	5-1/4"	360	769	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-9-16	500	9	16	W8X18	8	5-1/4"	360	789	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	6579	940	3	1
350F-500-10-8	500	10	8	W8X18	8	5-1/4"	360	628	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-9	500	10	9	W8X18	8	5-1/4"	360	651	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-10	500	10	10	W8X18	8	5-1/4"	360	674	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-11	500	10	11	W8X18	8	5-1/4"	360	697	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-12	500	10	12	W8X18	8	5-1/4"	360	720	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-13	500	10	13	W8X18	8	5-1/4"	360	743	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-14	500	10	14	W8X18	8	5-1/4"	360	766	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-15	500	10	15	W8X18	8	5-1/4"	360	789	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-10-16	500	10	16	W8X18	8	5-1/4"	360	809	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	7400	1058	3	1
350F-500-11-8	500	11	8	W8X18	8	5-1/4"	360	644	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-9	500	11	9	W8X18	8	5-1/4"	360	667	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-10	500	11	10	W8X18	8	5-1/4"	360	690	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-11	500	11	11	W8X18	8	5-1/4"	360	713	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-12	500	11	12	W8X18	8	5-1/4"	360	736	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-13	500	11	13	W8X18	8	5-1/4"	360	759	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-14	500	11	14	W8X18	8	5-1/4"	360	782	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-15	500	11	15	W8X18	8	5-1/4"	360	805	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-11-16	500	11	16	W8X18	8	5-1/4"	360	825	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	8239	1178	3	1
350F-500-12-8	500	12	8	W8X18	8	5-1/4"	360	664	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-9	500	12	9	W8X18	8	5-1/4"	360	687	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-10	500	12	10	W8X18	8	5-1/4"	360	710	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-11	500	12	11	W8X18	8	5-1/4"	360	733	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-12	500	12	12	W8X18	8	5-1/4"	360	756	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-13	500	12	13	W8X18	8	5-1/4"	360	779	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-14	500	12	14	W8X18	8	5-1/4"	360	802	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-15	500	12	15	W8X18	8	5-1/4"	360	825	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-12-16	500	12	16	W8X18	8	5-1/4"	360	845	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9096	1300	3	1
350F-500-13-8	500	13	8	W8X18	8	5-1/4"	360	682	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-13-9	500	13	9	W8X18	8	5-1/4"	360	705	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-13-10	500	13	10	W8X18	8	5-1/4"	360	728	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-13-11	500	13	11	W8X18	8	5-1/4"	360	751	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Overturing Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Shipping Height (Feet)	# of Skids
350F-500-13-12	500	13	12	W8X18	8	5-1/4"	360	774	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-13-13	500	13	13	W8X18	8	5-1/4"	360	797	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-13-14	500	13	14	W8X18	8	5-1/4"	360	820	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-13-15	500	13	15	W8X18	8	5-1/4"	360	843	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-13-16	500	13	16	W8X18	8	5-1/4"	360	863	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	9971	1425	3	1
350F-500-14-8	500	14	8	W8X18	8	5-1/4"	360	700	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-9	500	14	9	W8X18	8	5-1/4"	360	723	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-10	500	14	10	W8X18	8	5-1/4"	360	746	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-11	500	14	11	W8X18	8	5-1/4"	360	769	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-12	500	14	12	W8X18	8	5-1/4"	360	792	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-13	500	14	13	W8X18	8	5-1/4"	360	815	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-14	500	14	14	W8X18	8	5-1/4"	360	838	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-15	500	14	15	W8X18	8	5-1/4"	360	861	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-14-16	500	14	16	W8X18	8	5-1/4"	360	881	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10864	1553	3	1
350F-500-15-8	500	15	8	W10X26	10	5-3/4"	360	1102	8'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-9	500	15	9	W10X26	10	5-3/4"	360	1142	9'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-10	500	15	10	W10X26	10	5-3/4"	360	1182	10'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-11	500	15	11	W10X26	10	5-3/4"	360	1222	11'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-12	500	15	12	W10X26	10	5-3/4"	360	1262	12'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-13	500	15	13	W10X26	10	5-3/4"	360	1302	13'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-14	500	15	14	W10X26	10	5-3/4"	360	1342	14'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-15	500	15	15	W10X26	10	5-3/4"	360	1382	15'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-15-16	500	15	16	W10X26	10	5-3/4"	360	1417	16'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	12675	705	3	1
350F-500-16-8	500	16	8	W10X26	10	5-3/4"	360	1127	8'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-9	500	16	9	W10X26	10	5-3/4"	360	1167	9'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-10	500	16	10	W10X26	10	5-3/4"	360	1207	10'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-11	500	16	11	W10X26	10	5-3/4"	360	1247	11'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-12	500	16	12	W10X26	10	5-3/4"	360	1287	12'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-13	500	16	13	W10X26	10	5-3/4"	360	1327	13'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-14	500	16	14	W10X26	10	5-3/4"	360	1367	14'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-15	500	16	15	W10X26	10	5-3/4"	360	1407	15'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-500-16-16	500	16	16	W10X26	10	5-3/4"	360	1442	16'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	13728	763	3	1
350F-1000-8-8	1000	8	8	W8X18	8	5-1/4"	360	639	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-9	1000	8	9	W8X18	8	5-1/4"	360	669	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-10	1000	8	10	W8X18	8	5-1/4"	360	699	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-11	1000	8	11	W8X18	8	5-1/4"	360	729	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-12	1000	8	12	W8X18	8	5-1/4"	360	759	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-13	1000	8	13	W8X18	8	5-1/4"	360	789	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-14	1000	8	14	W8X18	8	5-1/4"	360	819	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-15	1000	8	15	W8X18	8	5-1/4"	360	849	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-8-16	1000	8	16	W8X18	8	5-1/4"	360	869	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	10976	1569	4	1
350F-1000-9-8	1000	9	8	W8X18	8	5-1/4"	360	655	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-9-9	1000	9	9	W8X18	8	5-1/4"	360	685	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-9-10	1000	9	10	W8X18	8	5-1/4"	360	715	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-9-11	1000	9	11	W8X18	8	5-1/4"	360	745	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-9-12	1000	9	12	W8X18	8	5-1/4"	360	775	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-9-13	1000	9	13	W8X18	8	5-1/4"	360	805	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Overturing Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Shipping Height (Feet)	# of Skids
350F-1000-9-14	1000	9	14	W8X18	8	5-1/4"	360	835	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-9-15	1000	9	15	W8X18	8	5-1/4"	360	865	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-9-16	1000	9	16	W8X18	8	5-1/4"	360	885	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	12429	1776	4	1
350F-1000-10-8	1000	10	8	W8X18	8	5-1/4"	360	675	8'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-9	1000	10	9	W8X18	8	5-1/4"	360	705	9'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-10	1000	10	10	W8X18	8	5-1/4"	360	735	10'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-11	1000	10	11	W8X18	8	5-1/4"	360	765	11'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-12	1000	10	12	W8X18	8	5-1/4"	360	795	12'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-13	1000	10	13	W8X18	8	5-1/4"	360	825	13'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-14	1000	10	14	W8X18	8	5-1/4"	360	855	14'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-15	1000	10	15	W8X18	8	5-1/4"	360	885	15'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-10-16	1000	10	16	W8X18	8	5-1/4"	360	905	16'-8 1/8"	8 5/8"	1'-9"	2'-0"	8	13900	1986	4	1
350F-1000-11-8	1000	11	8	W8X18	8	5-1/4"	360	901	8'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-9	1000	11	9	W8X18	8	5-1/4"	360	941	9'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-10	1000	11	10	W8X18	8	5-1/4"	360	981	10'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-11	1000	11	11	W8X18	8	5-1/4"	360	1021	11'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-12	1000	11	12	W8X18	8	5-1/4"	360	1061	12'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-13	1000	11	13	W8X18	8	5-1/4"	360	1101	13'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-14	1000	11	14	W8X18	8	5-1/4"	360	1141	14'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-15	1000	11	15	W8X18	8	5-1/4"	360	1181	15'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-11-16	1000	11	16	W8X18	8	5-1/4"	360	1201	16'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	15389	855	4	1
350F-1000-12-8	1000	12	8	W8X18	8	5-1/4"	360	919	8'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-9	1000	12	9	W8X18	8	5-1/4"	360	959	9'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-10	1000	12	10	W8X18	8	5-1/4"	360	999	10'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-11	1000	12	11	W8X18	8	5-1/4"	360	1039	11'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-12	1000	12	12	W8X18	8	5-1/4"	360	1079	12'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-13	1000	12	13	W8X18	8	5-1/4"	360	1119	13'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-14	1000	12	14	W8X18	8	5-1/4"	360	1159	14'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-15	1000	12	15	W8X18	8	5-1/4"	360	1199	15'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-12-16	1000	12	16	W8X18	8	5-1/4"	360	1219	16'-8 1/8"	10 3/4"	3'-0"	3'-6"	12	16896	939	4	1
350F-1000-13-8	1000	13	8	W10X26	10	5-3/4"	360	1050	8'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-9	1000	13	9	W10X26	10	5-3/4"	360	1090	9'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-10	1000	13	10	W10X26	10	5-3/4"	360	1130	10'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-11	1000	13	11	W10X26	10	5-3/4"	360	1170	11'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-12	1000	13	12	W10X26	10	5-3/4"	360	1210	12'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-13	1000	13	13	W10X26	10	5-3/4"	360	1250	13'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-14	1000	13	14	W10X26	10	5-3/4"	360	1290	14'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-15	1000	13	15	W10X26	10	5-3/4"	360	1330	15'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-13-16	1000	13	16	W10X26	10	5-3/4"	360	1365	16'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	19097	1061	4	1
350F-1000-14-8	1000	14	8	W10X26	10	5-3/4"	360	1075	8'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-14-9	1000	14	9	W10X26	10	5-3/4"	360	1115	9'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-14-10	1000	14	10	W10X26	10	5-3/4"	360	1155	10'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-14-11	1000	14	11	W10X26	10	5-3/4"	360	1195	11'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-14-12	1000	14	12	W10X26	10	5-3/4"	360	1235	12'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-14-13	1000	14	13	W10X26	10	5-3/4"	360	1275	13'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-14-14	1000	14	14	W10X26	10	5-3/4"	360	1315	14'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-14-15	1000	14	15	W10X26	10	5-3/4"	360	1355	15'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Weight	Overall Height	Mast Diameter	Bolt Circle Diam.	Base Plate Diam.	# Bolts	Overturing Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Shipping Height (Feet)	# of Skids
350F-1000-14-16	1000	14	16	W10X26	10	5-3/4"	360	1390	16'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	20748	1153	4	1
350F-1000-15-8	1000	15	8	W12X30	12	6-1/2"	360	1165	9'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-9	1000	15	9	W12X30	12	6-1/2"	360	1205	10'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-10	1000	15	10	W12X30	12	6-1/2"	360	1245	11'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-11	1000	15	11	W12X30	12	6-1/2"	360	1285	12'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-12	1000	15	12	W12X30	12	6-1/2"	360	1325	13'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-13	1000	15	13	W12X30	12	6-1/2"	360	1365	14'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-14	1000	15	14	W12X30	12	6-1/2"	360	1405	15'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-15	1000	15	15	W12X30	12	6-1/2"	360	1445	16'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-15-16	1000	15	16	W12X30	12	6-1/2"	360	1485	17'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	22875	1271	4	1
350F-1000-16-8	1000	16	8	W12X30	12	6-1/2"	360	1195	9'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-9	1000	16	9	W12X30	12	6-1/2"	360	1235	10'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-10	1000	16	10	W12X30	12	6-1/2"	360	1275	11'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-11	1000	16	11	W12X30	12	6-1/2"	360	1315	12'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-12	1000	16	12	W12X30	12	6-1/2"	360	1355	13'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-13	1000	16	13	W12X30	12	6-1/2"	360	1395	14'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-14	1000	16	14	W12X30	12	6-1/2"	360	1435	15'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-15	1000	16	15	W12X30	12	6-1/2"	360	1475	16'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-1000-16-16	1000	16	16	W12X30	12	6-1/2"	360	1515	17'-0 3/8"	10 3/4"	3'-0"	3'-6"	12	24640	1369	4	1
350F-2000-8-8	2000	8	8	W8X21	8	5-1/4"	360	874	8'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-9	2000	8	9	W8X21	8	5-1/4"	360	914	9'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-10	2000	8	10	W8X21	8	5-1/4"	360	954	10'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-11	2000	8	11	W8X21	8	5-1/4"	360	994	11'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-12	2000	8	12	W8X21	8	5-1/4"	360	1034	12'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-13	2000	8	13	W8X21	8	5-1/4"	360	1074	13'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-14	2000	8	14	W8X21	8	5-1/4"	360	1114	14'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-15	2000	8	15	W8X21	8	5-1/4"	360	1154	15'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-8-16	2000	8	16	W8X21	8	5-1/4"	360	1189	16'-8 1/4"	10 3/4"	3'-0"	3'-6"	12	21472	1193	4	1
350F-2000-9-8	2000	9	8	W10X26	10	5-3/4"	360	945	8'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-9	2000	9	9	W10X26	10	5-3/4"	360	985	9'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-10	2000	9	10	W10X26	10	5-3/4"	360	1025	10'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-11	2000	9	11	W10X26	10	5-3/4"	360	1065	11'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-12	2000	9	12	W10X26	10	5-3/4"	360	1105	12'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-13	2000	9	13	W10X26	10	5-3/4"	360	1145	13'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-14	2000	9	14	W10X26	10	5-3/4"	360	1185	14'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-15	2000	9	15	W10X26	10	5-3/4"	360	1225	15'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-9-16	2000	9	16	W10X26	10	5-3/4"	360	1260	15'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	24453	1359	4	1
350F-2000-10-8	2000	10	8	W10X26	10	5-3/4"	360	971	8'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-9	2000	10	9	W10X26	10	5-3/4"	360	1011	9'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-10	2000	10	10	W10X26	10	5-3/4"	360	1051	10'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-11	2000	10	11	W10X26	10	5-3/4"	360	1091	11'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-12	2000	10	12	W10X26	10	5-3/4"	360	1131	12'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-13	2000	10	13	W10X26	10	5-3/4"	360	1171	13'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-14	2000	10	14	W10X26	10	5-3/4"	360	1211	14'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-15	2000	10	15	W10X26	10	5-3/4"	360	1251	15'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1
350F-2000-10-16	2000	10	16	W10X26	10	5-3/4"	360	1286	16'-10 3/8"	10 3/4"	3'-0"	3'-6"	12	27300	1517	4	1