



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-8-8	1000	8	8	7	9	W8X21	5-1/4"	4'-6"	587	6" x 2" (Phenolic)	8'-8"	9	1
511-1000-8-9	1000	8	9	7	9	W8X21	5-1/4"	5'-6"	644	6" x 2" (Phenolic)	9'-8"	9	1
511-1000-8-10	1000	8	10	7	9	W8X21	5-1/4"	5'-6"	684	6" x 2" (Phenolic)	10'-8"	10	1
511-1000-8-11	1000	8	11	7	9	W8X21	5-1/4"	6'-6"	741	6" x 2" (Phenolic)	11'-8"	11	1
511-1000-8-12	1000	8	12	7	9	W8X21	5-1/4"	6'-6"	781	6" x 2" (Phenolic)	12'-8"	12	1
511-1000-8-13	1000	8	13	7	9	W8X21	5-1/4"	7'-6"	838	6" x 2" (Phenolic)	13'-8"	13	1
511-1000-8-14	1000	8	14	7	9	W8X21	5-1/4"	7'-6"	878	6" x 2" (Phenolic)	14'-8"	14	1
511-1000-8-15	1000	8	15	7	9	W8X21	5-1/4"	7'-6"	918	6" x 2" (Phenolic)	15'-8"	15	1
511-1000-8-16	1000	8	16	7	9	W8X21	5-1/4"	7'-6"	958	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-8-17	1000	8	17	7	9	W8X21	5-1/4"	8'-0"	1138	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-8-18	1000	8	18	7	9	W8X21	5-1/4"	8'-0"	1183	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-8-19	1000	8	19	7	9	W8X21	5-1/4"	8'-0"	1228	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-8-20	1000	8	20	7	9	W8X21	5-1/4"	8'-0"	1273	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-9-8	1000	9	8	8	10	W8X21	5-1/4"	4'-6"	605	6" x 2" (Phenolic)	8'-8"	10	1
511-1000-9-9	1000	9	9	8	10	W8X21	5-1/4"	5'-6"	662	6" x 2" (Phenolic)	9'-8"	10	1
511-1000-9-10	1000	9	10	8	10	W8X21	5-1/4"	5'-6"	702	6" x 2" (Phenolic)	10'-8"	10	1
511-1000-9-11	1000	9	11	8	10	W8X21	5-1/4"	6'-6"	759	6" x 2" (Phenolic)	11'-8"	11	1
511-1000-9-12	1000	9	12	8	10	W8X21	5-1/4"	6'-6"	799	6" x 2" (Phenolic)	12'-8"	12	1
511-1000-9-13	1000	9	13	8	10	W8X21	5-1/4"	7'-6"	856	6" x 2" (Phenolic)	13'-8"	13	1
511-1000-9-14	1000	9	14	8	10	W8X21	5-1/4"	7'-6"	896	6" x 2" (Phenolic)	14'-8"	14	1
511-1000-9-15	1000	9	15	8	10	W8X21	5-1/4"	7'-6"	936	6" x 2" (Phenolic)	15'-8"	15	1
511-1000-9-16	1000	9	16	8	10	W8X21	5-1/4"	7'-6"	976	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-9-17	1000	9	17	8	10	W8X21	5-1/4"	8'-0"	1156	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-9-18	1000	9	18	8	10	W8X21	5-1/4"	8'-0"	1201	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-9-19	1000	9	19	8	10	W8X21	5-1/4"	8'-0"	1246	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-9-20	1000	9	20	8	10	W8X21	5-1/4"	8'-0"	1291	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-10-8	1000	10	8	9	11	W8X21	5-1/4"	4'-6"	623	6" x 2" (Phenolic)	8'-8"	11	1
511-1000-10-9	1000	10	9	9	11	W8X21	5-1/4"	5'-6"	680	6" x 2" (Phenolic)	9'-8"	11	1
511-1000-10-10	1000	10	10	9	11	W8X21	5-1/4"	5'-6"	720	6" x 2" (Phenolic)	10'-8"	11	1
511-1000-10-11	1000	10	11	9	11	W8X21	5-1/4"	6'-6"	777	6" x 2" (Phenolic)	11'-8"	11	1
511-1000-10-12	1000	10	12	9	11	W8X21	5-1/4"	6'-6"	817	6" x 2" (Phenolic)	12'-8"	12	1
511-1000-10-13	1000	10	13	9	11	W8X21	5-1/4"	7'-6"	874	6" x 2" (Phenolic)	13'-8"	13	1
511-1000-10-14	1000	10	14	9	11	W8X21	5-1/4"	7'-6"	914	6" x 2" (Phenolic)	14'-8"	14	1
511-1000-10-15	1000	10	15	9	11	W8X21	5-1/4"	7'-6"	954	6" x 2" (Phenolic)	15'-8"	15	1
511-1000-10-16	1000	10	16	9	11	W8X21	5-1/4"	7'-6"	994	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-10-17	1000	10	17	9	11	W8X21	5-1/4"	8'-0"	1174	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-10-18	1000	10	18	9	11	W8X21	5-1/4"	8'-0"	1219	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-10-19	1000	10	19	9	11	W8X21	5-1/4"	8'-0"	1264	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-10-20	1000	10	20	9	11	W8X21	5-1/4"	8'-0"	1309	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-11-8	1000	11	8	10	12	W8X21	5-1/4"	4'-6"	641	6" x 2" (Phenolic)	8'-8"	12	1
511-1000-11-9	1000	11	9	10	12	W8X21	5-1/4"	5'-6"	698	6" x 2" (Phenolic)	9'-8"	12	1
511-1000-11-10	1000	11	10	10	12	W8X21	5-1/4"	5'-6"	738	6" x 2" (Phenolic)	10'-8"	12	1
511-1000-11-11	1000	11	11	10	12	W8X21	5-1/4"	6'-6"	795	6" x 2" (Phenolic)	11'-8"	12	1
511-1000-11-12	1000	11	12	10	12	W8X21	5-1/4"	6'-6"	835	6" x 2" (Phenolic)	12'-8"	12	1
511-1000-11-13	1000	11	13	10	12	W8X21	5-1/4"	7'-6"	892	6" x 2" (Phenolic)	13'-8"	13	1
511-1000-11-14	1000	11	14	10	12	W8X21	5-1/4"	7'-6"	932	6" x 2" (Phenolic)	14'-8"	14	1
511-1000-11-15	1000	11	15	10	12	W8X21	5-1/4"	7'-6"	972	6" x 2" (Phenolic)	15'-8"	15	1
511-1000-11-16	1000	11	16	10	12	W8X21	5-1/4"	7'-6"	1012	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-11-17	1000	11	17	10	12	W8X21	5-1/4"	8'-0"	1192	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-11-18	1000	11	18	10	12	W8X21	5-1/4"	8'-0"	1237	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-11-19	1000	11	19	10	12	W8X21	5-1/4"	8'-0"	1282	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-11-20	1000	11	20	10	12	W8X21	5-1/4"	8'-0"	1327	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-12-8	1000	12	8	11	13	W8X21	5-1/4"	4'-6"	659	6" x 2" (Phenolic)	8'-8"	13	1
511-1000-12-9	1000	12	9	11	13	W8X21	5-1/4"	5'-6"	716	6" x 2" (Phenolic)	9'-8"	13	1
511-1000-12-10	1000	12	10	11	13	W8X21	5-1/4"	5'-6"	756	6" x 2" (Phenolic)	10'-8"	13	1
511-1000-12-11	1000	12	11	11	13	W8X21	5-1/4"	6'-6"	813	6" x 2" (Phenolic)	11'-8"	13	1
511-1000-12-12	1000	12	12	11	13	W8X21	5-1/4"	6'-6"	853	6" x 2" (Phenolic)	12'-8"	13	1
511-1000-12-13	1000	12	13	11	13	W8X21	5-1/4"	7'-6"	910	6" x 2" (Phenolic)	13'-8"	13	1
511-1000-12-14	1000	12	14	11	13	W8X21	5-1/4"	7'-6"	950	6" x 2" (Phenolic)	14'-8"	14	1
511-1000-12-15	1000	12	15	11	13	W8X21	5-1/4"	7'-6"	990	6" x 2" (Phenolic)	15'-8"	15	1
511-1000-12-16	1000	12	16	11	13	W8X21	5-1/4"	7'-6"	1030	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-12-17	1000	12	17	11	13	W8X21	5-1/4"	8'-0"	1210	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-12-18	1000	12	18	11	13	W8X21	5-1/4"	8'-0"	1255	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-12-19	1000	12	19	11	13	W8X21	5-1/4"	8'-0"	1300	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-12-20	1000	12	20	11	13	W8X21	5-1/4"	8'-0"	1345	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-13-8	1000	13	8	12	14	W8X21	5-1/4"	4'-6"	677	6" x 2" (Phenolic)	8'-8"	14	1
511-1000-13-9	1000	13	9	12	14	W8X21	5-1/4"	5'-6"	734	6" x 2" (Phenolic)	9'-8"	14	1
511-1000-13-10	1000	13	10	12	14	W8X21	5-1/4"	5'-6"	774	6" x 2" (Phenolic)	10'-8"	14	1
511-1000-13-11	1000	13	11	12	14	W8X21	5-1/4"	6'-6"	831	6" x 2" (Phenolic)	11'-8"	14	1
511-1000-13-12	1000	13	12	12	14	W8X21	5-1/4"	6'-6"	871	6" x 2" (Phenolic)	12'-8"	14	1
511-1000-13-13	1000	13	13	12	14	W8X21	5-1/4"	7'-6"	928	6" x 2" (Phenolic)	13'-8"	14	1
511-1000-13-14	1000	13	14	12	14	W8X21	5-1/4"	7'-6"	968	6" x 2" (Phenolic)	14'-8"	14	1
511-1000-13-15	1000	13	15	12	14	W8X21	5-1/4"	7'-6"	1008	6" x 2" (Phenolic)	15'-8"	15	1
511-1000-13-16	1000	13	16	12	14	W8X21	5-1/4"	7'-6"	1048	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-13-17	1000	13	17	12	14	W8X21	5-1/4"	8'-0"	1228	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-13-18	1000	13	18	12	14	W8X21	5-1/4"	8'-0"	1273	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-13-19	1000	13	19	12	14	W8X21	5-1/4"	8'-0"	1318	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-13-20	1000	13	20	12	14	W8X21	5-1/4"	8'-0"	1363	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-14-8	1000	14	8	13	15	W8X21	5-1/4"	4'-6"	695	6" x 2" (Phenolic)	8'-8"	15	1
511-1000-14-9	1000	14	9	13	15	W8X21	5-1/4"	5'-6"	752	6" x 2" (Phenolic)	9'-8"	15	1
511-1000-14-10	1000	14	10	13	15	W8X21	5-1/4"	5'-6"	792	6" x 2" (Phenolic)	10'-8"	15	1
511-1000-14-11	1000	14	11	13	15	W8X21	5-1/4"	6'-6"	849	6" x 2" (Phenolic)	11'-8"	15	1
511-1000-14-12	1000	14	12	13	15	W8X21	5-1/4"	6'-6"	889	6" x 2" (Phenolic)	12'-8"	15	1
511-1000-14-13	1000	14	13	13	15	W8X21	5-1/4"	7'-6"	946	6" x 2" (Phenolic)	13'-8"	15	1
511-1000-14-14	1000	14	14	13	15	W8X21	5-1/4"	7'-6"	986	6" x 2" (Phenolic)	14'-8"	15	1
511-1000-14-15	1000	14	15	13	15	W8X21	5-1/4"	7'-6"	1026	6" x 2" (Phenolic)	15'-8"	15	1
511-1000-14-16	1000	14	16	13	15	W8X21	5-1/4"	7'-6"	1066	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-14-17	1000	14	17	13	15	W8X21	5-1/4"	8'-0"	1246	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-14-18	1000	14	18	13	15	W8X21	5-1/4"	8'-0"	1291	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-14-19	1000	14	19	13	15	W8X21	5-1/4"	8'-0"	1336	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-14-20	1000	14	20	13	15	W8X21	5-1/4"	8'-0"	1381	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-15-8	1000	15	8	14	16	W8X21	5-1/4"	4'-6"	713	6" x 2" (Phenolic)	8'-8"	16	1
511-1000-15-9	1000	15	9	14	16	W8X21	5-1/4"	5'-6"	770	6" x 2" (Phenolic)	9'-8"	16	1
511-1000-15-10	1000	15	10	14	16	W8X21	5-1/4"	5'-6"	810	6" x 2" (Phenolic)	10'-8"	16	1
511-1000-15-11	1000	15	11	14	16	W8X21	5-1/4"	6'-6"	867	6" x 2" (Phenolic)	11'-8"	16	1
511-1000-15-12	1000	15	12	14	16	W8X21	5-1/4"	6'-6"	907	6" x 2" (Phenolic)	12'-8"	16	1
511-1000-15-13	1000	15	13	14	16	W8X21	5-1/4"	7'-6"	966	6" x 2" (Phenolic)	13'-8"	16	1
511-1000-15-14	1000	15	14	14	16	W8X21	5-1/4"	7'-6"	1006	6" x 2" (Phenolic)	14'-8"	16	1
511-1000-15-15	1000	15	15	14	16	W8X21	5-1/4"	7'-6"	1044	6" x 2" (Phenolic)	15'-8"	16	1
511-1000-15-16	1000	15	16	14	16	W8X21	5-1/4"	7'-6"	1084	6" x 2" (Phenolic)	16'-8"	16	1
511-1000-15-17	1000	15	17	14	16	W8X21	5-1/4"	8'-0"	1264	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-15-18	1000	15	18	14	16	W8X21	5-1/4"	8'-0"	1309	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-15-19	1000	15	19	14	16	W8X21	5-1/4"	8'-0"	1354	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-15-20	1000	15	20	14	16	W8X21	5-1/4"	8'-0"	1399	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-16-8	1000	16	8	15	17	W8X21	5-1/4"	4'-6"	731	6" x 2" (Phenolic)	8'-8"	17	1
511-1000-16-9	1000	16	9	15	17	W8X21	5-1/4"	5'-6"	788	6" x 2" (Phenolic)	9'-8"	17	1
511-1000-16-10	1000	16	10	15	17	W8X21	5-1/4"	5'-6"	828	6" x 2" (Phenolic)	10'-8"	17	1
511-1000-16-11	1000	16	11	15	17	W8X21	5-1/4"	6'-6"	885	6" x 2" (Phenolic)	11'-8"	17	1
511-1000-16-12	1000	16	12	15	17	W8X21	5-1/4"	6'-6"	925	6" x 2" (Phenolic)	12'-8"	17	1
511-1000-16-13	1000	16	13	15	17	W8X21	5-1/4"	7'-6"	966	6" x 2" (Phenolic)	13'-8"	17	1
511-1000-16-14	1000	16	14	15	17	W8X21	5-1/4"	7'-6"	1006	6" x 2" (Phenolic)	14'-8"	17	1
511-1000-16-15	1000	16	15	15	17	W8X21	5-1/4"	7'-6"	1062	6" x 2" (Phenolic)	15'-8"	17	1
511-1000-16-16	1000	16	16	15	17	W8X21	5-1/4"	7'-6"	1102	6" x 2" (Phenolic)	16'-8"	17	1
511-1000-16-17	1000	16	17	15	17	W8X21	5-1/4"	8'-0"	1282	6" x 2" (Phenolic)	17'-8"	17	1
511-1000-16-18	1000	16	18	15	17	W8X21	5-1/4"	8'-0"	1327	6" x 2" (Phenolic)	18'-8"	18	1
511-1000-16-19	1000	16	19	15	17	W8X21	5-1/4"	8'-0"	1372	6" x 2" (Phenolic)	19'-8"	19	1
511-1000-16-20	1000	16	20	15	17	W8X21	5-1/4"	8'-0"	1417	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-17-8	1000	17	8	16	18	W10 X 26	5 3/4"	4'-6"	956	6" x 2" (Phenolic)	8'-10 3/8"	18	1
511-1000-17-9	1000	17	9	16	18	W10 X 26	5 3/4"	5'-6"	992	6" x 2" (Phenolic)	9'-10 3/8"	18	1
511-1000-17-10	1000	17	10	16	18	W10 X 26	5 3/4"	5'-6"	1038	6" x 2" (Phenolic)	10'-10 3/8"	18	1
511-1000-17-11	1000	17	11	16	18	W10 X 26	5 3/4"	6'-6"	1105	6" x 2" (Phenolic)	11'-10 3/8"	18	1
511-1000-17-12	1000	17	12	16	18	W10 X 26	5 3/4"	6'-6"	1152	6" x 2" (Phenolic)	12'-10 3/8"	18	1
511-1000-17-13	1000	17	13	16	18	W10 X 26	5 3/4"	7'-6"	1219	6" x 2" (Phenolic)	13'-10 3/8"	18	1
511-1000-17-14	1000	17	14	16	18	W10 X 26	5 3/4"	7'-6"	1266	6" x 2" (Phenolic)	14'-10 3/8"	18	1
511-1000-17-15	1000	17	15	16	18	W10 X 26	5 3/4"	7'-6"	1495	6" x 2" (Phenolic)	15'-10 3/8"	18	1
511-1000-17-16	1000	17	16	16	18	W10 X 26	5 3/4"	7'-6"	1550	6" x 2" (Phenolic)	16'-10 3/8"	18	1
511-1000-17-17	1000	17	17	16	18	W10 X 26	5 3/4"	8'-0"	1617	6" x 2" (Phenolic)	17'-10 3/8"	18	1
511-1000-17-18	1000	17	18	16	18	W10 X 26	5 3/4"	8'-0"	1672	6" x 2" (Phenolic)	18'-10 3/8"	18	1
511-1000-17-19	1000	17	19	16	18	W10 X 26	5 3/4"	8'-0"	1727	6" x 2" (Phenolic)	19'-10 3/8"	19	1
511-1000-17-20	1000	17	20	16	18	W10 X 26	5 3/4"	8'-0"	1782	6" x 2" (Phenolic)	20'-10 3/8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-18-8	1000	18	8	17	19	W10 X 26	5 3/4"	4'-6"	982	6" x 2" (Phenolic)	8'-10 3/8"	19	1
511-1000-18-9	1000	18	9	17	19	W10 X 26	5 3/4"	5'-6"	1018	6" x 2" (Phenolic)	9'-10 3/8"	19	1
511-1000-18-10	1000	18	10	17	19	W10 X 26	5 3/4"	5'-6"	1064	6" x 2" (Phenolic)	10'-10 3/8"	19	1
511-1000-18-11	1000	18	11	17	19	W10 X 26	5 3/4"	6'-6"	1131	6" x 2" (Phenolic)	11'-10 3/8"	19	1
511-1000-18-12	1000	18	12	17	19	W10 X 26	5 3/4"	6'-6"	1178	6" x 2" (Phenolic)	12'-10 3/8"	19	1
511-1000-18-13	1000	18	13	17	19	W10 X 26	5 3/4"	7'-6"	1245	6" x 2" (Phenolic)	13'-10 3/8"	19	1
511-1000-18-14	1000	18	14	17	19	W10 X 26	5 3/4"	7'-6"	1292	6" x 2" (Phenolic)	14'-10 3/8"	19	1
511-1000-18-15	1000	18	15	17	19	W10 X 26	5 3/4"	7'-6"	1521	6" x 2" (Phenolic)	15'-10 3/8"	19	1
511-1000-18-16	1000	18	16	17	19	W10 X 26	5 3/4"	7'-6"	1576	6" x 2" (Phenolic)	16'-10 3/8"	19	1
511-1000-18-17	1000	18	17	17	19	W10 X 26	5 3/4"	8'-0"	1643	6" x 2" (Phenolic)	17'-10 3/8"	19	1
511-1000-18-18	1000	18	18	17	19	W10 X 26	5 3/4"	8'-0"	1698	6" x 2" (Phenolic)	18'-10 3/8"	19	1
511-1000-18-19	1000	18	19	17	19	W10 X 26	5 3/4"	8'-0"	1753	6" x 2" (Phenolic)	19'-10 3/8"	19	1
511-1000-18-20	1000	18	20	17	19	W10 X 26	5 3/4"	8'-0"	1808	6" x 2" (Phenolic)	20'-10 3/8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-19-8	1000	19	8	18	20	W10 X 26	5 3/4"	4'-6"	1008	6" x 2" (Phenolic)	8'-10 3/8"	20	1
511-1000-19-9	1000	19	9	18	20	W10 X 26	5 3/4"	5'-6"	1044	6" x 2" (Phenolic)	9'-10 3/8"	20	1
511-1000-19-10	1000	19	10	18	20	W10 X 26	5 3/4"	5'-6"	1090	6" x 2" (Phenolic)	10'-10 3/8"	20	1
511-1000-19-11	1000	19	11	18	20	W10 X 26	5 3/4"	6'-6"	1157	6" x 2" (Phenolic)	11'-10 3/8"	20	1
511-1000-19-12	1000	19	12	18	20	W10 X 26	5 3/4"	6'-6"	1204	6" x 2" (Phenolic)	12'-10 3/8"	20	1
511-1000-19-13	1000	19	13	18	20	W10 X 26	5 3/4"	7'-6"	1271	6" x 2" (Phenolic)	13'-10 3/8"	20	1
511-1000-19-14	1000	19	14	18	20	W10 X 26	5 3/4"	7'-6"	1318	6" x 2" (Phenolic)	14'-10 3/8"	20	1
511-1000-19-15	1000	19	15	18	20	W10 X 26	5 3/4"	7'-6"	1547	6" x 2" (Phenolic)	15'-10 3/8"	20	1
511-1000-19-16	1000	19	16	18	20	W10 X 26	5 3/4"	7'-6"	1602	6" x 2" (Phenolic)	16'-10 3/8"	20	1
511-1000-19-17	1000	19	17	18	20	W10 X 26	5 3/4"	8'-0"	1669	6" x 2" (Phenolic)	17'-10 3/8"	20	1
511-1000-19-18	1000	19	18	18	20	W10 X 26	5 3/4"	8'-0"	1724	6" x 2" (Phenolic)	18'-10 3/8"	20	1
511-1000-19-19	1000	19	19	18	20	W10 X 26	5 3/4"	8'-0"	1779	6" x 2" (Phenolic)	19'-10 3/8"	20	1
511-1000-19-20	1000	19	20	18	20	W10 X 26	5 3/4"	8'-0"	1834	6" x 2" (Phenolic)	20'-10 3/8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-1000-20-8	1000	20	8	19	21	W10 X 26	5 3/4"	4'-6"	1034	6" x 2" (Phenolic)	8'-10 3/8"	21	1
511-1000-20-9	1000	20	9	19	21	W10 X 26	5 3/4"	5'-6"	1070	6" x 2" (Phenolic)	9'-10 3/8"	21	1
511-1000-20-10	1000	20	10	19	21	W10 X 26	5 3/4"	5'-6"	1116	6" x 2" (Phenolic)	10'-10 3/8"	21	1
511-1000-20-11	1000	20	11	19	21	W10 X 26	5 3/4"	6'-6"	1183	6" x 2" (Phenolic)	11'-10 3/8"	21	1
511-1000-20-12	1000	20	12	19	21	W10 X 26	5 3/4"	6'-6"	1230	6" x 2" (Phenolic)	12'-10 3/8"	21	1
511-1000-20-13	1000	20	13	19	21	W10 X 26	5 3/4"	7'-6"	1297	6" x 2" (Phenolic)	13'-10 3/8"	21	1
511-1000-20-14	1000	20	14	19	21	W10 X 26	5 3/4"	7'-6"	1344	6" x 2" (Phenolic)	14'-10 3/8"	21	1
511-1000-20-15	1000	20	15	19	21	W10 X 26	5 3/4"	7'-6"	1573	6" x 2" (Phenolic)	15'-10 3/8"	21	1
511-1000-20-16	1000	20	16	19	21	W10 X 26	5 3/4"	7'-6"	1628	6" x 2" (Phenolic)	16'-10 3/8"	21	1
511-1000-20-17	1000	20	17	19	21	W10 X 26	5 3/4"	8'-0"	1695	6" x 2" (Phenolic)	17'-10 3/8"	21	1
511-1000-20-18	1000	20	18	19	21	W10 X 26	5 3/4"	8'-0"	1750	6" x 2" (Phenolic)	18'-10 3/8"	21	1
511-1000-20-19	1000	20	19	19	21	W10 X 26	5 3/4"	8'-0"	1805	6" x 2" (Phenolic)	19'-10 3/8"	21	1
511-1000-20-20	1000	20	20	19	21	W10 X 26	5 3/4"	8'-0"	1860	6" x 2" (Phenolic)	20'-10 3/8"	21	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-8-8	2000	8	8	7	9	W8X21	5-1/4"	4'-6"	587	6" x 2" (Phenolic)	8'-8"	9	1
511-2000-8-9	2000	8	9	7	9	W8X21	5-1/4"	5'-6"	644	6" x 2" (Phenolic)	9'-8"	9	1
511-2000-8-10	2000	8	10	7	9	W8X21	5-1/4"	5'-6"	684	6" x 2" (Phenolic)	10'-8"	10	1
511-2000-8-11	2000	8	11	7	9	W8X21	5-1/4"	6'-6"	741	6" x 2" (Phenolic)	11'-8"	11	1
511-2000-8-12	2000	8	12	7	9	W8X21	5-1/4"	6'-6"	781	6" x 2" (Phenolic)	12'-8"	12	1
511-2000-8-13	2000	8	13	7	9	W8X21	5-1/4"	7'-6"	838	6" x 2" (Phenolic)	13'-8"	13	1
511-2000-8-14	2000	8	14	7	9	W8X21	5-1/4"	7'-6"	878	6" x 2" (Phenolic)	14'-8"	14	1
511-2000-8-15	2000	8	15	7	9	W8X21	5-1/4"	7'-6"	918	6" x 2" (Phenolic)	15'-8"	15	1
511-2000-8-16	2000	8	16	7	9	W8X21	5-1/4"	7'-6"	958	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-8-17	2000	8	17	7	9	W8X21	5-1/4"	8'-0"	1138	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-8-18	2000	8	18	7	9	W8X21	5-1/4"	8'-0"	1183	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-8-19	2000	8	19	7	9	W8X21	5-1/4"	8'-0"	1228	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-8-20	2000	8	20	7	9	W8X21	5-1/4"	8'-0"	1273	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-9-8	2000	9	8	8	10	W8X21	5-1/4"	4'-6"	605	6" x 2" (Phenolic)	8'-8"	10	1
511-2000-9-9	2000	9	9	8	10	W8X21	5-1/4"	5'-6"	662	6" x 2" (Phenolic)	9'-8"	10	1
511-2000-9-10	2000	9	10	8	10	W8X21	5-1/4"	5'-6"	702	6" x 2" (Phenolic)	10'-8"	10	1
511-2000-9-11	2000	9	11	8	10	W8X21	5-1/4"	6'-6"	759	6" x 2" (Phenolic)	11'-8"	11	1
511-2000-9-12	2000	9	12	8	10	W8X21	5-1/4"	6'-6"	799	6" x 2" (Phenolic)	12'-8"	12	1
511-2000-9-13	2000	9	13	8	10	W8X21	5-1/4"	7'-6"	856	6" x 2" (Phenolic)	13'-8"	13	1
511-2000-9-14	2000	9	14	8	10	W8X21	5-1/4"	7'-6"	896	6" x 2" (Phenolic)	14'-8"	14	1
511-2000-9-15	2000	9	15	8	10	W8X21	5-1/4"	7'-6"	936	6" x 2" (Phenolic)	15'-8"	15	1
511-2000-9-16	2000	9	16	8	10	W8X21	5-1/4"	7'-6"	976	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-9-17	2000	9	17	8	10	W8X21	5-1/4"	8'-0"	1156	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-9-18	2000	9	18	8	10	W8X21	5-1/4"	8'-0"	1201	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-9-19	2000	9	19	8	10	W8X21	5-1/4"	8'-0"	1246	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-9-20	2000	9	20	8	10	W8X21	5-1/4"	8'-0"	1291	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-10-8	2000	10	8	9	11	W8X21	5-1/4"	4'-6"	623	6" x 2" (Phenolic)	8'-8"	11	1
511-2000-10-9	2000	10	9	9	11	W8X21	5-1/4"	5'-6"	680	6" x 2" (Phenolic)	9'-8"	11	1
511-2000-10-10	2000	10	10	9	11	W8X21	5-1/4"	5'-6"	720	6" x 2" (Phenolic)	10'-8"	11	1
511-2000-10-11	2000	10	11	9	11	W8X21	5-1/4"	6'-6"	777	6" x 2" (Phenolic)	11'-8"	11	1
511-2000-10-12	2000	10	12	9	11	W8X21	5-1/4"	6'-6"	817	6" x 2" (Phenolic)	12'-8"	12	1
511-2000-10-13	2000	10	13	9	11	W8X21	5-1/4"	7'-6"	874	6" x 2" (Phenolic)	13'-8"	13	1
511-2000-10-14	2000	10	14	9	11	W8X21	5-1/4"	7'-6"	914	6" x 2" (Phenolic)	14'-8"	14	1
511-2000-10-15	2000	10	15	9	11	W8X21	5-1/4"	7'-6"	954	6" x 2" (Phenolic)	15'-8"	15	1
511-2000-10-16	2000	10	16	9	11	W8X21	5-1/4"	7'-6"	994	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-10-17	2000	10	17	9	11	W8X21	5-1/4"	8'-0"	1174	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-10-18	2000	10	18	9	11	W8X21	5-1/4"	8'-0"	1219	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-10-19	2000	10	19	9	11	W8X21	5-1/4"	8'-0"	1264	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-10-20	2000	10	20	9	11	W8X21	5-1/4"	8'-0"	1309	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-11-8	2000	11	8	10	12	W8X21	5-1/4"	4'-6"	641	6" x 2" (Phenolic)	8'-8"	12	1
511-2000-11-9	2000	11	9	10	12	W8X21	5-1/4"	5'-6"	698	6" x 2" (Phenolic)	9'-8"	12	1
511-2000-11-10	2000	11	10	10	12	W8X21	5-1/4"	5'-6"	738	6" x 2" (Phenolic)	10'-8"	12	1
511-2000-11-11	2000	11	11	10	12	W8X21	5-1/4"	6'-6"	795	6" x 2" (Phenolic)	11'-8"	12	1
511-2000-11-12	2000	11	12	10	12	W8X21	5-1/4"	6'-6"	835	6" x 2" (Phenolic)	12'-8"	12	1
511-2000-11-13	2000	11	13	10	12	W8X21	5-1/4"	7'-6"	892	6" x 2" (Phenolic)	13'-8"	13	1
511-2000-11-14	2000	11	14	10	12	W8X21	5-1/4"	7'-6"	932	6" x 2" (Phenolic)	14'-8"	14	1
511-2000-11-15	2000	11	15	10	12	W8X21	5-1/4"	7'-6"	972	6" x 2" (Phenolic)	15'-8"	15	1
511-2000-11-16	2000	11	16	10	12	W8X21	5-1/4"	7'-6"	1012	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-11-17	2000	11	17	10	12	W8X21	5-1/4"	8'-0"	1192	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-11-18	2000	11	18	10	12	W8X21	5-1/4"	8'-0"	1237	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-11-19	2000	11	19	10	12	W8X21	5-1/4"	8'-0"	1282	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-11-20	2000	11	20	10	12	W8X21	5-1/4"	8'-0"	1327	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-12-8	2000	12	8	11	13	W8X21	5-1/4"	4'-6"	659	6" x 2" (Phenolic)	8'-8"	13	1
511-2000-12-9	2000	12	9	11	13	W8X21	5-1/4"	5'-6"	716	6" x 2" (Phenolic)	9'-8"	13	1
511-2000-12-10	2000	12	10	11	13	W8X21	5-1/4"	5'-6"	756	6" x 2" (Phenolic)	10'-8"	13	1
511-2000-12-11	2000	12	11	11	13	W8X21	5-1/4"	6'-6"	813	6" x 2" (Phenolic)	11'-8"	13	1
511-2000-12-12	2000	12	12	11	13	W8X21	5-1/4"	6'-6"	853	6" x 2" (Phenolic)	12'-8"	13	1
511-2000-12-13	2000	12	13	11	13	W8X21	5-1/4"	7'-6"	910	6" x 2" (Phenolic)	13'-8"	13	1
511-2000-12-14	2000	12	14	11	13	W8X21	5-1/4"	7'-6"	950	6" x 2" (Phenolic)	14'-8"	14	1
511-2000-12-15	2000	12	15	11	13	W8X21	5-1/4"	7'-6"	990	6" x 2" (Phenolic)	15'-8"	15	1
511-2000-12-16	2000	12	16	11	13	W8X21	5-1/4"	7'-6"	1030	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-12-17	2000	12	17	11	13	W8X21	5-1/4"	8'-0"	1210	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-12-18	2000	12	18	11	13	W8X21	5-1/4"	8'-0"	1255	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-12-19	2000	12	19	11	13	W8X21	5-1/4"	8'-0"	1300	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-12-20	2000	12	20	11	13	W8X21	5-1/4"	8'-0"	1345	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-13-8	2000	13	8	12	14	W8X21	5-1/4"	4'-6"	677	6" x 2" (Phenolic)	8'-8"	14	1
511-2000-13-9	2000	13	9	12	14	W8X21	5-1/4"	5'-6"	734	6" x 2" (Phenolic)	9'-8"	14	1
511-2000-13-10	2000	13	10	12	14	W8X21	5-1/4"	5'-6"	774	6" x 2" (Phenolic)	10'-8"	14	1
511-2000-13-11	2000	13	11	12	14	W8X21	5-1/4"	6'-6"	831	6" x 2" (Phenolic)	11'-8"	14	1
511-2000-13-12	2000	13	12	12	14	W8X21	5-1/4"	6'-6"	871	6" x 2" (Phenolic)	12'-8"	14	1
511-2000-13-13	2000	13	13	12	14	W8X21	5-1/4"	7'-6"	928	6" x 2" (Phenolic)	13'-8"	14	1
511-2000-13-14	2000	13	14	12	14	W8X21	5-1/4"	7'-6"	968	6" x 2" (Phenolic)	14'-8"	14	1
511-2000-13-15	2000	13	15	12	14	W8X21	5-1/4"	7'-6"	1008	6" x 2" (Phenolic)	15'-8"	15	1
511-2000-13-16	2000	13	16	12	14	W8X21	5-1/4"	7'-6"	1048	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-13-17	2000	13	17	12	14	W8X21	5-1/4"	8'-0"	1228	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-13-18	2000	13	18	12	14	W8X21	5-1/4"	8'-0"	1273	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-13-19	2000	13	19	12	14	W8X21	5-1/4"	8'-0"	1318	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-13-20	2000	13	20	12	14	W8X21	5-1/4"	8'-0"	1363	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-14-8	2000	14	8	13	15	W8X21	5-1/4"	4'-6"	695	6" x 2" (Phenolic)	8'-8"	15	1
511-2000-14-9	2000	14	9	13	15	W8X21	5-1/4"	5'-6"	752	6" x 2" (Phenolic)	9'-8"	15	1
511-2000-14-10	2000	14	10	13	15	W8X21	5-1/4"	5'-6"	792	6" x 2" (Phenolic)	10'-8"	15	1
511-2000-14-11	2000	14	11	13	15	W8X21	5-1/4"	6'-6"	849	6" x 2" (Phenolic)	11'-8"	15	1
511-2000-14-12	2000	14	12	13	15	W8X21	5-1/4"	6'-6"	889	6" x 2" (Phenolic)	12'-8"	15	1
511-2000-14-13	2000	14	13	13	15	W8X21	5-1/4"	7'-6"	946	6" x 2" (Phenolic)	13'-8"	15	1
511-2000-14-14	2000	14	14	13	15	W8X21	5-1/4"	7'-6"	986	6" x 2" (Phenolic)	14'-8"	15	1
511-2000-14-15	2000	14	15	13	15	W8X21	5-1/4"	7'-6"	1026	6" x 2" (Phenolic)	15'-8"	15	1
511-2000-14-16	2000	14	16	13	15	W8X21	5-1/4"	7'-6"	1066	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-14-17	2000	14	17	13	15	W8X21	5-1/4"	8'-0"	1246	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-14-18	2000	14	18	13	15	W8X21	5-1/4"	8'-0"	1291	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-14-19	2000	14	19	13	15	W8X21	5-1/4"	8'-0"	1336	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-14-20	2000	14	20	13	15	W8X21	5-1/4"	8'-0"	1381	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-15-8	2000	15	8	14	16	W8X21	5-1/4"	4'-6"	713	6" x 2" (Phenolic)	8'-8"	16	1
511-2000-15-9	2000	15	9	14	16	W8X21	5-1/4"	5'-6"	770	6" x 2" (Phenolic)	9'-8"	16	1
511-2000-15-10	2000	15	10	14	16	W8X21	5-1/4"	5'-6"	810	6" x 2" (Phenolic)	10'-8"	16	1
511-2000-15-11	2000	15	11	14	16	W8X21	5-1/4"	6'-6"	867	6" x 2" (Phenolic)	11'-8"	16	1
511-2000-15-12	2000	15	12	14	16	W8X21	5-1/4"	6'-6"	907	6" x 2" (Phenolic)	12'-8"	16	1
511-2000-15-13	2000	15	13	14	16	W8X21	5-1/4"	7'-6"	966	6" x 2" (Phenolic)	13'-8"	16	1
511-2000-15-14	2000	15	14	14	16	W8X21	5-1/4"	7'-6"	1006	6" x 2" (Phenolic)	14'-8"	16	1
511-2000-15-15	2000	15	15	14	16	W8X21	5-1/4"	7'-6"	1044	6" x 2" (Phenolic)	15'-8"	16	1
511-2000-15-16	2000	15	16	14	16	W8X21	5-1/4"	7'-6"	1084	6" x 2" (Phenolic)	16'-8"	16	1
511-2000-15-17	2000	15	17	14	16	W8X21	5-1/4"	8'-0"	1264	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-15-18	2000	15	18	14	16	W8X21	5-1/4"	8'-0"	1309	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-15-19	2000	15	19	14	16	W8X21	5-1/4"	8'-0"	1354	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-15-20	2000	15	20	14	16	W8X21	5-1/4"	8'-0"	1399	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-16-8	2000	16	8	15	17	W8X21	5-1/4"	4'-6"	731	6" x 2" (Phenolic)	8'-8"	17	1
511-2000-16-9	2000	16	9	15	17	W8X21	5-1/4"	5'-6"	788	6" x 2" (Phenolic)	9'-8"	17	1
511-2000-16-10	2000	16	10	15	17	W8X21	5-1/4"	5'-6"	828	6" x 2" (Phenolic)	10'-8"	17	1
511-2000-16-11	2000	16	11	15	17	W8X21	5-1/4"	6'-6"	885	6" x 2" (Phenolic)	11'-8"	17	1
511-2000-16-12	2000	16	12	15	17	W8X21	5-1/4"	6'-6"	925	6" x 2" (Phenolic)	12'-8"	17	1
511-2000-16-13	2000	16	13	15	17	W8X21	5-1/4"	7'-6"	966	6" x 2" (Phenolic)	13'-8"	17	1
511-2000-16-14	2000	16	14	15	17	W8X21	5-1/4"	7'-6"	1006	6" x 2" (Phenolic)	14'-8"	17	1
511-2000-16-15	2000	16	15	15	17	W8X21	5-1/4"	7'-6"	1062	6" x 2" (Phenolic)	15'-8"	17	1
511-2000-16-16	2000	16	16	15	17	W8X21	5-1/4"	7'-6"	1102	6" x 2" (Phenolic)	16'-8"	17	1
511-2000-16-17	2000	16	17	15	17	W8X21	5-1/4"	8'-0"	1282	6" x 2" (Phenolic)	17'-8"	17	1
511-2000-16-18	2000	16	18	15	17	W8X21	5-1/4"	8'-0"	1327	6" x 2" (Phenolic)	18'-8"	18	1
511-2000-16-19	2000	16	19	15	17	W8X21	5-1/4"	8'-0"	1372	6" x 2" (Phenolic)	19'-8"	19	1
511-2000-16-20	2000	16	20	15	17	W8X21	5-1/4"	8'-0"	1417	6" x 2" (Phenolic)	20'-8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-17-8	2000	17	8	16	18	W10 X 26	5 3/4"	4'-6"	956	6" x 2" (Phenolic)	8'-10 3/8"	18	1
511-2000-17-9	2000	17	9	16	18	W10 X 26	5 3/4"	5'-6"	992	6" x 2" (Phenolic)	9'-10 3/8"	18	1
511-2000-17-10	2000	17	10	16	18	W10 X 26	5 3/4"	5'-6"	1038	6" x 2" (Phenolic)	10'-10 3/8"	18	1
511-2000-17-11	2000	17	11	16	18	W10 X 26	5 3/4"	6'-6"	1105	6" x 2" (Phenolic)	11'-10 3/8"	18	1
511-2000-17-12	2000	17	12	16	18	W10 X 26	5 3/4"	6'-6"	1152	6" x 2" (Phenolic)	12'-10 3/8"	18	1
511-2000-17-13	2000	17	13	16	18	W10 X 26	5 3/4"	7'-6"	1219	6" x 2" (Phenolic)	13'-10 3/8"	18	1
511-2000-17-14	2000	17	14	16	18	W10 X 26	5 3/4"	7'-6"	1266	6" x 2" (Phenolic)	14'-10 3/8"	18	1
511-2000-17-15	2000	17	15	16	18	W10 X 26	5 3/4"	7'-6"	1495	6" x 2" (Phenolic)	15'-10 3/8"	18	1
511-2000-17-16	2000	17	16	16	18	W10 X 26	5 3/4"	7'-6"	1550	6" x 2" (Phenolic)	16'-10 3/8"	18	1
511-2000-17-17	2000	17	17	16	18	W10 X 26	5 3/4"	8'-0"	1617	6" x 2" (Phenolic)	17'-10 3/8"	18	1
511-2000-17-18	2000	17	18	16	18	W10 X 26	5 3/4"	8'-0"	1672	6" x 2" (Phenolic)	18'-10 3/8"	18	1
511-2000-17-19	2000	17	19	16	18	W10 X 26	5 3/4"	8'-0"	1727	6" x 2" (Phenolic)	19'-10 3/8"	19	1
511-2000-17-20	2000	17	20	16	18	W10 X 26	5 3/4"	8'-0"	1782	6" x 2" (Phenolic)	20'-10 3/8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-18-8	2000	18	8	17	19	W10 X 26	5 3/4"	4'-6"	982	6" x 2" (Phenolic)	8'-10 3/8"	19	1
511-2000-18-9	2000	18	9	17	19	W10 X 26	5 3/4"	5'-6"	1018	6" x 2" (Phenolic)	9'-10 3/8"	19	1
511-2000-18-10	2000	18	10	17	19	W10 X 26	5 3/4"	5'-6"	1064	6" x 2" (Phenolic)	10'-10 3/8"	19	1
511-2000-18-11	2000	18	11	17	19	W10 X 26	5 3/4"	6'-6"	1131	6" x 2" (Phenolic)	11'-10 3/8"	19	1
511-2000-18-12	2000	18	12	17	19	W10 X 26	5 3/4"	6'-6"	1178	6" x 2" (Phenolic)	12'-10 3/8"	19	1
511-2000-18-13	2000	18	13	17	19	W10 X 26	5 3/4"	7'-6"	1245	6" x 2" (Phenolic)	13'-10 3/8"	19	1
511-2000-18-14	2000	18	14	17	19	W10 X 26	5 3/4"	7'-6"	1292	6" x 2" (Phenolic)	14'-10 3/8"	19	1
511-2000-18-15	2000	18	15	17	19	W10 X 26	5 3/4"	7'-6"	1521	6" x 2" (Phenolic)	15'-10 3/8"	19	1
511-2000-18-16	2000	18	16	17	19	W10 X 26	5 3/4"	7'-6"	1576	6" x 2" (Phenolic)	16'-10 3/8"	19	1
511-2000-18-17	2000	18	17	17	19	W10 X 26	5 3/4"	8'-0"	1643	6" x 2" (Phenolic)	17'-10 3/8"	19	1
511-2000-18-18	2000	18	18	17	19	W10 X 26	5 3/4"	8'-0"	1698	6" x 2" (Phenolic)	18'-10 3/8"	19	1
511-2000-18-19	2000	18	19	17	19	W10 X 26	5 3/4"	8'-0"	1753	6" x 2" (Phenolic)	19'-10 3/8"	19	1
511-2000-18-20	2000	18	20	17	19	W10 X 26	5 3/4"	8'-0"	1808	6" x 2" (Phenolic)	20'-10 3/8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-19-8	2000	19	8	18	20	W10 X 26	5 3/4"	4'-6"	1008	6" x 2" (Phenolic)	8'-10 3/8"	20	1
511-2000-19-9	2000	19	9	18	20	W10 X 26	5 3/4"	5'-6"	1044	6" x 2" (Phenolic)	9'-10 3/8"	20	1
511-2000-19-10	2000	19	10	18	20	W10 X 26	5 3/4"	5'-6"	1090	6" x 2" (Phenolic)	10'-10 3/8"	20	1
511-2000-19-11	2000	19	11	18	20	W10 X 26	5 3/4"	6'-6"	1157	6" x 2" (Phenolic)	11'-10 3/8"	20	1
511-2000-19-12	2000	19	12	18	20	W10 X 26	5 3/4"	6'-6"	1204	6" x 2" (Phenolic)	12'-10 3/8"	20	1
511-2000-19-13	2000	19	13	18	20	W10 X 26	5 3/4"	7'-6"	1271	6" x 2" (Phenolic)	13'-10 3/8"	20	1
511-2000-19-14	2000	19	14	18	20	W10 X 26	5 3/4"	7'-6"	1318	6" x 2" (Phenolic)	14'-10 3/8"	20	1
511-2000-19-15	2000	19	15	18	20	W10 X 26	5 3/4"	7'-6"	1547	6" x 2" (Phenolic)	15'-10 3/8"	20	1
511-2000-19-16	2000	19	16	18	20	W10 X 26	5 3/4"	7'-6"	1602	6" x 2" (Phenolic)	16'-10 3/8"	20	1
511-2000-19-17	2000	19	17	18	20	W10 X 26	5 3/4"	8'-0"	1669	6" x 2" (Phenolic)	17'-10 3/8"	20	1
511-2000-19-18	2000	19	18	18	20	W10 X 26	5 3/4"	8'-0"	1724	6" x 2" (Phenolic)	18'-10 3/8"	20	1
511-2000-19-19	2000	19	19	18	20	W10 X 26	5 3/4"	8'-0"	1779	6" x 2" (Phenolic)	19'-10 3/8"	20	1
511-2000-19-20	2000	19	20	18	20	W10 X 26	5 3/4"	8'-0"	1834	6" x 2" (Phenolic)	20'-10 3/8"	20	1



## Light Duty Portable Gantry Crane – 511 Series – Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Clear Span	Overall Beam	Beam Size	Flange Width	Base Width	Weight	Caster Size	Overall Height	Longest Piece	# of Skids
511-2000-20-8	2000	20	8	19	21	W10 X 26	5 3/4"	4'-6"	1034	6" x 2" (Phenolic)	8'-10 3/8"	21	1
511-2000-20-9	2000	20	9	19	21	W10 X 26	5 3/4"	5'-6"	1070	6" x 2" (Phenolic)	9'-10 3/8"	21	1
511-2000-20-10	2000	20	10	19	21	W10 X 26	5 3/4"	5'-6"	1116	6" x 2" (Phenolic)	10'-10 3/8"	21	1
511-2000-20-11	2000	20	11	19	21	W10 X 26	5 3/4"	6'-6"	1183	6" x 2" (Phenolic)	11'-10 3/8"	21	1
511-2000-20-12	2000	20	12	19	21	W10 X 26	5 3/4"	6'-6"	1230	6" x 2" (Phenolic)	12'-10 3/8"	21	1
511-2000-20-13	2000	20	13	19	21	W10 X 26	5 3/4"	7'-6"	1297	6" x 2" (Phenolic)	13'-10 3/8"	21	1
511-2000-20-14	2000	20	14	19	21	W10 X 26	5 3/4"	7'-6"	1344	6" x 2" (Phenolic)	14'-10 3/8"	21	1
511-2000-20-15	2000	20	15	19	21	W10 X 26	5 3/4"	7'-6"	1573	6" x 2" (Phenolic)	15'-10 3/8"	21	1
511-2000-20-16	2000	20	16	19	21	W10 X 26	5 3/4"	7'-6"	1628	6" x 2" (Phenolic)	16'-10 3/8"	21	1
511-2000-20-17	2000	20	17	19	21	W10 X 26	5 3/4"	8'-0"	1695	6" x 2" (Phenolic)	17'-10 3/8"	21	1
511-2000-20-18	2000	20	18	19	21	W10 X 26	5 3/4"	8'-0"	1750	6" x 2" (Phenolic)	18'-10 3/8"	21	1
511-2000-20-19	2000	20	19	19	21	W10 X 26	5 3/4"	8'-0"	1805	6" x 2" (Phenolic)	19'-10 3/8"	21	1
511-2000-20-20	2000	20	20	19	21	W10 X 26	5 3/4"	8'-0"	1860	6" x 2" (Phenolic)	20'-10 3/8"	21	1