



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-8-8	500	8	8	W8X18	8	5 1/4"	360	758	5777	889	8'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	8	2	4x3x3
351F-500-8-9	500	8	9	W8X18	8	5 1/4"	360	786	5777	889	9'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	9	2	4x3x3
351F-500-8-10	500	8	10	W8X18	8	5 1/4"	360	814	5777	889	10'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	10	2	4x3x3
351F-500-8-11	500	8	11	W8X18	8	5 1/4"	360	842	5777	889	11'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	11	2	4x3x3
351F-500-8-12	500	8	12	W8X18	8	5 1/4"	360	870	5777	889	12'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	12	2	4x3x3
351F-500-8-13	500	8	13	W8X18	8	5 1/4"	360	898	5777	889	13'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	13	2	4x3x3
351F-500-8-14	500	8	14	W8X18	8	5 1/4"	360	926	5777	889	14'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	14	2	4x3x3
351F-500-8-15	500	8	15	W8X18	8	5 1/4"	360	954	5777	889	15'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	15	2	4x3x3
351F-500-8-16	500	8	16	W8X18	8	5 1/4"	360	982	5777	889	16'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	16	2	4x3x3
351F-500-8-17	500	8	17	W8X18	8	5 1/4"	360	1010	5777	889	17'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	17	2	4x3x3
351F-500-8-18	500	8	18	W8X18	8	5 1/4"	360	1038	5777	889	18'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	18	2	4x3x3
351F-500-8-19	500	8	19	W8X18	8	5 1/4"	360	1066	5777	889	19'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	19	2	4x3x3
351F-500-8-20	500	8	20	W8X18	8	5 1/4"	360	1094	5777	889	20'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	20	2	4x3x3
351F-500-9-8	500	9	8	W8X18	8	5 1/4"	360	776	6580	1013	8'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	9	2	4x3x3
351F-500-9-9	500	9	9	W8X18	8	5 1/4"	360	804	6580	1013	9'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	9	2	4x3x3
351F-500-9-10	500	9	10	W8X18	8	5 1/4"	360	832	6580	1013	10'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	10	2	4x3x3
351F-500-9-11	500	9	11	W8X18	8	5 1/4"	360	860	6580	1013	11'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	11	2	4x3x3
351F-500-9-12	500	9	12	W8X18	8	5 1/4"	360	888	6580	1013	12'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	12	2	4x3x3
351F-500-9-13	500	9	13	W8X18	8	5 1/4"	360	916	6580	1013	13'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	13	2	4x3x3
351F-500-9-14	500	9	14	W8X18	8	5 1/4"	360	944	6580	1013	14'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	14	2	4x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-9-15	500	9	15	W8X18	8	5 1/4"	360	972	6580	1013	15'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	15	2	4x3x3
351F-500-9-16	500	9	16	W8X18	8	5 1/4"	360	1000	6580	1013	16'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	16	2	4x3x3
351F-500-9-17	500	9	17	W8X18	8	5 1/4"	360	1028	6580	1013	17'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	17	2	4x3x3
351F-500-9-18	500	9	18	W8X18	8	5 1/4"	360	1056	6580	1013	18'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	18	2	4x3x3
351F-500-9-19	500	9	19	W8X18	8	5 1/4"	360	1084	6580	1013	19'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	19	2	4x3x3
351F-500-9-20	500	9	20	W8X18	8	5 1/4"	360	1112	6580	1013	20'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	20	2	4x3x3
351F-500-10-8	500	10	8	W8X18	8	5 1/4"	360	794	7401	1139	8'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	10	2	4x3x3
351F-500-10-9	500	10	9	W8X18	8	5 1/4"	360	822	7401	1139	9'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	10	2	4x3x3
351F-500-10-10	500	10	10	W8X18	8	5 1/4"	360	850	7401	1139	10'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	10	2	4x3x3
351F-500-10-11	500	10	11	W8X18	8	5 1/4"	360	878	7401	1139	11'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	11	2	4x3x3
351F-500-10-12	500	10	12	W8X18	8	5 1/4"	360	906	7401	1139	12'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	12	2	4x3x3
351F-500-10-13	500	10	13	W8X18	8	5 1/4"	360	934	7401	1139	13'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	13	2	4x3x3
351F-500-10-14	500	10	14	W8X18	8	5 1/4"	360	962	7401	1139	14'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	14	2	4x3x3
351F-500-10-15	500	10	15	W8X18	8	5 1/4"	360	990	7401	1139	15'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	15	2	4x3x3
351F-500-10-16	500	10	16	W8X18	8	5 1/4"	360	1018	7401	1139	16'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	16	2	4x3x3
351F-500-10-17	500	10	17	W8X18	8	5 1/4"	360	1046	7401	1139	17'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	17	2	4x3x3
351F-500-10-18	500	10	18	W8X18	8	5 1/4"	360	1074	7401	1139	18'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	18	2	4x3x3
351F-500-10-19	500	10	19	W8X18	8	5 1/4"	360	1102	7401	1139	19'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	19	2	4x3x3
351F-500-10-20	500	10	20	W8X18	8	5 1/4"	360	1130	7401	1139	20'-8 1/8"	8 5/8"	14"	26	30	6	6	3'-6 1/4"	20	2	4x3x3
351F-500-11-8	500	11	8	W8X18	8	5 1/4"	360	799	8240	1268	8'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	11	2	5x3x3
351F-500-11-9	500	11	9	W8X18	8	5 1/4"	360	845	8240	1268	9'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	11	2	5x3x3
351F-500-11-10	500	11	10	W8X18	8	5 1/4"	360	873	8240	1268	10'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	11	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-11-11	500	11	11	W8X18	8	5 1/4"	360	901	8240	1268	11'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	11	2	5x3x3
351F-500-11-12	500	11	12	W8X18	8	5 1/4"	360	929	8240	1268	12'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	12	2	5x3x3
351F-500-11-13	500	11	13	W8X18	8	5 1/4"	360	957	8240	1268	13'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-11-14	500	11	14	W8X18	8	5 1/4"	360	985	8240	1268	14'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	14	2	5x3x3
351F-500-11-15	500	11	15	W8X18	8	5 1/4"	360	1013	8240	1268	15'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	15	2	5x3x3
351F-500-11-16	500	11	16	W8X18	8	5 1/4"	360	1041	8240	1268	16'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	16	2	5x3x3
351F-500-11-17	500	11	17	W8X18	8	5 1/4"	360	1069	8240	1268	17'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	17	2	5x3x3
351F-500-11-18	500	11	18	W8X18	8	5 1/4"	360	1097	8240	1268	18'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	18	2	5x3x3
351F-500-11-19	500	11	19	W8X18	8	5 1/4"	360	1125	8240	1268	19'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	19	2	5x3x3
351F-500-11-20	500	11	20	W8X18	8	5 1/4"	360	1153	8240	1268	20'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	20	2	5x3x3
351F-500-12-8	500	12	8	W8X18	8	5 1/4"	360	817	9097	1400	8'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	12	2	5x3x3
351F-500-12-9	500	12	9	W8X18	8	5 1/4"	360	863	9097	1400	9'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	12	2	5x3x3
351F-500-12-10	500	12	10	W8X18	8	5 1/4"	360	891	9097	1400	10'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	12	2	5x3x3
351F-500-12-11	500	12	11	W8X18	8	5 1/4"	360	919	9097	1400	11'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	12	2	5x3x3
351F-500-12-12	500	12	12	W8X18	8	5 1/4"	360	947	9097	1400	12'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	12	2	5x3x3
351F-500-12-13	500	12	13	W8X18	8	5 1/4"	360	975	9097	1400	13'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-12-14	500	12	14	W8X18	8	5 1/4"	360	1003	9097	1400	14'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	14	2	5x3x3
351F-500-12-15	500	12	15	W8X18	8	5 1/4"	360	1031	9097	1400	15'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	15	2	5x3x3
351F-500-12-16	500	12	16	W8X18	8	5 1/4"	360	1059	9097	1400	16'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	16	2	5x3x3
351F-500-12-17	500	12	17	W8X18	8	5 1/4"	360	1087	9097	1400	17'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	17	2	5x3x3
351F-500-12-18	500	12	18	W8X18	8	5 1/4"	360	1115	9097	1400	18'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	18	2	5x3x3
351F-500-12-19	500	12	19	W8X18	8	5 1/4"	360	1143	9097	1400	19'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	19	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-12-20	500	12	20	W8X18	8	5 1/4"	360	1171	9097	1400	20'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	20	2	5x3x3
351F-500-13-8	500	13	8	W8X18	8	5 1/4"	360	835	9972	1535	8'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-13-9	500	13	9	W8X18	8	5 1/4"	360	881	9972	1535	9'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-13-10	500	13	10	W8X18	8	5 1/4"	360	909	9972	1535	10'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-13-11	500	13	11	W8X18	8	5 1/4"	360	937	9972	1535	11'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-13-12	500	13	12	W8X18	8	5 1/4"	360	965	9972	1535	12'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-13-13	500	13	13	W8X18	8	5 1/4"	360	993	9972	1535	13'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	13	2	5x3x3
351F-500-13-14	500	13	14	W8X18	8	5 1/4"	360	1021	9972	1535	14'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	14	2	5x3x3
351F-500-13-15	500	13	15	W8X18	8	5 1/4"	360	1049	9972	1535	15'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	15	2	5x3x3
351F-500-13-16	500	13	16	W8X18	8	5 1/4"	360	1077	9972	1535	16'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	16	2	5x3x3
351F-500-13-17	500	13	17	W8X18	8	5 1/4"	360	1105	9972	1535	17'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	17	2	5x3x3
351F-500-13-18	500	13	18	W8X18	8	5 1/4"	360	1133	9972	1535	18'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	18	2	5x3x3
351F-500-13-19	500	13	19	W8X18	8	5 1/4"	360	1161	9972	1535	19'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	19	2	5x3x3
351F-500-13-20	500	13	20	W8X18	8	5 1/4"	360	1189	9972	1535	20'-8 1/8"	12 3/4"	15"	26	30	6	6	4'-0 1/4"	20	2	5x3x3
351F-500-14-8	500	14	8	W8X18	8	5 1/4"	360	928	10865	1254	8'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-500-14-9	500	14	9	W8X18	8	5 1/4"	360	974	10865	1254	9'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-500-14-10	500	14	10	W8X18	8	5 1/4"	360	1002	10865	1254	10'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-500-14-11	500	14	11	W8X18	8	5 1/4"	360	1030	10865	1254	11'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-500-14-12	500	14	12	W8X18	8	5 1/4"	360	1058	10865	1254	12'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-500-14-13	500	14	13	W8X18	8	5 1/4"	360	1086	10865	1254	13'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-500-14-14	500	14	14	W8X18	8	5 1/4"	360	1114	10865	1254	14'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-500-14-15	500	14	15	W8X18	8	5 1/4"	360	1142	10865	1254	15'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-14-16	500	14	16	W8X18	8	5 1/4"	360	1170	10865	1254	16'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-14-17	500	14	17	W8X18	8	5 1/4"	360	1123	10865	1254	17'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	17	2	5x3x3
351F-500-14-18	500	14	18	W8X18	8	5 1/4"	360	1151	10865	1254	18'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	18	2	5x3x3
351F-500-14-19	500	14	19	W8X18	8	5 1/4"	360	1179	10865	1254	19'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	19	2	5x3x3
351F-500-14-20	500	14	20	W8X18	8	5 1/4"	360	1207	10865	1254	20'-8 1/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	20	2	5x3x3
351F-500-15-8	500	15	8	W10X26	10	5 3/4"	360	1078	12676	1463	8'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-9	500	15	9	W10X26	10	5 3/4"	360	1124	12676	1463	9'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-10	500	15	10	W10X26	10	5 3/4"	360	1152	12676	1463	10'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-11	500	15	11	W10X26	10	5 3/4"	360	1180	12676	1463	11'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-12	500	15	12	W10X26	10	5 3/4"	360	1208	12676	1463	12'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-13	500	15	13	W10X26	10	5 3/4"	360	1236	12676	1463	13'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-14	500	15	14	W10X26	10	5 3/4"	360	1264	12676	1463	14'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-15	500	15	15	W10X26	10	5 3/4"	360	1292	12676	1463	15'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-500-15-16	500	15	16	W10X26	10	5 3/4"	360	1320	12676	1463	16'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-15-17	500	15	17	W10X26	10	5 3/4"	360	1273	12676	1463	17'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	17	2	5x3x3
351F-500-15-18	500	15	18	W10X26	10	5 3/4"	360	1301	12676	1463	18'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	18	2	5x3x3
351F-500-15-19	500	15	19	W10X26	10	5 3/4"	360	1329	12676	1463	19'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	19	2	5x3x3
351F-500-15-20	500	15	20	W10X26	10	5 3/4"	360	1357	12676	1463	20'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	20	2	5x3x3
351F-500-16-8	500	16	8	W10X26	10	5 3/4"	360	1104	13729	1585	8'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-9	500	16	9	W10X26	10	5 3/4"	360	1150	13729	1585	9'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-10	500	16	10	W10X26	10	5 3/4"	360	1178	13729	1585	10'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-11	500	16	11	W10X26	10	5 3/4"	360	1206	13729	1585	11'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-16-12	500	16	12	W10X26	10	5 3/4"	360	1234	13729	1585	12'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-13	500	16	13	W10X26	10	5 3/4"	360	1262	13729	1585	13'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-14	500	16	14	W10X26	10	5 3/4"	360	1290	13729	1585	14'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-15	500	16	15	W10X26	10	5 3/4"	360	1318	13729	1585	15'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-16	500	16	16	W10X26	10	5 3/4"	360	1346	13729	1585	16'-10 3/8"	12 3/4"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-500-16-17	500	16	17	W10X26	10	5 3/4"	360	1299	13729	654	17'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-16-18	500	16	18	W10X26	10	5 3/4"	360	1327	13729	654	18'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-16-19	500	16	19	W10X26	10	5 3/4"	360	1355	13729	654	19'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-16-20	500	16	20	W10X26	10	5 3/4"	360	1383	13729	654	20'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-17-8	500	17	8	W10X26	10	5 3/4"	360	1055	14808	706	8'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-9	500	17	9	W10X26	10	5 3/4"	360	1101	14808	706	9'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-10	500	17	10	W10X26	10	5 3/4"	360	1129	14808	706	10'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-11	500	17	11	W10X26	10	5 3/4"	360	1157	14808	706	11'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-12	500	17	12	W10X26	10	5 3/4"	360	1185	14808	706	12'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-13	500	17	13	W10X26	10	5 3/4"	360	1213	14808	706	13'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-14	500	17	14	W10X26	10	5 3/4"	360	1241	14808	706	14'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-15	500	17	15	W10X26	10	5 3/4"	360	1269	14808	706	15'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-16	500	17	16	W10X26	10	5 3/4"	360	1297	14808	706	16'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-17	500	17	17	W10X26	10	5 3/4"	360	1325	14808	706	17'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-500-17-18	500	17	18	W10X26	10	5 3/4"	360	1353	14808	706	18'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-17-19	500	17	19	W10X26	10	5 3/4"	360	1381	14808	706	19'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-17-20	500	17	20	W10X26	10	5 3/4"	360	1409	14808	706	20'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-18-8	500	18	8	W10X26	10	5 3/4"	360	1081	15913	758	8'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-9	500	18	9	W10X26	10	5 3/4"	360	1127	15913	758	9'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-10	500	18	10	W10X26	10	5 3/4"	360	1155	15913	758	10'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-11	500	18	11	W10X26	10	5 3/4"	360	1183	15913	758	11'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-12	500	18	12	W10X26	10	5 3/4"	360	1211	15913	758	12'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-13	500	18	13	W10X26	10	5 3/4"	360	1239	15913	758	13'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-14	500	18	14	W10X26	10	5 3/4"	360	1267	15913	758	14'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-15	500	18	15	W10X26	10	5 3/4"	360	1295	15913	758	15'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-16	500	18	16	W10X26	10	5 3/4"	360	1323	15913	758	16'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-17	500	18	17	W10X26	10	5 3/4"	360	1351	15913	758	17'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-18	500	18	18	W10X26	10	5 3/4"	360	1378	15913	758	18'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-500-18-19	500	18	19	W10X26	10	5 3/4"	360	1407	15913	758	19'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-18-20	500	18	20	W10X26	10	5 3/4"	360	1435	15913	758	20'-10 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-19-8	500	19	8	W12X30	12	6 1/2"	360	1187	17766	846	9'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-9	500	19	9	W12X30	12	6 1/2"	360	1233	17766	846	10'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-10	500	19	10	W12X30	12	6 1/2"	360	1261	17766	846	11'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-11	500	19	11	W12X30	12	6 1/2"	360	1289	17766	846	12'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-12	500	19	12	W12X30	12	6 1/2"	360	1317	17766	846	13'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-13	500	19	13	W12X30	12	6 1/2"	360	1345	17766	846	14'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-14	500	19	14	W12X30	12	6 1/2"	360	1373	17766	846	15'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-15	500	19	15	W12X30	12	6 1/2"	360	1401	17766	846	16'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-16	500	19	16	W12X30	12	6 1/2"	360	1429	17766	846	17'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-500-19-17	500	19	17	W12X30	12	6 1/2"	360	1457	17766	846	18'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-18	500	19	18	W12X30	12	6 1/2"	360	1484	17766	846	19'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-19	500	19	19	W12X30	12	6 1/2"	360	1513	17766	846	20'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	19	2	5x3x3
351F-500-19-20	500	19	20	W12X30	12	6 1/2"	360	1541	17766	846	21'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-8	500	20	8	W12X30	12	6 1/2"	360	1217	19001	905	9'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-9	500	20	9	W12X30	12	6 1/2"	360	1263	19001	905	10'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-10	500	20	10	W12X30	12	6 1/2"	360	1291	19001	905	11'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-11	500	20	11	W12X30	12	6 1/2"	360	1319	19001	905	12'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-12	500	20	12	W12X30	12	6 1/2"	360	1347	19001	905	13'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-13	500	20	13	W12X30	12	6 1/2"	360	1375	19001	905	14'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-14	500	20	14	W12X30	12	6 1/2"	360	1403	19001	905	15'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-15	500	20	15	W12X30	12	6 1/2"	360	1431	19001	905	16'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-16	500	20	16	W12X30	12	6 1/2"	360	1459	19001	905	17'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-17	500	20	17	W12X30	12	6 1/2"	360	1487	19001	905	18'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-18	500	20	18	W12X30	12	6 1/2"	360	1514	19001	905	19'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-500-20-19	500	20	19	W12X30	12	6 1/2"	360	1543	19001	905	20'-0 3/8"	12 3/4"	15"	42	46	12	6	4'-0 1/4"	20	2	5x3x3
351F-1000-8-8	1000	8	8	W10X26	10	5-3/4"	360	903	11233	1297	8'-10"	8"	14"	26	30	8	8	3'-6 1/4"	8	2	4x3x3
351F-1000-8-9	1000	8	9	W10X26	10	5-3/4"	360	942	11233	1297	9'-10"	8"	14"	26	30	8	8	3'-6 1/4"	9	2	4x3x3
351F-1000-8-10	1000	8	10	W10X26	10	5-3/4"	360	971	11233	1297	10'-10"	8"	14"	26	30	8	8	3'-6 1/4"	10	2	4x3x3
351F-1000-8-11	1000	8	11	W8X18	8	5-1/4"	360	1115	10977	1267	11'-8"	12"	15"	26	30	8	8	4'-0 1/4"	11	2	5x3x3
351F-1000-8-12	1000	8	12	W8X18	8	5-1/4"	360	1149	10977	1267	12'-8"	12"	15"	26	30	8	8	4'-0 1/4"	12	2	5x3x3
351F-1000-8-13	1000	8	13	W8X18	8	5-1/4"	360	1182	10977	1267	13'-8"	12"	15"	26	30	8	8	4'-0 1/4"	13	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-1000-8-14	1000	8	14	W8X18	8	5-1/4"	360	1216	10977	1267	14'-8"	12"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-1000-8-15	1000	8	15	W8X18	8	5-1/4"	360	1250	10977	1267	15'-8"	12"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-1000-8-16	1000	8	16	W8X18	8	5-1/4"	360	1284	10977	1267	16'-8"	12"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-1000-8-17	1000	8	17	W8X18	8	5-1/4"	360	1242	10977	1267	17'-8"	12"	15"	26	30	8	8	4'-0 1/4"	17	2	5x3x3
351F-1000-8-18	1000	8	18	W8X18	8	5-1/4"	360	1276	10977	1267	18'-8"	12"	15"	26	30	8	8	4'-0 1/4"	18	2	5x3x3
351F-1000-8-19	1000	8	19	W10X26	10	5-3/4"	360	1383	11233	1297	19'-10"	12"	15"	26	30	8	8	4'-0 1/4"	19	2	5x3x3
351F-1000-8-20	1000	8	20	W10X26	10	5-3/4"	360	1417	11233	1297	20'-10"	12"	15"	26	30	8	8	4'-0 1/4"	20	2	5x3x3
351F-1000-9-8	1000	9	8	W10X26	10	5-3/4"	360	929	12754	1472	8'-10"	8"	14"	26	30	8	8	3'-6 1/4"	9	2	4x3x3
351F-1000-9-9	1000	9	9	W10X26	10	5-3/4"	360	968	12754	1472	9'-10"	8"	14"	26	30	8	8	3'-6 1/4"	9	2	4x3x3
351F-1000-9-10	1000	9	10	W10X26	10	5-3/4"	360	997	12754	1472	10'-10"	8"	14"	26	30	8	8	3'-6 1/4"	10	2	4x3x3
351F-1000-9-11	1000	9	11	W8X18	8	5-1/4"	360	1133	12430	1435	11'-8"	12"	15"	26	30	8	8	4'-0 1/4"	11	2	5x3x3
351F-1000-9-12	1000	9	12	W8X18	8	5-1/4"	360	1167	12430	1435	12'-8"	12"	15"	26	30	8	8	4'-0 1/4"	12	2	5x3x3
351F-1000-9-13	1000	9	13	W8X18	8	5-1/4"	360	1200	12430	1435	13'-8"	12"	15"	26	30	8	8	4'-0 1/4"	13	2	5x3x3
351F-1000-9-14	1000	9	14	W8X18	8	5-1/4"	360	1234	12430	1435	14'-8"	12"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-1000-9-15	1000	9	15	W8X18	8	5-1/4"	360	1268	12430	1435	15'-8"	12"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-1000-9-16	1000	9	16	W8X18	8	5-1/4"	360	1302	12430	1435	16'-8"	12"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-1000-9-17	1000	9	17	W8X18	8	5-1/4"	360	1260	12430	1435	17'-8"	12"	15"	26	30	8	8	4'-0 1/4"	17	2	5x3x3
351F-1000-9-18	1000	9	18	W8X18	8	5-1/4"	360	1294	12430	1435	18'-8"	12"	15"	26	30	8	8	4'-0 1/4"	18	2	5x3x3
351F-1000-9-19	1000	9	19	W10X26	10	5-3/4"	360	1409	12754	1472	19'-10"	12"	15"	26	30	8	8	4'-0 1/4"	19	2	5x3x3
351F-1000-9-20	1000	9	20	W10X26	10	5-3/4"	360	1443	12754	1472	20'-10"	12"	15"	26	30	8	8	4'-0 1/4"	20	2	5x3x3
351F-1000-10-8	1000	10	8	W10X26	10	5-3/4"	360	955	14301	1651	8'-10"	8"	14"	26	30	8	8	3'-6 1/4"	10	2	4x3x3
351F-1000-10-9	1000	10	9	W10X26	10	5-3/4"	360	994	14301	1651	9'-10"	8"	14"	26	30	8	8	3'-6 1/4"	10	2	4x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-1000-10-10	1000	10	10	W10X26	10	5-3/4"	360	1023	14301	1651	10'-10"	8"	14"	26	30	8	8	3'-6 1/4"	10	2	4x3x3
351F-1000-10-11	1000	10	11	W8X18	8	5-1/4"	360	1151	13901	1604	11'-8"	12"	15"	26	30	8	8	4'-0 1/4"	11	2	5x3x3
351F-1000-10-12	1000	10	12	W8X18	8	5-1/4"	360	1185	13901	1604	12'-8"	12"	15"	26	30	8	8	4'-0 1/4"	12	2	5x3x3
351F-1000-10-13	1000	10	13	W8X18	8	5-1/4"	360	1218	13901	1604	13'-8"	12"	15"	26	30	8	8	4'-0 1/4"	13	2	5x3x3
351F-1000-10-14	1000	10	14	W8X18	8	5-1/4"	360	1252	13901	1604	14'-8"	12"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-1000-10-15	1000	10	15	W8X18	8	5-1/4"	360	1286	13901	1604	15'-8"	12"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-1000-10-16	1000	10	16	W8X18	8	5-1/4"	360	1320	13901	1604	16'-8"	12"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-1000-10-17	1000	10	17	W8X18	8	5-1/4"	360	1278	13901	1604	17'-8"	12"	15"	26	30	8	8	4'-0 1/4"	17	2	5x3x3
351F-1000-10-18	1000	10	18	W8X18	8	5-1/4"	360	1312	13901	1604	18'-8"	12"	15"	26	30	8	8	4'-0 1/4"	18	2	5x3x3
351F-1000-10-19	1000	10	19	W10X26	10	5-3/4"	360	1435	14301	1651	19'-10"	12"	15"	26	30	8	8	4'-0 1/4"	19	2	5x3x3
351F-1000-10-20	1000	10	20	W10X26	10	5-3/4"	360	1469	14301	1651	20'-10"	12"	15"	26	30	8	8	4'-0 1/4"	20	2	5x3x3
351F-1000-11-8	1000	11	8	W8X18	8	5-1/4"	360	1086	15390	1776	8'-8"	12"	15"	26	30	8	8	4'-0 1/4"	11	2	5x3x3
351F-1000-11-9	1000	11	9	W8X18	8	5-1/4"	360	1120	15390	1776	9'-8"	12"	15"	26	30	8	8	4'-0 1/4"	11	2	5x3x3
351F-1000-11-10	1000	11	10	W8X18	8	5-1/4"	360	1154	15390	1776	10'-8"	12"	15"	26	30	8	8	4'-0 1/4"	11	2	5x3x3
351F-1000-11-11	1000	11	11	W10X26	10	5-3/4"	360	1293	15874	1832	11'-10"	12"	15"	26	30	8	8	4'-0 1/4"	11	2	5x3x3
351F-1000-11-12	1000	11	12	W10X26	10	5-3/4"	360	1327	15874	1832	12'-10"	12"	15"	26	30	8	8	4'-0 1/4"	12	2	5x3x3
351F-1000-11-13	1000	11	13	W10X26	10	5-3/4"	360	1361	15874	1832	13'-10"	12"	15"	26	30	8	8	4'-0 1/4"	13	2	5x3x3
351F-1000-11-14	1000	11	14	W10X26	10	5-3/4"	360	1395	15874	1832	14'-10"	12"	15"	26	30	8	8	4'-0 1/4"	14	2	5x3x3
351F-1000-11-15	1000	11	15	W10X26	10	5-3/4"	360	1428	15874	1832	15'-10"	12"	15"	26	30	8	8	4'-0 1/4"	15	2	5x3x3
351F-1000-11-16	1000	11	16	W10X26	10	5-3/4"	360	1462	15874	1832	16'-10"	12"	15"	26	30	8	8	4'-0 1/4"	16	2	5x3x3
351F-1000-11-17	1000	11	17	W10X26	10	5-3/4"	360	1529	15874	1832	17'-10"	12"	15"	26	30	8	8	4'-0 1/4"	17	2	5x3x3
351F-1000-11-18	1000	11	18	W10X26	10	5-3/4"	360	1573	15874	1832	18'-10"	12"	15"	26	30	8	8	4'-0 1/4"	18	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-1000-11-19	1000	11	19	W10X26	10	5-3/4"	360	1994	15874	1832	19'-10"	16"	15"	26	30	8	8	5'-0 1/4"	19	2	6x3x3
351F-1000-11-20	1000	11	20	W10X26	10	5-3/4"	360	2049	15874	1832	20'-10"	16"	15"	26	30	8	8	5'-0 1/4"	20	2	6x3x3
351F-1000-12-8	1000	12	8	W8X18	8	5-1/4"	360	1086	16897	805	8'-8"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-1000-12-9	1000	12	9	W8X18	8	5-1/4"	360	1120	16897	805	9'-8"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-1000-12-10	1000	12	10	W8X18	8	5-1/4"	360	1154	16897	805	10'-8"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-1000-12-11	1000	12	11	W10X26	10	5-3/4"	360	1293	17473	833	11'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-1000-12-12	1000	12	12	W10X26	10	5-3/4"	360	1327	17473	833	12'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-1000-12-13	1000	12	13	W10X26	10	5-3/4"	360	1361	17473	833	13'-10"	12"	15"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-1000-12-14	1000	12	14	W10X26	10	5-3/4"	360	1395	17473	833	14'-10"	12"	15"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-12-15	1000	12	15	W10X26	10	5-3/4"	360	1428	17473	833	15'-10"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-1000-12-16	1000	12	16	W10X26	10	5-3/4"	360	1462	17473	833	16'-10"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-12-17	1000	12	17	W10X26	10	5-3/4"	360	1529	17473	833	17'-10"	12"	15"	42	46	12	6	4'-0 1/4"	17	2	5x3x3
351F-1000-12-18	1000	12	18	W10X26	10	5-3/4"	360	1573	17473	833	18'-10"	12"	15"	42	46	12	6	4'-0 1/4"	18	2	5x3x3
351F-1000-12-19	1000	12	19	W10X26	10	5-3/4"	360	1994	17473	833	19'-10"	16"	15"	42	46	12	6	5'-0 1/4"	19	2	6x3x3
351F-1000-12-20	1000	12	20	W10X26	10	5-3/4"	360	2049	17473	833	20'-10"	16"	15"	42	46	12	6	5'-0 1/4"	20	2	6x3x3
351F-1000-13-8	1000	13	8	W10X26	10	5-3/4"	360	1218	19098	910	8'-10"	12"	16"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-1000-13-9	1000	13	9	W10X26	10	5-3/4"	360	1352	19098	910	9'-10"	12"	16"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-1000-13-10	1000	13	10	W10X26	10	5-3/4"	360	1286	19098	910	10'-10"	12"	16"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-1000-13-11	1000	13	11	W10X26	10	5-3/4"	360	1433	19098	910	11'-10"	12"	16"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-1000-13-12	1000	13	12	W10X26	10	5-3/4"	360	1477	19098	910	12'-10"	12"	16"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-1000-13-13	1000	13	13	W12X30	12	6-1/2"	360	1581	19436	926	14'-0"	12"	16"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-1000-13-14	1000	13	14	W12X30	12	6-1/2"	360	1625	19436	926	15'-0"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-1000-13-15	1000	13	15	W12X30	12	6-1/2"	360	1673	19436	926	16'-0"	12"	16"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-1000-13-16	1000	13	16	W12X30	12	6-1/2"	360	1717	19436	926	17'-0"	12"	16"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-13-17	1000	13	17	W12X30	12	6-1/2"	360	1962	19436	926	18'-0"	14"	16"	42	46	12	6	4'-6 1/4"	17	2	5x3x3
351F-1000-13-18	1000	13	18	W12X30	12	6-1/2"	360	2017	19436	926	19'-0"	14"	16"	42	46	12	6	4'-6 1/4"	18	2	5x3x3
351F-1000-13-19	1000	13	19	W12X30	12	6-1/2"	360	2072	19436	926	20'-0"	14"	16"	42	46	12	6	4'-6 1/4"	19	2	5x3x3
351F-1000-13-20	1000	13	20	W12X30	12	6-1/2"	360	2127	19436	926	21'-0"	14"	16"	42	46	12	6	4'-6 1/4"	20	2	5x3x3
351F-1000-14-8	1000	14	8	W10X26	10	5-3/4"	360	1294	20749	989	8'-10"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-14-9	1000	14	9	W10X26	10	5-3/4"	360	1328	20749	989	9'-10"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-14-10	1000	14	10	W10X26	10	5-3/4"	360	1362	20749	989	10'-10"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-14-11	1000	14	11	W10X26	10	5-3/4"	360	1509	20749	989	11'-10"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-14-12	1000	14	12	W10X26	10	5-3/4"	360	1553	20749	989	12'-10"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-14-13	1000	14	13	W12X30	12	6-1/2"	360	1661	21141	1007	14'-0"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-14-14	1000	14	14	W12X30	12	6-1/2"	360	1705	21141	1007	15'-0"	12"	16"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-1000-14-15	1000	14	15	W12X30	12	6-1/2"	360	1753	21141	1007	16'-0"	12"	16"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-1000-14-16	1000	14	16	W12X30	12	6-1/2"	360	1797	21141	1007	17'-0"	12"	16"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-14-17	1000	14	17	W12X30	12	6-1/2"	360	1992	21141	1007	18'-0"	14"	16"	42	46	12	6	4'-6 1/4"	17	2	5x3x3
351F-1000-14-18	1000	14	18	W12X30	12	6-1/2"	360	2047	21141	1007	19'-0"	14"	16"	42	46	12	6	4'-6 1/4"	18	2	5x3x3
351F-1000-14-19	1000	14	19	W12X30	12	6-1/2"	360	2102	21141	1007	20'-0"	14"	16"	42	46	12	6	4'-6 1/4"	19	2	5x3x3
351F-1000-14-20	1000	14	20	W12X30	12	6-1/2"	360	2157	21141	1007	21'-0"	14"	16"	42	46	12	6	4'-6 1/4"	20	2	5x3x3
351F-1000-15-8	1000	15	8	W12X30	12	6-1/2"	360	1372	22876	1090	9'-0"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-1000-15-9	1000	15	9	W12X30	12	6-1/2"	360	1416	22876	1090	10'-0"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-1000-15-10	1000	15	10	W12X30	12	6-1/2"	360	1460	22876	1090	11'-0"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-1000-15-11	1000	15	11	W12X30	12	6-1/2"	360	1606	22876	1090	12'-0"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-1000-15-12	1000	15	12	W12X30	12	6-1/2"	360	1660	22876	1090	13'-0"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-1000-15-13	1000	15	13	W12X30	12	6-1/2"	360	1930	22876	1090	14'-0"	14"	16"	42	46	12	6	4'-6 1/4"	15	2	5x3x3
351F-1000-15-14	1000	15	14	W12X30	12	6-1/2"	360	1985	22876	1090	15'-0"	14"	16"	42	46	12	6	4'-6 1/4"	15	2	5x3x3
351F-1000-15-15	1000	15	15	W12X30	12	6-1/2"	360	2045	22876	1090	16'-0"	14"	16"	42	46	12	6	4'-6 1/4"	15	2	5x3x3
351F-1000-15-16	1000	15	16	W12X30	12	6-1/2"	360	2100	22876	1090	17'-0"	14"	16"	42	46	12	6	4'-6 1/4"	16	2	5x3x3
351F-1000-15-17	1000	15	17	W16X45	16	7"	360	2270	24563	1170	18'-4"	14"	16"	42	46	12	6	4'-6 1/4"	17	2	5x3x3
351F-1000-15-18	1000	15	18	W16X45	16	7"	360	2325	24563	1170	19'-4"	14"	16"	42	46	12	6	4'-6 1/4"	18	2	5x3x3
351F-1000-15-19	1000	15	19	W16X45	16	7"	360	2380	24563	1170	20'-4"	14"	16"	42	46	12	6	4'-6 1/4"	19	2	5x3x3
351F-1000-15-20	1000	15	20	W16X45	16	7"	360	2435	24563	1170	21'-4"	14"	16"	42	46	12	6	4'-6 1/4"	20	2	5x3x3
351F-1000-16-8	1000	16	8	W12X30	12	6-1/2"	360	1402	24641	1174	9'-0"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-16-9	1000	16	9	W12X30	12	6-1/2"	360	1446	24641	1174	10'-0"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-16-10	1000	16	10	W12X30	12	6-1/2"	360	1490	24641	1174	11'-0"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-16-11	1000	16	11	W12X30	12	6-1/2"	360	1636	24641	1174	12'-0"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-16-12	1000	16	12	W12X30	12	6-1/2"	360	1680	24641	1174	13'-0"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-1000-16-13	1000	16	13	W12X30	12	6-1/2"	360	1960	24641	1174	14'-0"	14"	16"	42	46	12	6	4'-6 1/4"	16	2	5x3x3
351F-1000-16-14	1000	16	14	W12X30	12	6-1/2"	360	2015	24641	1174	15'-0"	14"	16"	42	46	12	6	4'-6 1/4"	16	2	5x3x3
351F-1000-16-15	1000	16	15	W12X30	12	6-1/2"	360	2075	24641	1174	16'-0"	14"	16"	42	46	12	6	4'-6 1/4"	16	2	5x3x3
351F-1000-16-16	1000	16	16	W12X30	12	6-1/2"	360	2130	24641	1174	17'-0"	14"	16"	42	46	12	6	4'-6 1/4"	16	2	5x3x3
351F-1000-16-17	1000	16	17	W16X45	16	7"	360	2315	26561	1265	18'-4"	14"	16"	42	46	12	6	4'-6 1/4"	17	2	5x3x3
351F-1000-16-18	1000	16	18	W16X45	16	7"	360	2370	26561	1265	19'-4"	14"	16"	42	46	12	6	4'-6 1/4"	18	2	5x3x3
351F-1000-16-19	1000	16	19	W16X45	16	7"	360	2425	26561	1265	20'-4"	14"	16"	42	46	12	6	4'-6 1/4"	19	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-1000-16-20	1000	16	20	W16X45	16	7"	360	2480	26561	1265	21'-4"	14"	16"	42	46	12	6	4'-6 1/4"	20	2	5x3x3
351F-1000-17-8	1000	17	8	W12X30	12	6-1/2"	360	1407	26436	827	9'-0"	12"	16"	48	54	16	8	4'-0 1/4"	17	2	5x3x3
351F-1000-17-9	1000	17	9	W12X30	12	6-1/2"	360	1451	26436	827	10'-0"	12"	16"	48	54	16	8	4'-0 1/4"	17	2	5x3x3
351F-1000-17-10	1000	17	10	W12X30	12	6-1/2"	360	1495	26436	827	11'-0"	12"	16"	48	54	16	8	4'-0 1/4"	17	2	5x3x3
351F-1000-17-11	1000	17	11	W12X30	12	6-1/2"	360	1760	26436	827	12'-0"	14"	16"	48	54	16	8	4'-6 1/4"	17	2	5x3x3
351F-1000-17-12	1000	17	12	W12X30	12	6-1/2"	360	1815	26436	827	13'-0"	14"	16"	48	54	16	8	4'-6 1/4"	17	2	5x3x3
351F-1000-17-13	1000	17	13	W16X45	16	7"	360	2140	28603	894	14'-4"	14"	16"	48	54	16	8	4'-6 1/4"	17	2	5x3x3
351F-1000-17-14	1000	17	14	W16X45	16	7"	360	2195	28603	894	15'-4"	14"	16"	48	54	16	8	4'-6 1/4"	17	2	5x3x3
351F-1000-17-15	1000	17	15	W16X45	16	7"	360	2250	28603	894	16'-4"	14"	16"	48	54	16	8	4'-6 1/4"	17	2	5x3x3
351F-1000-17-16	1000	17	16	W16X45	16	7"	360	2305	28603	894	17'-4"	14"	16"	48	54	16	8	4'-6 1/4"	17	2	5x3x3
351F-1000-17-17	1000	17	17	W16X45	16	7"	360	2360	28603	894	18'-4"	14"	16"	48	54	16	8	4'-6 1/4"	17	2	5x3x3
351F-1000-17-18	1000	17	18	W16X45	16	7"	360	2415	28603	894	19'-4"	14"	16"	48	54	16	8	4'-6 1/4"	18	2	5x3x3
351F-1000-17-19	1000	17	19	W16X45	16	7"	360	3012	28603	894	20'-4"	16"	19"	48	54	16	8	5'-0 1/4"	19	2	6x3x3
351F-1000-17-20	1000	17	20	W16X45	16	7"	360	3075	28603	894	21'-4"	16"	19"	48	54	16	8	5'-0 1/4"	20	2	6x3x3
351F-1000-18-8	1000	18	8	W12X30	12	6-1/2"	360	1437	28261	884	9'-0"	12"	16"	48	54	16	8	4'-0 1/4"	18	2	5x3x3
351F-1000-18-9	1000	18	9	W12X30	12	6-1/2"	360	1481	28261	884	10'-0"	12"	16"	48	54	16	8	4'-0 1/4"	18	2	5x3x3
351F-1000-18-10	1000	18	10	W12X30	12	6-1/2"	360	1525	28261	884	11'-0"	12"	16"	48	54	16	8	4'-0 1/4"	18	2	5x3x3
351F-1000-18-11	1000	18	11	W12X30	12	6-1/2"	360	1790	28261	884	12'-0"	14"	16"	48	54	16	8	4'-6 1/4"	18	2	5x3x3
351F-1000-18-12	1000	18	12	W12X30	12	6-1/2"	360	1845	28261	884	13'-0"	14"	16"	48	54	16	8	4'-6 1/4"	18	2	5x3x3
351F-1000-18-13	1000	18	13	W16X45	16	7"	360	2185	30691	960	14'-4"	14"	16"	48	54	16	8	4'-6 1/4"	18	2	5x3x3
351F-1000-18-14	1000	18	14	W16X45	16	7"	360	2240	30691	960	15'-4"	14"	16"	48	54	16	8	4'-6 1/4"	18	2	5x3x3
351F-1000-18-15	1000	18	15	W16X45	16	7"	360	2295	30691	960	16'-4"	14"	16"	48	54	16	8	4'-6 1/4"	18	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-1000-18-16	1000	18	16	W16X45	16	7"	360	2350	30691	960	17'-4"	14"	16"	48	54	16	8	4'-6 1/4"	18	2	5x3x3
351F-1000-19-8	1000	19	8	W12X30	12	6-1/2"	360	1655	30116	942	9'-0"	14"	16"	48	54	16	8	4'-6 1/4"	19	2	5x3x3
351F-1000-19-9	1000	19	9	W12X30	12	6-1/2"	360	1710	30116	942	10'-0"	14"	16"	48	54	16	8	4'-6 1/4"	19	2	5x3x3
351F-1000-19-10	1000	19	10	W12X30	12	6-1/2"	360	1765	30116	942	11'-0"	14"	16"	48	54	16	8	4'-6 1/4"	19	2	5x3x3
351F-1000-19-11	1000	19	11	W16X45	16	7"	360	2120	32823	1026	12'-4"	14"	16"	48	54	16	8	4'-6 1/4"	19	2	5x3x3
351F-1000-19-12	1000	19	12	W16X45	16	7"	360	2175	32823	1026	13'-4"	14"	16"	48	54	16	8	4'-6 1/4"	19	2	5x3x3
351F-1000-19-13	1000	19	13	W16X45	16	7"	360	2230	32823	1026	14'-4"	14"	16"	48	54	16	8	4'-6 1/4"	19	2	5x3x3
351F-1000-19-14	1000	19	14	W16X45	16	7"	360	2285	32823	1026	15'-4"	14"	16"	48	54	16	8	4'-6 1/4"	19	2	5x3x3
351F-1000-19-15	1000	19	15	W16X45	16	7"	360	2852	32823	1026	16'-4"	16"	19"	48	54	16	8	5'-0 1/4"	19	2	6x3x3
351F-1000-19-16	1000	19	16	W16X45	16	7"	360	2915	32823	1026	17'-4"	16"	19"	48	54	16	8	5'-0 1/4"	19	2	6x3x3
351F-1000-20-8	1000	20	8	W12X30	12	6-1/2"	360	1685	32001	1001	9'-0"	14"	16"	48	54	16	8	4'-6 1/4"	20	2	5x3x3
351F-1000-20-9	1000	20	9	W12X30	12	6-1/2"	360	1740	32001	1001	10'-0"	14"	16"	48	54	16	8	4'-6 1/4"	20	2	5x3x3
351F-1000-20-10	1000	20	10	W12X30	12	6-1/2"	360	1795	32001	1001	11'-0"	14"	16"	48	54	16	8	4'-6 1/4"	20	2	5x3x3
351F-1000-20-11	1000	20	11	W16X45	16	7"	360	2165	35001	1094	12'-4"	14"	16"	48	54	16	8	4'-6 1/4"	20	2	5x3x3
351F-1000-20-12	1000	20	12	W16X45	16	7"	360	2220	35001	1094	13'-4"	14"	16"	48	54	16	8	4'-6 1/4"	20	2	5x3x3
351F-1000-20-13	1000	20	13	W16X45	16	7"	360	2275	35001	1094	14'-4"	14"	16"	48	54	16	8	4'-6 1/4"	20	2	5x3x3
351F-1000-20-14	1000	20	14	W16X45	16	7"	360	2330	35001	1094	15'-4"	14"	16"	48	54	16	8	4'-6 1/4"	20	2	5x3x3
351F-2000-8-8	2000	8	8	W10X26	10	5-3/4"	360	1106	21633	1031	8'-10"	12"	15"	42	46	12	6	4'-0 1/4"	8	2	5x3x3
351F-2000-8-9	2000	8	9	W10X26	10	5-3/4"	360	1156	21633	1031	9'-10"	12"	15"	42	46	12	6	4'-0 1/4"	9	2	5x3x3
351F-2000-8-10	2000	8	10	W10X26	10	5-3/4"	360	1206	21633	1031	10'-10"	12"	15"	42	46	12	6	4'-0 1/4"	10	2	5x3x3
351F-2000-8-11	2000	8	11	W10X26	10	5-3/4"	360	1223	21633	1031	11'-10"	12"	15"	42	46	12	6	4'-0 1/4"	11	2	5x3x3
351F-2000-8-12	2000	8	12	W10X26	10	5-3/4"	360	1273	21633	1031	12'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-2000-8-13	2000	8	13	W10X26	10	5-3/4"	360	1291	21633	1031	13'-10"	12"	15"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-2000-8-14	2000	8	14	W10X26	10	5-3/4"	360	1341	21633	1031	14'-10"	12"	15"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-2000-8-15	2000	8	15	W10X26	10	5-3/4"	360	1615	21633	1031	15'-10"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-2000-8-16	2000	8	16	W10X26	10	5-3/4"	360	1665	21633	1031	16'-10"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-2000-9-8	2000	9	8	W10X26	10	5-3/4"	360	1132	24454	1165	8'-10"	12"	15"	42	46	12	6	4'-0 1/4"	9	2	5x3x3
351F-2000-9-9	2000	9	9	W10X26	10	5-3/4"	360	1182	24454	1165	9'-10"	12"	15"	42	46	12	6	4'-0 1/4"	9	2	5x3x3
351F-2000-9-10	2000	9	10	W10X26	10	5-3/4"	360	1232	24454	1165	10'-10"	12"	15"	42	46	12	6	4'-0 1/4"	10	2	5x3x3
351F-2000-9-11	2000	9	11	W10X26	10	5-3/4"	360	1249	24454	1165	11'-10"	12"	15"	42	46	12	6	4'-0 1/4"	11	2	5x3x3
351F-2000-9-12	2000	9	12	W10X26	10	5-3/4"	360	1299	24454	1165	12'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-2000-9-13	2000	9	13	W10X26	10	5-3/4"	360	1317	24454	1165	13'-10"	12"	15"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-2000-9-14	2000	9	14	W10X26	10	5-3/4"	360	1367	24454	1165	14'-10"	12"	15"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-2000-9-15	2000	9	15	W10X26	10	5-3/4"	360	1641	24454	1165	15'-10"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-2000-9-16	2000	9	16	W10X26	10	5-3/4"	360	1691	24454	1165	16'-10"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3
351F-2000-10-8	2000	10	8	W10X26	10	5-3/4"	360	1158	27301	1301	8'-10"	12"	15"	42	46	12	6	4'-0 1/4"	10	2	5x3x3
351F-2000-10-9	2000	10	9	W10X26	10	5-3/4"	360	1208	27301	1301	9'-10"	12"	15"	42	46	12	6	4'-0 1/4"	10	2	5x3x3
351F-2000-10-10	2000	10	10	W10X26	10	5-3/4"	360	1258	27301	1301	10'-10"	12"	15"	42	46	12	6	4'-0 1/4"	10	2	5x3x3
351F-2000-10-11	2000	10	11	W10X26	10	5-3/4"	360	1275	27301	1301	11'-10"	12"	15"	42	46	12	6	4'-0 1/4"	11	2	5x3x3
351F-2000-10-12	2000	10	12	W10X26	10	5-3/4"	360	1325	27301	1301	12'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-2000-10-13	2000	10	13	W10X26	10	5-3/4"	360	1343	27301	1301	13'-10"	12"	15"	42	46	12	6	4'-0 1/4"	13	2	5x3x3
351F-2000-10-14	2000	10	14	W10X26	10	5-3/4"	360	1393	27301	1301	14'-10"	12"	15"	42	46	12	6	4'-0 1/4"	14	2	5x3x3
351F-2000-10-15	2000	10	15	W10X26	10	5-3/4"	360	1667	27301	1301	15'-10"	12"	15"	42	46	12	6	4'-0 1/4"	15	2	5x3x3
351F-2000-10-16	2000	10	16	W10X26	10	5-3/4"	360	1717	27301	1301	16'-10"	12"	15"	42	46	12	6	4'-0 1/4"	16	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-2000-11-8	2000	11	8	W10X26	10	5-3/4"	360	1184	30174	1437	8'-10"	12"	15"	42	46	12	6	4'-0 1/4"	11	2	5x3x3
351F-2000-11-9	2000	11	9	W10X26	10	5-3/4"	360	1234	30174	1437	9'-10"	12"	15"	42	46	12	6	4'-0 1/4"	11	2	5x3x3
351F-2000-11-10	2000	11	10	W10X26	10	5-3/4"	360	1284	30174	1437	10'-10"	12"	15"	42	46	12	6	4'-0 1/4"	11	2	5x3x3
351F-2000-11-11	2000	11	11	W10X26	10	5-3/4"	360	1644	30174	1437	11'-10"	14"	16"	42	46	12	6	4'-6 1/4"	11	2	5x3x3
351F-2000-11-12	2000	11	12	W10X26	10	5-3/4"	360	1699	30174	1437	12'-10"	14"	16"	42	46	12	6	4'-6 1/4"	12	2	5x3x3
351F-2000-11-13	2000	11	13	W10X26	10	5-3/4"	360	1752	30174	1437	13'-10"	14"	16"	42	46	12	6	4'-6 1/4"	13	2	5x3x3
351F-2000-11-14	2000	11	14	W10X26	10	5-3/4"	360	1807	30174	1437	14'-10"	14"	16"	42	46	12	6	4'-6 1/4"	14	2	5x3x3
351F-2000-11-15	2000	11	15	W12X30	12	6-1/2"	360	1918	30416	1449	16'-0"	14"	16"	42	46	12	6	4'-6 1/4"	15	2	5x3x3
351F-2000-11-16	2000	11	16	W12X30	12	6-1/2"	360	1973	30416	1449	17'-0"	14"	16"	42	46	12	6	4'-6 1/4"	16	2	5x3x3
351F-2000-12-8	2000	12	8	W10X26	10	5-3/4"	360	1210	33073	1575	8'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-2000-12-9	2000	12	9	W10X26	10	5-3/4"	360	1260	33073	1575	9'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-2000-12-10	2000	12	10	W10X26	10	5-3/4"	360	1310	33073	1575	10'-10"	12"	15"	42	46	12	6	4'-0 1/4"	12	2	5x3x3
351F-2000-12-11	2000	12	11	W10X26	10	5-3/4"	360	1670	33073	1575	11'-10"	14"	16"	42	46	12	6	4'-6 1/4"	12	2	5x3x3
351F-2000-12-12	2000	12	12	W10X26	10	5-3/4"	360	1725	33073	1575	12'-10"	14"	16"	42	46	12	6	4'-6 1/4"	12	2	5x3x3
351F-2000-12-13	2000	12	13	W10X26	10	5-3/4"	360	1778	33073	1575	13'-10"	14"	16"	42	46	12	6	4'-6 1/4"	13	2	5x3x3
351F-2000-12-14	2000	12	14	W10X26	10	5-3/4"	360	1833	33073	1575	14'-10"	14"	16"	42	46	12	6	4'-6 1/4"	14	2	5x3x3
351F-2000-12-15	2000	12	15	W12X30	12	6-1/2"	360	1948	33361	1589	16'-0"	14"	16"	42	46	12	6	4'-6 1/4"	15	2	5x3x3
351F-2000-12-16	2000	12	16	W12X30	12	6-1/2"	360	2003	33361	1589	17'-0"	14"	16"	42	46	12	6	4'-6 1/4"	16	2	5x3x3
351F-2000-13-8	2000	13	8	W12X30	12	6-1/2"	360	1693	36336	1136	9'-0"	14"	16"	48	54	16	8	4'-6 1/4"	13	2	5x3x3
351F-2000-13-9	2000	13	9	W12X30	12	6-1/2"	360	1723	36336	1136	10'-0"	14"	16"	48	54	16	8	4'-6 1/4"	13	2	5x3x3
351F-2000-13-10	2000	13	10	W12X30	12	6-1/2"	360	1753	36336	1136	11'-0"	14"	16"	48	54	16	8	4'-6 1/4"	13	2	5x3x3
351F-2000-13-11	2000	13	11	W12X30	12	6-1/2"	360	1833	36336	1136	12'-0"	14"	16"	48	54	16	8	4'-6 1/4"	13	2	5x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-2000-13-12	2000	13	12	W12X30	12	6-1/2"	360	1863	36336	1136	13'-0"	14"	16"	48	54	16	8	4'-6 1/4"	13	2	5x3x3
351F-2000-13-13	2000	13	13	W16X45	16	7"	360	2144	37603	1176	14'-4"	14"	16"	48	54	16	8	4'-6 1/4"	13	2	5x3x3
351F-2000-13-14	2000	13	14	W16X45	16	7"	360	2189	37603	1176	15'-4"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-13-15	2000	13	15	W16X45	16	7"	360	2254	37603	1176	16'-4"	14"	16"	48	54	16	8	4'-6 1/4"	15	2	5x3x3
351F-2000-13-16	2000	13	16	W16X45	16	7"	360	2299	37603	1176	17'-4"	14"	16"	48	54	16	8	4'-6 1/4"	16	2	5x3x3
351F-2000-14-8	2000	14	8	W12X30	12	6-1/2"	360	1723	39341	1230	9'-0"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-14-9	2000	14	9	W12X30	12	6-1/2"	360	1753	39341	1230	10'-0"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-14-10	2000	14	10	W12X30	12	6-1/2"	360	1783	39341	1230	11'-0"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-14-11	2000	14	11	W12X30	12	6-1/2"	360	1863	39341	1230	12'-0"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-14-12	2000	14	12	W12X30	12	6-1/2"	360	1893	39341	1230	13'-0"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-14-13	2000	14	13	W16X45	16	7"	360	2189	40811	1276	14'-4"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-14-14	2000	14	14	W16X45	16	7"	360	2234	40811	1276	15'-4"	14"	16"	48	54	16	8	4'-6 1/4"	14	2	5x3x3
351F-2000-14-15	2000	14	15	W16X45	16	7"	360	2299	40811	1276	16'-4"	14"	16"	48	54	16	8	4'-6 1/4"	15	2	5x3x3
351F-2000-14-16	2000	14	16	W16X45	16	7"	360	2344	40811	1276	17'-4"	14"	16"	48	54	16	8	4'-6 1/4"	16	2	5x3x3
351F-2000-15-8	2000	15	8	W16X45	16	7"	360	1950	44063	1377	9'-4"	14"	16"	48	54	16	8	4'-6 1/4"	15	2	5x3x3
351F-2000-15-9	2000	15	9	W16X45	16	7"	360	2005	44063	1377	10'-4"	14"	16"	48	54	16	8	4'-6 1/4"	15	2	5x3x3
351F-2000-15-10	2000	15	10	W16X45	16	7"	360	2059	44063	1377	11'-4"	14"	16"	48	54	16	8	4'-6 1/4"	15	2	5x3x3
351F-2000-15-11	2000	15	11	W16X45	16	7"	360	2115	44063	1377	12'-4"	14"	16"	48	54	16	8	4'-6 1/4"	15	2	5x3x3
351F-2000-15-12	2000	15	12	W16X45	16	7"	360	2169	44063	1377	13'-4"	14"	16"	48	54	16	8	4'-6 1/4"	15	2	5x3x3
351F-2000-15-13	2000	15	13	W16X45	16	7"	360	2745	44063	1377	14'-4"	16"	19"	48	54	16	8	5'-0 1/4"	15	2	6x3x3
351F-2000-15-14	2000	15	14	W16X45	16	7"	360	2808	44063	1377	15'-4"	16"	19"	48	54	16	8	5'-0 1/4"	15	2	6x3x3
351F-2000-15-15	2000	15	15	W16X45	16	7"	360	2870	44063	1377	16'-4"	16"	19"	48	54	16	8	5'-0 1/4"	15	2	6x3x3



Foundationless Freestanding Jib Crane - 351 Series - Up To 2000 lbs Capacity

Item ID	Capacity (Lbs.)	Span (Ft.)	Height Under Boom (Ft.)	Beam Size	Beam Height	Flange Width	Rotation	Approx. Weight	Overturning Moment (ft. lbs.)	Anchor Pull Force (lbs./bolt)	Overall Height	Mast Diameter	Rotation Clearance	Bolt Circle Diam. (Inches)	Base Plate Diam.	# Bolts	gussets	Head Dimension	Longest Piece	# of Skids	2nd skid dimensions (Feet)
351F-2000-15-16	2000	15	16	W16X45	16	7"	360	2933	44063	1377	17'-4"	16"	19"	48	54	16	8	5'-0 1/4"	16	2	6x3x3
351F-2000-16-8	2000	16	8	W16X45	16	7"	360	1995	47361	1481	9'-4"	14"	16"	48	54	16	8	4'-6 1/4"	16	2	5x3x3
351F-2000-16-9	2000	16	9	W16X45	16	7"	360	2050	47361	1481	10'-4"	14"	16"	48	54	16	8	4'-6 1/4"	16	2	5x3x3
351F-2000-16-10	2000	16	10	W16X45	16	7"	360	2104	47361	1481	11'-4"	14"	16"	48	54	16	8	4'-6 1/4"	16	2	5x3x3
351F-2000-16-11	2000	16	11	W16X45	16	7"	360	2160	47361	1481	12'-4"	14"	16"	48	54	16	8	4'-6 1/4"	16	2	5x3x3
351F-2000-16-12	2000	16	12	W16X45	16	7"	360	2214	47361	1481	13'-4"	14"	16"	48	54	16	8	4'-6 1/4"	16	2	5x3x3
351F-2000-16-13	2000	16	13	W16X45	16	7"	360	2790	47361	1481	14'-4"	16"	19"	48	54	16	8	5'-0 1/4"	16	2	6x3x3
351F-2000-16-14	2000	16	14	W16X45	16	7"	360	2853	47361	1481	15'-4"	16"	19"	48	54	16	8	5'-0 1/4"	16	2	6x3x3
351F-2000-16-15	2000	16	15	W16X45	16	7"	360	2915	47361	1481	16'-4"	16"	19"	48	54	16	8	5'-0 1/4"	16	2	6x3x3
351F-2000-16-16	2000	16	16	W16X45	16	7"	360	2978	47361	1481	17'-4"	16"	19"	48	54	16	8	5'-0 1/4"	16	2	6x3x3